

PassMark - CPU Mark
High End CPUs - Updated 14th of March 2014

Processor	CPU Mark
<u>Intel Xeon E5-2697 v2 @ 2.70GHz</u>	17,610
<u>Intel Xeon E5-2690 v2 @ 3.00GHz</u>	17,318
<u>Intel Xeon E5-2680 v2 @ 2.80GHz</u>	16,684
<u>Intel Xeon E5-2687W v2 @ 3.40GHz</u>	16,618
<u>Intel Xeon E5-2667 v2 @ 3.30GHz</u>	16,361
<u>Intel Xeon E5-2687W @ 3.10GHz</u>	14,541
<u>Intel Xeon E5-2690 @ 2.90GHz</u>	14,248
<u>Intel Core i7-4960X @ 3.60GHz</u>	14,161
<u>Intel Xeon E5-2689 @ 2.60GHz</u>	13,897
<u>Intel Xeon E5-2658 v2 @ 2.40GHz</u>	13,678
<u>Intel Xeon E5-2670 v2 @ 2.50GHz</u>	13,573
<u>Intel Xeon E5-1660 v2 @ 3.70GHz</u>	13,432
<u>Intel Core i7-4930K @ 3.40GHz</u>	13,336
<u>Intel Xeon E5-2680 @ 2.70GHz</u>	13,262
<u>Intel Core i7-3970X @ 3.50GHz</u>	12,952
<u>Intel Xeon E5-2670 @ 2.60GHz</u>	12,867
<u>Intel Xeon E5-2650 v2 @ 2.60GHz</u>	12,807
<u>Intel Core i7-3960X @ 3.30GHz</u>	12,762
<u>Intel Xeon E5-1650 v2 @ 3.50GHz</u>	12,557
<u>Intel Xeon E5-1660 @ 3.30GHz</u>	12,468
<u>Intel Xeon E5-2665 @ 2.40GHz</u>	12,452
<u>Intel Core i7-3930K @ 3.20GHz</u>	12,166
<u>Intel Xeon E5-2660 @ 2.20GHz</u>	12,002
<u>Intel Xeon E5-4650 @ 2.70GHz</u>	11,960
<u>Intel Xeon E5-1650 @ 3.20GHz</u>	11,587
<u>Intel Xeon E5-2470 @ 2.30GHz</u>	11,149
<u>Intel Xeon E5-2667 @ 2.90GHz</u>	10,482
<u>Intel Xeon E5-2650 @ 2.00GHz</u>	10,456
<u>Intel Xeon E5-2630 v2 @ 2.60GHz</u>	10,447
<u>Intel Core i7-4770K @ 3.50GHz</u>	10,375
<u>AMD FX-9590 Eight-Core</u>	10,361
<u>Intel Core i7-4770R @ 3.20GHz</u>	10,323
<u>Intel Core i7-4960HQ @ 2.60GHz</u>	10,270
<u>Intel Xeon E3-1270 v3 @ 3.50GHz</u>	10,175
<u>Intel Xeon E3-1280 v3 @ 3.60GHz</u>	10,110
<u>Intel Core i7-4771 @ 3.50GHz</u>	10,090
<u>Intel Core i7-4820K @ 3.70GHz</u>	9,998
<u>Intel Xeon E3-1275 v3 @ 3.50GHz</u>	9,989
<u>Intel Xeon E3-1290 V2 @ 3.70GHz</u>	9,974
<u>Intel Core i7-4770 @ 3.40GHz</u>	9,958
<u>Intel Xeon W3690 @ 3.47GHz</u>	9,880
<u>Intel Xeon E3-1280 V2 @ 3.60GHz</u>	9,795
<u>Intel Xeon E5-2640 @ 2.50GHz</u>	9,761
<u>Intel Xeon E5-2643 v2 @ 3.50GHz</u>	9,751
<u>Intel Xeon E3-1240 v3 @ 3.40GHz</u>	9,742
<u>AMD FX-9370 Eight-Core</u>	9,715
<u>Intel Xeon E5-2658 @ 2.10GHz</u>	9,667
<u>Intel Xeon E3-1245 v3 @ 3.40GHz</u>	9,662

PassMark - CPU Mark
High End CPUs - Updated 14th of March 2014

<u>Intel Core i7-3770K @ 3.50GHz</u>	9,656
<u>Intel Core i7-4770S @ 3.10GHz</u>	9,655
<u>Intel Xeon E3-1270 V2 @ 3.50GHz</u>	9,635
<u>Intel Xeon E5-1620 v2 @ 3.70GHz</u>	9,533
<u>Intel Xeon E3-1230 v3 @ 3.30GHz</u>	9,504
<u>Intel Xeon E3-1275 V2 @ 3.50GHz</u>	9,498
<u>Intel Core i7 X 990 @ 3.47GHz</u>	9,436
<u>Intel Core i7-3770 @ 3.40GHz</u>	9,412
<u>Intel Core i7-4930MX @ 3.00GHz</u>	9,398
<u>Intel Xeon E3-1240 V2 @ 3.40GHz</u>	9,342
<u>Intel Core i7-4850HQ @ 2.30GHz</u>	9,302
<u>Intel Xeon X5690 @ 3.47GHz</u>	9,258
<u>Intel Core i7-3920XM @ 2.90GHz</u>	9,210
<u>Intel Core i7-3940XM @ 3.00GHz</u>	9,178
<u>Intel Xeon W3680 @ 3.33GHz</u>	9,178
<u>Intel Core i7-4900MQ @ 2.80GHz</u>	9,152
<u>Intel Xeon E5-1620 @ 3.60GHz</u>	9,151
<u>AMD Opteron 6282 SE</u>	9,116
<u>AMD FX-8350 Eight-Core</u>	9,048
<u>Intel Core i7-3770S @ 3.10GHz</u>	9,032
<u>Intel Core i7-3820 @ 3.60GHz</u>	9,026
<u>Intel Xeon E3-1245 V2 @ 3.40GHz</u>	9,024
<u>Intel Core i7-3840QM @ 2.80GHz</u>	9,013
<u>Intel Core i7-2700K @ 3.50GHz</u>	8,933
<u>Intel Core i7 X 980 @ 3.33GHz</u>	8,926
<u>Intel Core i7-4770T @ 2.50GHz</u>	8,902
<u>Intel Xeon E3-1230 V2 @ 3.30GHz</u>	8,893
<u>Intel Xeon E5-2630 @ 2.30GHz</u>	8,880
<u>Intel Xeon E3-1265L v3 @ 2.50GHz</u>	8,859
<u>Intel Core i7 980 @ 3.33GHz</u>	8,805
<u>Intel Xeon X5675 @ 3.07GHz</u>	8,717
<u>Intel Xeon E3-1290 @ 3.60GHz</u>	8,704
<u>Intel Xeon E3-1280 @ 3.50GHz</u>	8,663
<u>Intel Xeon W3670 @ 3.20GHz</u>	8,650
<u>Intel Xeon E5-2620 v2 @ 2.10GHz</u>	8,626
<u>Intel Core i7-2600K @ 3.40GHz</u>	8,617
<u>Intel Core i7-3820QM @ 2.70GHz</u>	8,589
<u>Intel Core i7-4800MQ @ 2.70GHz</u>	8,546
<u>Intel Xeon E5-2643 @ 3.30GHz</u>	8,508
<u>Intel Core i7 970 @ 3.20GHz</u>	8,507
<u>Intel Core i7-3740QM @ 2.70GHz</u>	8,494
<u>AMD Opteron 6376</u>	8,442
<u>Intel 0000 @ 2.80GHz</u>	8,387
<u>Intel Core i7-3720QM @ 2.60GHz</u>	8,333
<u>Intel Core i7-2600 @ 3.40GHz</u>	8,310
<u>Intel Xeon X5670 @ 2.93GHz</u>	8,291
<u>Intel Xeon E3-1270 @ 3.40GHz</u>	8,280
<u>Intel Core i7-3770T @ 2.50GHz</u>	8,279
<u>Intel Xeon E3-1265L V2 @ 2.50GHz</u>	8,141
<u>AMD Opteron 6328</u>	8,132

PassMark - CPU Mark
High End CPUs - Updated 14th of March 2014

<u>Intel Xeon X5660 @ 2.80GHz</u>	8,118
<u>AMD FX-8320 Eight-Core</u>	8,108
<u>Intel Xeon E3-1240 @ 3.30GHz</u>	8,092
<u>Intel Core i7-4700HQ @ 2.40GHz</u>	8,028
<u>Intel Xeon E3-1230 @ 3.20GHz</u>	8,028
<u>Intel Xeon E3-1245 @ 3.30GHz</u>	8,020
<u>Intel Xeon E5-2620 @ 2.00GHz</u>	7,958
<u>Intel Core i7-4700MQ @ 2.40GHz</u>	7,954
<u>Intel Xeon E3-1275 @ 3.40GHz</u>	7,919
<u>Intel Core i7-4750HQ @ 2.00GHz</u>	7,880
<u>Intel Core i5-4670K @ 3.40GHz</u>	7,804
<u>Intel Core i7-4702HQ @ 2.20GHz</u>	7,769
<u>Intel Core i7-3630QM @ 2.40GHz</u>	7,732
<u>AMD FX-8150 Eight-Core</u>	7,707
<u>Intel Xeon X5650 @ 2.67GHz</u>	7,683
<u>Intel Core i7-4700EQ @ 2.40GHz</u>	7,681
<u>Intel Core i5-4670 @ 3.40GHz</u>	7,511
<u>Intel Core i7-3610QM @ 2.30GHz</u>	7,509
<u>Intel Core i7-2960XM @ 2.70GHz</u>	7,425
<u>Intel Xeon E5-2420 @ 1.90GHz</u>	7,395
<u>Intel Core i7-4702MQ @ 2.20GHz</u>	7,395
<u>Intel Core i7-4765T @ 2.00GHz</u>	7,385
<u>Intel Xeon E3-1230L v3 @ 1.80GHz</u>	7,344
<u>Intel Xeon X5687 @ 3.60GHz</u>	7,333
<u>Intel Xeon E5-1410 @ 2.80GHz</u>	7,312
<u>Intel Xeon E3-1235 @ 3.20GHz</u>	7,302
<u>Intel Core i7-3615QM @ 2.30GHz</u>	7,295
<u>Intel Xeon E5-2430 @ 2.20GHz</u>	7,288
<u>Intel Core i5-3570K @ 3.40GHz</u>	7,184
<u>Intel Core i7-2860QM @ 2.50GHz</u>	7,170
<u>Intel Xeon E5649 @ 2.53GHz</u>	7,157
<u>Intel Core i7-2600S @ 2.80GHz</u>	7,113
<u>AMD Opteron 6234</u>	7,093
<u>Intel Core i5-4570 @ 3.20GHz</u>	7,066
<u>Intel Core i7-2920XM @ 2.50GHz</u>	7,043
<u>AMD FX-6350 Six-Core</u>	7,024
<u>Intel Xeon E3-1220 v3 @ 3.10GHz</u>	7,022
<u>Intel Core i7-3632QM @ 2.20GHz</u>	7,022
<u>Intel Core i5-3570 @ 3.40GHz</u>	7,009
<u>Intel Core i7-3612QE @ 2.10GHz</u>	6,988
<u>Intel Xeon E3-1225 v3 @ 3.20GHz</u>	6,974
<u>Intel Xeon X5677 @ 3.47GHz</u>	6,966
<u>Intel Core i7-3612QM @ 2.10GHz</u>	6,890
<u>Intel Core i5-2550K @ 3.40GHz</u>	6,882
<u>Intel Core i7-2760QM @ 2.40GHz</u>	6,877
<u>Intel Core i5-4570S @ 2.90GHz</u>	6,848
<u>AMD FX-8140 Eight-Core</u>	6,845
<u>Intel Xeon E3-1225 V2 @ 3.20GHz</u>	6,843
<u>Intel Core i5-3550 @ 3.30GHz</u>	6,823
<u>Intel Core i7-2840QM @ 2.40GHz</u>	6,766

PassMark - CPU Mark
High End CPUs - Updated 14th of March 2014

<u>Intel Xeon E5645 @ 2.40GHz</u>	6,748
<u>Intel Core i5-3570S @ 3.10GHz</u>	6,709
<u>Intel Xeon W3580 @ 3.33GHz</u>	6,701
<u>Intel Core i5-4570R @ 2.70GHz</u>	6,649
<u>Intel Core i5-3550S @ 3.00GHz</u>	6,631
<u>Intel Core i7-2820QM @ 2.30GHz</u>	6,630
<u>AMD FX-8120 Eight-Core</u>	6,592
<u>Intel Core i5-3470 @ 3.20GHz</u>	6,571
<u>AMD Opteron 3380</u>	6,565
<u>Intel Core i7-3635QM @ 2.40GHz</u>	6,562
<u>Intel Core i5-2500K @ 3.30GHz</u>	6,519
<u>Intel Xeon W3570 @ 3.20GHz</u>	6,517
<u>Intel Xeon E3-1220 V2 @ 3.10GHz</u>	6,503
<u>Intel Core i5-4440 @ 3.10GHz</u>	6,485
<u>Intel Core i5-3450 @ 3.10GHz</u>	6,439
<u>AMD Opteron 4280</u>	6,430
<u>AMD FX-6300 Six-Core</u>	6,381
<u>Intel Core i5-4670T @ 2.30GHz</u>	6,351
<u>Intel Xeon W5590 @ 3.33GHz</u>	6,345
<u>Intel Xeon E3-1260L @ 2.40GHz</u>	6,313
<u>Intel Core i5-4430 @ 3.00GHz</u>	6,293
<u>Intel Core i7 975 @ 3.33GHz</u>	6,280
<u>Intel Core i7-2720QM @ 2.20GHz</u>	6,260
<u>Intel Xeon E3-1220 @ 3.10GHz</u>	6,234
<u>Intel Core i5-2500 @ 3.30GHz</u>	6,221
<u>Intel Core i7-3610QE @ 2.30GHz</u>	6,198
<u>Intel Core i5-3470S @ 2.90GHz</u>	6,178
<u>Intel Core i5-3340 @ 3.10GHz</u>	6,155
<u>Intel Core i5-3350P @ 3.10GHz</u>	6,152
<u>AMD FX-6200 Six-Core</u>	6,142
<u>Intel Xeon E5640 @ 2.67GHz</u>	6,127
<u>AMD FX-8100 Eight-Core</u>	6,110
<u>AMD Opteron 6174</u>	6,097
<u>Intel Core i5-4440S @ 2.80GHz</u>	6,061
<u>Intel Xeon L5638 @ 2.00GHz</u>	6,057
<u>Intel Core i7-2635QM @ 2.00GHz</u>	6,054
<u>Intel Core i7-2670QM @ 2.20GHz</u>	6,050
<u>Intel Core i5-3450S @ 2.80GHz</u>	6,046
<u>Intel Core i5-4430S @ 2.70GHz</u>	6,004
<u>Intel Core i5-3475S @ 2.90GHz</u>	5,991
<u>Intel Core i7 960 @ 3.20GHz</u>	5,948
<u>AMD Phenom II X6 1100T</u>	5,941
<u>Intel Xeon E3-1225 @ 3.10GHz</u>	5,934
<u>Intel Core i7 965 @ 3.20GHz</u>	5,933
<u>Intel Xeon X5647 @ 2.93GHz</u>	5,919
<u>Intel Core i5-2450P @ 3.20GHz</u>	5,913
<u>Intel Core i5-3330 @ 3.00GHz</u>	5,904
<u>Intel Core i5-2400 @ 3.10GHz</u>	5,815
<u>AMD FX-6120 Six-Core</u>	5,800
<u>AMD Opteron 6212</u>	5,776

PassMark - CPU Mark
High End CPUs - Updated 14th of March 2014

<u>Intel Core i5-2380P @ 3.10GHz</u>	5,768
<u>Intel Core i5-3335S @ 2.70GHz</u>	5,761
<u>Intel Xeon E5-1607 @ 3.00GHz</u>	5,727
<u>AMD Phenom II X6 1090T</u>	5,698
<u>Intel Core i7 880 @ 3.07GHz</u>	5,681
<u>Intel Core i7-2675QM @ 2.20GHz</u>	5,674
<u>AMD A10-7850K APU with Radeon R7 Graphics</u>	5,671
<u>Intel Core i5-3330S @ 2.70GHz</u>	5,670
<u>Intel Core i5-2320 @ 3.00GHz</u>	5,660
<u>Intel Core i7 950 @ 3.07GHz</u>	5,650
<u>Intel Core i5-3340S @ 2.80GHz</u>	5,626
<u>Intel Core i7-2630QM @ 2.00GHz</u>	5,588
<u>AMD A10-7700K APU with Radeon R7 Graphics</u>	5,559
<u>Intel Xeon X3470 @ 2.93GHz</u>	5,553
<u>Intel Xeon X5560 @ 2.80GHz</u>	5,551
<u>Intel Core i7-3615QE @ 2.30GHz</u>	5,495
<u>Intel Xeon X5570 @ 2.93GHz</u>	5,486
<u>Intel Core i5-3570T @ 2.30GHz</u>	5,483
<u>Intel Core i7 940 @ 2.93GHz</u>	5,481
<u>Intel Core i7 870 @ 2.93GHz</u>	5,480
<u>Intel Core i5-2310 @ 2.90GHz</u>	5,469
<u>Intel Xeon E5-1603 @ 2.80GHz</u>	5,469
<u>Intel Xeon W3540 @ 2.93GHz</u>	5,442
<u>Intel Core i7 K 875 @ 2.93GHz</u>	5,438
<u>AMD FX-6100 Six-Core</u>	5,423
<u>Intel Xeon X5550 @ 2.67GHz</u>	5,414
<u>AMD Phenom II X6 1075T</u>	5,394
<u>AMD Opteron 6164 HE</u>	5,351
<u>AMD A10-6800B APU</u>	5,298
<u>Intel Core i5-2300 @ 2.80GHz</u>	5,244
<u>AMD FX-4350 Quad-Core</u>	5,225
<u>AMD Opteron 6128</u>	5,210
<u>Intel Core i7 930 @ 2.80GHz</u>	5,208
<u>Intel Core i7-2715QE @ 2.10GHz</u>	5,199
<u>Intel Xeon X3450 @ 2.67GHz</u>	5,172
<u>AMD Phenom II X6 1065T</u>	5,159
<u>Intel Core i3-4340 @ 3.60GHz</u>	5,151
<u>Intel Xeon X5672 @ 3.20GHz</u>	5,148
<u>Intel Core i7-4600M @ 2.90GHz</u>	5,142
<u>Intel Core i5-2405S @ 2.50GHz</u>	5,132
<u>Intel Core i7 860 @ 2.80GHz</u>	5,109
<u>AMD Opteron 6272</u>	5,104
<u>Intel Core i5-2500S @ 2.70GHz</u>	5,092
<u>Intel Core i3-4330 @ 3.50GHz</u>	5,090
<u>Intel Xeon E5630 @ 2.53GHz</u>	5,072
<u>AMD Phenom II X6 1055T</u>	5,059
<u>Intel Core i7 S 870 @ 2.67GHz</u>	5,052
<u>Intel Xeon W3520 @ 2.67GHz</u>	5,029
<u>Intel Xeon E5-4603 @ 2.00GHz</u>	5,014
<u>Intel Core i7 920 @ 2.67GHz</u>	5,006

PassMark - CPU Mark
High End CPUs - Updated 14th of March 2014

<u>AMD A10-6800K APU</u>	5,005
<u>Intel Xeon X3460 @ 2.80GHz</u>	4,986
<u>Intel Core i7-2710QE @ 2.10GHz</u>	4,956
<u>Intel Xeon E5620 @ 2.40GHz</u>	4,947
<u>Intel Core i5-24050S @ 2.50GHz</u>	4,928
<u>AMD Phenom II X6 1045T</u>	4,918
<u>Intel Core2 Extreme X9750 @ 3.16GHz</u>	4,915
<u>Intel Core i5-2400S @ 2.50GHz</u>	4,885
<u>Intel Core i5-4570T @ 2.90GHz</u>	4,882
<u>Intel Core i3-4570T @ 2.90GHz</u>	4,867
<u>Intel Core i7 S 860 @ 2.53GHz</u>	4,864
<u>Intel Core i3-4130 @ 3.40GHz</u>	4,856
<u>AMD Athlon II X4 559</u>	4,829
<u>Intel Xeon E5530 @ 2.40GHz</u>	4,825
<u>Intel Xeon X5482 @ 3.20GHz</u>	4,806
<u>Intel Core2 Extreme X9770 @ 3.20GHz</u>	4,799
<u>AMD A10-5800B APU</u>	4,798
<u>AMD FX-4170 Quad-Core</u>	4,777
<u>Intel Xeon E5540 @ 2.53GHz</u>	4,773
<u>AMD Phenom II X6 1035T</u>	4,771
<u>AMD A10-6700 APU</u>	4,765
<u>Intel Xeon X3380 @ 3.16GHz</u>	4,761
<u>Intel Core i7-3540M @ 3.00GHz</u>	4,749
<u>Intel Xeon W3565 @ 3.20GHz</u>	4,746
<u>Intel Core i5-4330M @ 2.80GHz</u>	4,742
<u>AMD FX-4300 Quad-Core</u>	4,729
<u>AMD Phenom II X4 980</u>	4,690
<u>AMD A8-6600K APU</u>	4,687
<u>Intel Core i5-2500T @ 2.30GHz</u>	4,682
<u>AMD A10-5800K APU</u>	4,680
<u>Intel Xeon W5580 @ 3.20GHz</u>	4,680
<u>AMD FX-4150 Quad-Core</u>	4,653
<u>AMD Phenom II X4 975</u>	4,645
<u>Intel Core i3-3250 @ 3.50GHz</u>	4,638
<u>Intel Xeon W3550 @ 3.07GHz</u>	4,623
<u>Intel Xeon X3370 @ 3.00GHz</u>	4,608
<u>Intel Core i5-4300M @ 2.60GHz</u>	4,597
<u>Intel Xeon E5520 @ 2.27GHz</u>	4,591
<u>Intel Xeon E5-2609 @ 2.40GHz</u>	4,587
<u>Intel Core i5-4288U @ 2.60GHz</u>	4,564
<u>Intel Core i7-3520M @ 2.90GHz</u>	4,563
<u>AMD Phenom II X4 B65</u>	4,558
<u>AMD Athlon X4 760K Quad Core</u>	4,556
<u>Intel Core i5-3470T @ 2.90GHz</u>	4,553
<u>Intel Core i3-4330T @ 3.00GHz</u>	4,547
<u>AMD A8-6500 APU</u>	4,545
<u>AMD Opteron 2431</u>	4,516
<u>AMD A10-6790K APU</u>	4,513
<u>AMD Phenom II X4 970</u>	4,510
<u>Intel Core i7-4558U @ 2.80GHz</u>	4,487

PassMark - CPU Mark
High End CPUs - Updated 14th of March 2014

<u>Intel Xeon X5460 @ 3.16GHz</u>	4,479
<u>Intel Core i3-3245 @ 3.40GHz</u>	4,459
<u>AMD FX-4200 Quad-Core</u>	4,405
<u>Intel Core i3-3225 @ 3.30GHz</u>	4,395
<u>Intel Core2 Extreme X9650 @ 3.00GHz</u>	4,379
<u>AMD A8-5600K APU</u>	4,367
<u>Intel Core i7-4600U @ 2.10GHz</u>	4,362
<u>Intel Xeon L5530 @ 2.40GHz</u>	4,351
<u>Intel Core X 920 @ 2.00GHz</u>	4,342
<u>Intel Xeon L5520 @ 2.27GHz</u>	4,338
<u>Intel Core i5-3380M @ 2.90GHz</u>	4,338
<u>Intel Core i7-4650U @ 1.70GHz</u>	4,337
<u>AMD Phenom II X4 40</u>	4,333
<u>AMD Athlon X4 750K Quad Core</u>	4,304
<u>Intel Core i3-3240 @ 3.40GHz</u>	4,304
<u>Intel Xeon X3440 @ 2.53GHz</u>	4,299
<u>Intel Core i7-3687U @ 2.10GHz</u>	4,290
<u>Intel Xeon W3530 @ 2.80GHz</u>	4,289
<u>Intel Core i3-2140 @ 3.50GHz</u>	4,285
<u>AMD Phenom II X4 B99</u>	4,281
<u>Intel Core i5-3360M @ 2.80GHz</u>	4,279
<u>AMD Phenom II X4 965</u>	4,278
<u>Intel Xeon X5450 @ 3.00GHz</u>	4,277
<u>Intel Xeon X5698 @ 4.40GHz</u>	4,272
<u>Intel Core i5-3340M @ 2.70GHz</u>	4,265
<u>Intel Core2 Quad Q9650 @ 3.00GHz</u>	4,239
<u>AMD A10-5700 APU</u>	4,238
<u>Intel Core i3-3220 @ 3.30GHz</u>	4,226
<u>Intel Core i3-4130T @ 2.90GHz</u>	4,203
<u>Intel Core i7 X 940 @ 2.13GHz</u>	4,187
<u>Intel Xeon E5450 @ 3.00GHz</u>	4,185
<u>Intel Core i5-4200M @ 2.50GHz</u>	4,167
<u>Intel Xeon X3363 @ 2.83GHz</u>	4,162
<u>Intel Xeon L5639 @ 2.13GHz</u>	4,159
<u>AMD FX-4130 Quad-Core</u>	4,142
<u>AMD Eng Sample Mobile 2185_A1</u>	4,134
<u>Intel Xeon X3360 @ 2.83GHz</u>	4,116
<u>AMD Phenom II X4 B60</u>	4,113
<u>Intel Xeon E5462 @ 2.80GHz</u>	4,104
<u>Intel Xeon L5430 @ 2.66GHz</u>	4,099
<u>Intel Core i3-2125 @ 3.30GHz</u>	4,086
<u>Intel Core i7-3555LE @ 2.50GHz</u>	4,080
<u>Intel Core2 Quad Q9550 @ 2.83GHz</u>	4,075
<u>AMD Phenom II X4 20</u>	4,066
<u>Intel Core i7-4550U @ 1.50GHz</u>	4,064
<u>Intel Core i5-3320M @ 2.60GHz</u>	4,058
<u>AMD FX-4100 Quad-Core</u>	4,052
<u>AMD A8-5500 APU</u>	4,046
<u>Intel Core i5-4258U @ 2.40GHz</u>	4,042
<u>Intel Core i7-3667U @ 2.00GHz</u>	4,031

PassMark - CPU Mark
High End CPUs - Updated 14th of March 2014

<u>Intel Core i3-2130 @ 3.40GHz</u>	4,020
<u>AMD Phenom II X4 955</u>	4,018
<u>AMD Opteron 3350 HE</u>	4,004
<u>Intel Core i5-3230M @ 2.60GHz</u>	4,000
<u>Intel Core i7-2640M @ 2.80GHz</u>	3,991
<u>Intel Core i5-2390T @ 2.70GHz</u>	3,966
<u>Intel Xeon L3426 @ 1.87GHz</u>	3,960
<u>Intel Xeon E5440 @ 2.83GHz</u>	3,950
<u>AMD Athlon X4 740 Quad Core</u>	3,949
<u>Intel Xeon E5430 @ 2.66GHz</u>	3,948
<u>Intel Core2 Quad Q9705 @ 3.16GHz</u>	3,947
<u>AMD Phenom Ultra X4 24500</u>	3,945
<u>Intel Xeon E5-2407 @ 2.20GHz</u>	3,943
<u>Intel Core i5 760 @ 2.80GHz</u>	3,913
<u>AMD Athlon II X4 553</u>	3,906
<u>Intel Core i7-3537U @ 2.00GHz</u>	3,906
<u>Intel Core i3-3210 @ 3.20GHz</u>	3,894
<u>Intel Core i7-4500U @ 1.80GHz</u>	3,886
<u>AMD Phenom II X4 973</u>	3,884
<u>AMD Phenom II X4 960T</u>	3,883
<u>Intel Core i7-2620M @ 2.70GHz</u>	3,872
<u>Intel Core i3-2120 @ 3.30GHz</u>	3,871
<u>Intel Xeon X3350 @ 2.66GHz</u>	3,867
<u>AMD Phenom II X4 B97</u>	3,831
<u>Intel Core i7-4610Y @ 1.70GHz</u>	3,825
<u>Intel Core2 Quad Q9450 @ 2.66GHz</u>	3,812
<u>AMD Athlon II X4 555</u>	3,804
<u>Intel Core i5-3210M @ 2.50GHz</u>	3,804
<u>AMD Phenom II X4 B50</u>	3,799
<u>Intel Atom C2750 @ 2.40GHz</u>	3,797
<u>Intel Core i3-2105 @ 3.10GHz</u>	3,793
<u>Intel Core i5-4300U @ 1.90GHz</u>	3,771
<u>AMD Phenom II X4 B95</u>	3,770
<u>AMD A8-5500B APU</u>	3,769
<u>AMD Phenom II X4 977</u>	3,750
<u>Intel Core i5 750 @ 2.67GHz</u>	3,748
<u>AMD Phenom II X4 945</u>	3,741
<u>Intel Core2 Extreme Q6850 @ 3.00GHz</u>	3,741
<u>Intel Core i3-3220T @ 2.80GHz</u>	3,732
<u>Intel Xeon E5472 @ 3.00GHz</u>	3,724
<u>Intel Xeon X3330 @ 2.66GHz</u>	3,716
<u>Intel Xeon L5506 @ 2.13GHz</u>	3,715
<u>Intel Xeon L5420 @ 2.50GHz</u>	3,714
<u>Intel Xeon E3-1220L V2 @ 2.30GHz</u>	3,701
<u>Intel Core i7-3517U @ 1.90GHz</u>	3,697
<u>AMD Phenom II X4 B35</u>	3,689
<u>AMD Phenom II X4 840T</u>	3,675
<u>AMD Phenom II X4 940</u>	3,673
<u>AMD A8-3870K APU</u>	3,670
<u>AMD Athlon II X4 650</u>	3,658

PassMark - CPU Mark
High End CPUs - Updated 14th of March 2014

<u>Intel Core2 Quad Q9500 @ 2.83GHz</u>	3,658
<u>Intel Core i7 920XM @ 2.00GHz</u>	3,657
<u>Intel Core i5-2540M @ 2.60GHz</u>	3,654
<u>AMD Athlon II X4 651 Quad-Core</u>	3,648
<u>Intel Xeon X3230 @ 2.66GHz</u>	3,634
<u>Intel Core i3-3130M @ 2.60GHz</u>	3,616
<u>AMD Phenom FX-7750 Quad-Core</u>	3,616
<u>Intel Xeon X5472 @ 3.00GHz</u>	3,615
<u>Intel Core i3-2100 @ 3.10GHz</u>	3,614
<u>Intel Core2 Quad Q9505 @ 2.83GHz</u>	3,612
<u>AMD Phenom II X4 10</u>	3,610
<u>Intel Core2 Extreme Q6800 @ 2.93GHz</u>	3,610
<u>Intel Core i3-3240T @ 2.90GHz</u>	3,610
<u>AMD Phenom II X4 850</u>	3,609
<u>Intel Core i5-4350U @ 1.40GHz</u>	3,604
<u>Intel Core i5-3427U @ 1.80GHz</u>	3,602
<u>Intel Xeon E5607 @ 2.27GHz</u>	3,602
<u>AMD Athlon X4 645</u>	3,595
<u>AMD Phenom II X4 830</u>	3,584
<u>Intel Core2 Extreme Q9300 @ 2.53GHz</u>	3,579
<u>AMD Phenom II X4 B25</u>	3,569
<u>Intel Xeon E3-1220L @ 2.20GHz</u>	3,563
<u>Intel Core i5 680 @ 3.60GHz</u>	3,539
<u>AMD Opteron 2384</u>	3,538
<u>AMD Opteron 2386 SE</u>	3,538
<u>AMD A8-3850 APU</u>	3,533
<u>Intel Xeon X5365 @ 3.00GHz</u>	3,532
<u>AMD Phenom II X4 B45</u>	3,529
<u>Intel Core i5-2520M @ 2.50GHz</u>	3,524
<u>AMD Athlon II X4 645</u>	3,523
<u>AMD A8-6500T APU</u>	3,517
<u>AMD Athlon II X4 641 Quad-Core</u>	3,513
<u>AMD Phenom II X4 B40</u>	3,511
<u>AMD Phenom II X4 925</u>	3,509
<u>Intel Xeon E5-2603 @ 1.80GHz</u>	3,507
<u>Intel Core i5-3437U @ 1.90GHz</u>	3,504
<u>Intel Xeon L5410 @ 2.33GHz</u>	3,501
<u>AMD Phenom II X4 B55</u>	3,500
<u>AMD Phenom II X4 920</u>	3,495
<u>Intel Xeon E5-2403 @ 1.80GHz</u>	3,489
<u>AMD Phenom II 42 TWKR Black Edition</u>	3,489
<u>Intel Core i5-4250U @ 1.30GHz</u>	3,485
<u>AMD Phenom II X4 820</u>	3,482
<u>Intel Core i7-3689Y @ 1.50GHz</u>	3,479
<u>AMD Phenom II X4 B93</u>	3,470
<u>AMD Athlon X4 640</u>	3,461
<u>Intel Core i7 Q 840 @ 1.87GHz</u>	3,449
<u>Intel Core i7-3517UE @ 1.70GHz</u>	3,449
<u>AMD A10-4657M APU</u>	3,449
<u>Intel Core i5-2450M @ 2.50GHz</u>	3,435

PassMark - CPU Mark
High End CPUs - Updated 14th of March 2014

<u>Intel Xeon E5420 @ 2.50GHz</u>	3,427
<u>Intel Core i3-4000M @ 2.40GHz</u>	3,427
<u>Intel Pentium G3420 @ 3.20GHz</u>	3,424
<u>Intel 000 @ 1.73GHz</u>	3,419
<u>Intel Core2 Quad Q9400 @ 2.66GHz</u>	3,415
<u>Intel Xeon X3320 @ 2.50GHz</u>	3,414
<u>Intel Core2 Quad Q6700 @ 2.66GHz</u>	3,359
<u>AMD A10-5750M APU</u>	3,358
<u>Intel Xeon E5606 @ 2.13GHz</u>	3,353
<u>AMD Phenom II X4 910e</u>	3,352
<u>AMD Athlon II X4 640</u>	3,351
<u>Intel Core i5 K 655 @ 3.20GHz</u>	3,341
<u>Intel Core 750 @ 2.67GHz</u>	3,329
<u>AMD Phenom II X4 910</u>	3,325
<u>Intel Core i5-4200U @ 1.60GHz</u>	3,324
<u>Intel Core i5-2515E @ 2.50GHz</u>	3,313
<u>Intel Core i3-3120M @ 2.50GHz</u>	3,309
<u>Intel Pentium G3430 @ 3.30GHz</u>	3,305
<u>Intel Xeon X5355 @ 2.66GHz</u>	3,299
<u>AMD A6-3670 APU</u>	3,297
<u>Intel Xeon E5410 @ 2.33GHz</u>	3,291