

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

Processor	CPU Mark
<u>Intel Core i7-4960HQ @ 2.60GHz</u>	9,920
<u>Intel Core i7-4940MX @ 3.10GHz</u>	9,811
<u>Intel Core i7-4910MQ @ 2.90GHz</u>	9,780
<u>Intel Core i7-4980HQ @ 2.80GHz</u>	9,617
<u>Intel Core i7-4930MX @ 3.00GHz</u>	9,521
<u>Intel Core i7-4870HQ @ 2.50GHz</u>	9,503
<u>Intel Core i7-4770S @ 3.10GHz</u>	9,426
<u>Intel Core i7-4860HQ @ 2.40GHz</u>	9,348
<u>Intel Core i7-3940XM @ 3.00GHz</u>	9,203
<u>Intel Core i7-3920XM @ 2.90GHz</u>	9,202
<u>Intel Core i7-4900MQ @ 2.80GHz</u>	9,178
<u>Intel Core i7-4850HQ @ 2.30GHz</u>	9,175
<u>Intel Core i7-3840QM @ 2.80GHz</u>	9,007
<u>Intel Core i7-4810MQ @ 2.80GHz</u>	8,857
<u>Intel Core i7-4800MQ @ 2.70GHz</u>	8,574
<u>Intel Core i7-3820QM @ 2.70GHz</u>	8,570
<u>Intel Core i7-3740QM @ 2.70GHz</u>	8,432
<u>Intel Core i7-3720QM @ 2.60GHz</u>	8,322
<u>Intel Core i7-4750HQ @ 2.00GHz</u>	8,224
<u>Intel Core i7-4710MQ @ 2.50GHz</u>	7,973
<u>Intel Core i7-4710HQ @ 2.50GHz</u>	7,970
<u>Intel Core i7-4700HQ @ 2.40GHz</u>	7,913
<u>Intel Core i7-4700MQ @ 2.40GHz</u>	7,856
<u>Intel Core i7-4702HQ @ 2.20GHz</u>	7,754
<u>Intel Core i7-3630QM @ 2.40GHz</u>	7,688
<u>Intel Core i7-4712HQ @ 2.30GHz</u>	7,682
<u>Intel Core i7-4712MQ @ 2.30GHz</u>	7,521
<u>Intel Core i7-3610QM @ 2.30GHz</u>	7,488
<u>Intel Core i7-2960XM @ 2.70GHz</u>	7,396
<u>Intel Core i7-3615QM @ 2.30GHz</u>	7,350
<u>Intel Core i7-2860QM @ 2.50GHz</u>	7,307
<u>Intel Core i7-4702MQ @ 2.20GHz</u>	7,264
<u>Intel Core i7-4765T @ 2.00GHz</u>	7,231
<u>Intel Core i7-3632QM @ 2.20GHz</u>	6,984
<u>Intel Core i7-2920XM @ 2.50GHz</u>	6,908
<u>Intel Core i7-3612QM @ 2.10GHz</u>	6,840
<u>Intel Core i7-2760QM @ 2.40GHz</u>	6,807
<u>Intel Core i7-2840QM @ 2.40GHz</u>	6,766
<u>Intel Core i7-3612QE @ 2.10GHz</u>	6,665
<u>Intel Core i7-2820QM @ 2.30GHz</u>	6,631
<u>Intel Core i7-3635QM @ 2.40GHz</u>	6,610
<u>Intel Core i7-2720QM @ 2.20GHz</u>	6,233
<u>Intel Core i7-3610QE @ 2.30GHz</u>	6,198

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

<u>Intel Core i7-2670QM @ 2.20GHz</u>	6,007
<u>Intel Core i7-2635QM @ 2.00GHz</u>	5,885
<u>AMD Athlon X4 860K Quad Core</u>	5,748
<u>Intel Core i7-2675QM @ 2.20GHz</u>	5,591
<u>Intel Core i7-2630QM @ 2.00GHz</u>	5,583
<u>Intel Core i7-2710QE @ 2.10GHz</u>	5,398
<u>Intel Core i7-2715QE @ 2.10GHz</u>	5,199
<u>Intel Core i7-4610M @ 3.00GHz</u>	5,107
<u>Intel Core i7-4600M @ 2.90GHz</u>	4,904
<u>Intel Core i5-4210H @ 2.90GHz</u>	4,843
<u>Intel Core i7-3540M @ 3.00GHz</u>	4,740
<u>Intel Core i5-4330M @ 2.80GHz</u>	4,673
<u>AMD FX-7600P APU with AMD Radeon R7 Graphics</u>	4,627
<u>Intel Core i5-4288U @ 2.60GHz</u>	4,593
<u>Intel Core i5-4310M @ 2.70GHz</u>	4,584
<u>Intel Core i7-3520M @ 2.90GHz</u>	4,550
<u>Intel Core i5-4300M @ 2.60GHz</u>	4,518
<u>Intel Core i5-4278U @ 2.60GHz</u>	4,426
<u>Intel Core i7-3687U @ 2.10GHz</u>	4,356
<u>Intel Core i5-3360M @ 2.80GHz</u>	4,307
<u>Intel Core i7-4558U @ 2.80GHz</u>	4,302
<u>Intel Core i5-4210M @ 2.60GHz</u>	4,279
<u>Intel Core i7-4600U @ 2.10GHz</u>	4,252
<u>Intel Core i5-3380M @ 2.90GHz</u>	4,220
<u>Intel Core i7-4650U @ 1.70GHz</u>	4,175
<u>Intel Core i5-4258U @ 2.40GHz</u>	4,165
<u>Intel Core i5-3340M @ 2.70GHz</u>	4,156
<u>Intel Core i5-4200M @ 2.50GHz</u>	4,131
<u>Intel Core i7-3555LE @ 2.50GHz</u>	4,080
<u>Intel Core i5-3320M @ 2.60GHz</u>	4,024
<u>Intel Core i7-4550U @ 1.50GHz</u>	3,987
<u>Intel Core i7-2640M @ 2.80GHz</u>	3,980
<u>Intel Core i7-4510U @ 2.00GHz</u>	3,978
<u>Intel Core i7-3667U @ 2.00GHz</u>	3,969
<u>Intel Core i5-3230M @ 2.60GHz</u>	3,954
<u>Intel Core i5-4310U @ 2.00GHz</u>	3,892
<u>Intel Core i7-3537U @ 2.00GHz</u>	3,891
<u>Intel Core i7-2620M @ 2.70GHz</u>	3,863
<u>Intel Core i7-4500U @ 1.80GHz</u>	3,846
<u>Intel Core i5-3210M @ 2.50GHz</u>	3,800
<u>Intel Core i5-4300U @ 1.90GHz</u>	3,766
<u>Intel Core i5-2540M @ 2.60GHz</u>	3,701
<u>Intel Core i7-3517U @ 1.90GHz</u>	3,690
<u>Intel Core i3-4100M @ 2.50GHz</u>	3,688
<u>AMD FX-7500 APU</u>	3,677

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

<u>Intel Core i7 920XM @ 2.00GHz</u>	3,666
<u>Intel Core i5-4260U @ 1.40GHz</u>	3,637
<u>Intel Core i5-2510E @ 2.50GHz</u>	3,631
<u>Intel Core i5-4350U @ 1.40GHz</u>	3,604
<u>Intel Core i5-3427U @ 1.80GHz</u>	3,600
<u>Intel Core i5-2520M @ 2.50GHz</u>	3,548
<u>Intel Core i5-3437U @ 1.90GHz</u>	3,518
<u>Intel Core i7-3689Y @ 1.50GHz</u>	3,479
<u>Intel Core i5-4250U @ 1.30GHz</u>	3,459
<u>Intel Core i7-3517UE @ 1.70GHz</u>	3,456
<u>Intel Core i5-2450M @ 2.50GHz</u>	3,436
<u>AMD A10 PRO-7350B APU</u>	3,435
<u>Intel Core i5-4210U @ 1.70GHz</u>	3,427
<u>Intel Core i7 Q 840 @ 1.87GHz</u>	3,421
<u>Intel Core i3-3130M @ 2.60GHz</u>	3,388
<u>AMD A10-5750M APU</u>	3,372
<u>Intel Core2 Quad Q9100 @ 2.26GHz</u>	3,333
<u>Intel Core i3-4000M @ 2.40GHz</u>	3,306
<u>Intel Core i5-4200U @ 1.60GHz</u>	3,294
<u>Intel Core i3-3120M @ 2.50GHz</u>	3,277
<u>Intel Core i5-2435M @ 2.40GHz</u>	3,275
<u>Intel Core i5-2430M @ 2.40GHz</u>	3,266
<u>Intel Core i7 Q 740 @ 1.73GHz</u>	3,247
<u>Intel Core i5-3337U @ 1.80GHz</u>	3,235
<u>Intel Core i7-2630UM @ 1.60GHz</u>	3,204
<u>Intel Core i7 Q 820 @ 1.73GHz</u>	3,180
<u>Intel Core i5-2410M @ 2.30GHz</u>	3,165
<u>AMD A10-4600M APU</u>	3,126
<u>AMD A10-5757M APU</u>	3,112
<u>Intel Core i7-2637M @ 1.70GHz</u>	3,108
<u>Intel Core i5-3317U @ 1.70GHz</u>	3,094
<u>Intel Core i7 Q 720 @ 1.60GHz</u>	3,065
<u>Intel Core i3-3110M @ 2.40GHz</u>	3,063
<u>AMD A8 PRO-7150B APU</u>	3,053
<u>AMD A10-7300 APU</u>	3,012
<u>AMD A8-5550M APU</u>	2,983
<u>AMD A8-7100 APU</u>	2,963
<u>Intel Core i3-4025U @ 1.90GHz</u>	2,926
<u>AMD A8-5557M APU</u>	2,898
<u>Intel Core i7-2677M @ 1.80GHz</u>	2,893
<u>Intel Core i7 M 640 @ 2.80GHz</u>	2,841
<u>Intel Core i3-2310E @ 2.10GHz</u>	2,839
<u>Intel Core i7-2617M @ 1.50GHz</u>	2,835
<u>AMD A10-5745M APU</u>	2,817
<u>AMD Phenom II X920 Quad-Core</u>	2,804

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

<u>AMD A8-3550MX APU</u>	2,794
<u>Intel Core i3-2370M @ 2.40GHz</u>	2,767
<u>Intel Core i7 M 620 @ 2.67GHz</u>	2,756
<u>Intel Core i5 M 580 @ 2.67GHz</u>	2,721
<u>Intel Core i3-4030U @ 1.90GHz</u>	2,709
<u>AMD Phenom II X940 Quad-Core</u>	2,695
<u>Intel Core i5-2557M @ 1.70GHz</u>	2,694
<u>AMD A8-4500M APU</u>	2,678
<u>Intel Core i3-2350M @ 2.30GHz</u>	2,644
<u>Intel Core i5 M 560 @ 2.67GHz</u>	2,631
<u>Intel Core i3-2348M @ 2.30GHz</u>	2,610
<u>AMD A10-4655M APU</u>	2,584
<u>Intel Core2 Quad Q9000 @ 2.00GHz</u>	2,551
<u>Intel Core i3-2330M @ 2.20GHz</u>	2,542
<u>AMD A8-5545M APU</u>	2,529
<u>AMD Phenom II N950 Quad-Core</u>	2,515
<u>Intel Core i3-2328M @ 2.20GHz</u>	2,513
<u>AMD Phenom II N970 Quad-Core</u>	2,512
<u>AMD A8-6410 APU</u>	2,512
<u>Intel Core i3-3227U @ 1.90GHz</u>	2,500
<u>Intel Core i3-4010U @ 1.70GHz</u>	2,487
<u>Intel Core i3-4005U @ 1.70GHz</u>	2,483
<u>Intel Core i7-2610UE @ 1.50GHz</u>	2,454
<u>Intel Core i5 M 480 @ 2.67GHz</u>	2,452
<u>AMD A6-5200 APU</u>	2,446
<u>AMD A6-6310 APU</u>	2,441
<u>Intel Core i7 E 610 @ 2.53GHz</u>	2,425
<u>Intel Celeron 2970M @ 2.20GHz</u>	2,416
<u>Intel Core i5 540M @ 2.53GHz</u>	2,415
<u>Intel Core i3-2310M @ 2.10GHz</u>	2,400
<u>AMD A8-3510MX APU</u>	2,398
<u>Intel Core i5 520M @ 2.40GHz</u>	2,390
<u>Intel Core i3-2332M @ 2.20GHz</u>	2,382
<u>Intel Core i5 M 460 @ 2.53GHz</u>	2,358
<u>Intel Core i5-2467M @ 1.60GHz</u>	2,346
<u>AMD A8-3530MX APU</u>	2,316
<u>Intel Pentium 2020M @ 2.40GHz</u>	2,315
<u>AMD Phenom II N930 Quad-Core</u>	2,311
<u>Intel Core i3 M 390 @ 2.67GHz</u>	2,304
<u>Intel Core i3-3217U @ 1.80GHz</u>	2,296
<u>Intel Core2 Duo T9900 @ 3.06GHz</u>	2,262
<u>AMD Phenom II X620 Dual-Core</u>	2,258
<u>AMD A8-3520M APU</u>	2,252
<u>Intel Pentium 3550M @ 2.30GHz</u>	2,252
<u>AMD A6-3430MX APU</u>	2,247

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

<u>Intel Core i3-3217UE @ 1.60GHz</u>	2,228
<u>Intel Core i5-2537M @ 1.40GHz</u>	2,228
<u>Intel Core i3-4012Y @ 1.50GHz</u>	2,205
<u>Intel Pentium 2030M @ 2.50GHz</u>	2,195
<u>Intel Core2 Extreme X9100 @ 3.06GHz</u>	2,193
<u>Intel Core i3 E 330 @ 2.13GHz</u>	2,182
<u>AMD A8-4555M APU</u>	2,168
<u>AMD A4-6210 APU</u>	2,164
<u>Intel Core i5 M 450 @ 2.40GHz</u>	2,129
<u>Intel Core2 Duo T9800 @ 2.93GHz</u>	2,121
<u>Intel Core i3 M 380 @ 2.53GHz</u>	2,120
<u>Intel Core i5 M 430 @ 2.27GHz</u>	2,110
<u>AMD A6-3410MX APU</u>	2,110
<u>AMD GX-420CA SOC</u>	2,107
<u>AMD Phenom II P960 Quad-Core</u>	2,097
<u>Intel Core i3-2312M @ 2.10GHz</u>	2,095
<u>AMD A6-3420M APU</u>	2,069
<u>Intel Celeron 2950M @ 2.00GHz</u>	2,064
<u>Intel Pentium B980 @ 2.40GHz</u>	2,047
<u>AMD A8-3500M APU</u>	2,043
<u>Intel Core i3 M 370 @ 2.40GHz</u>	2,032
<u>AMD A6-5350M APU</u>	2,021
<u>Intel Core2 Extreme X9000 @ 2.80GHz</u>	2,006
<u>Intel Core2 Duo P9700 @ 2.80GHz</u>	2,005
<u>Intel Pentium N3540 @ 2.16GHz</u>	2,004
<u>AMD GX-415GA SOC</u>	2,000
<u>Intel Pentium B970 @ 2.30GHz</u>	1,974
<u>Intel Core2 Duo T9600 @ 2.80GHz</u>	1,973
<u>AMD A6-3400M APU</u>	1,972
<u>Intel Pentium N3530 @ 2.16GHz</u>	1,958
<u>AMD Phenom II N870 Triple-Core</u>	1,953
<u>Intel Core2 Duo P9600 @ 2.66GHz</u>	1,933
<u>AMD Phenom II P920 Quad-Core</u>	1,921
<u>AMD A4-5150M APU</u>	1,920
<u>AMD Phenom II N850 Triple-Core</u>	1,917
<u>AMD A6-5357M APU</u>	1,911
<u>Intel Core i3 M 350 @ 2.27GHz</u>	1,907
<u>Intel Pentium 2127U @ 1.90GHz</u>	1,907
<u>AMD A4-5000 APU</u>	1,903
<u>Intel Celeron 1005M @ 1.90GHz</u>	1,898
<u>Intel Core i7 U 660 @ 1.33GHz</u>	1,893
<u>AMD Phenom II N830 Triple-Core</u>	1,890
<u>Intel Pentium N3520 @ 2.16GHz</u>	1,886
<u>Intel Pentium B960 @ 2.20GHz</u>	1,874
<u>AMD E2-6110 APU with AMD Radeon R2 Graphics</u>	1,861

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

<u>AMD Phenom II N660 Dual-Core</u>	1,859
<u>Intel Pentium 3558U @ 1.70GHz</u>	1,856
<u>Intel Core i3-2375M @ 1.50GHz</u>	1,853
<u>Intel Celeron N2940 @ 1.83GHz</u>	1,848
<u>Intel Core2 Duo P9500 @ 2.53GHz</u>	1,839
<u>Intel Core i3-2377M @ 1.50GHz</u>	1,830
<u>Intel Core2 Duo T9500 @ 2.60GHz</u>	1,823
<u>Intel Core2 Duo T9550 @ 2.66GHz</u>	1,809
<u>Intel Celeron B840 @ 1.90GHz</u>	1,803
<u>Intel Core i3 M 330 @ 2.13GHz</u>	1,803
<u>Intel Core i7 U 680 @ 1.47GHz</u>	1,794
<u>Intel Celeron 1037U @ 1.80GHz</u>	1,780
<u>AMD Phenom II P840 Triple-Core</u>	1,773
<u>Intel Core2 Extreme X7800 @ 2.60GHz</u>	1,771
<u>Intel Pentium B940 @ 2.00GHz</u>	1,760
<u>AMD Phenom II P860 Triple-Core</u>	1,758
<u>Intel Core2 Duo T9400 @ 2.53GHz</u>	1,751
<u>Intel Core2 Duo P9600 @ 2.53GHz</u>	1,745
<u>Intel Core2 Extreme X7900 @ 2.80GHz</u>	1,738
<u>AMD Phenom II P940 Quad-Core</u>	1,737
<u>Intel Core i7 U 640 @ 1.20GHz</u>	1,727
<u>Intel Pentium B950 @ 2.10GHz</u>	1,716
<u>Intel Core i3-2367M @ 1.40GHz</u>	1,714
<u>AMD Phenom II N620 Dual-Core</u>	1,713
<u>Intel Celeron 1000M @ 1.80GHz</u>	1,710
<u>Intel Celeron N2930 @ 1.83GHz</u>	1,709
<u>AMD A4-4300M APU</u>	1,704
<u>Intel Core2 Duo P9400 @ 2.40GHz</u>	1,699
<u>Intel Core2 Duo P8800 @ 2.66GHz</u>	1,695
<u>Intel Core i3-2365M @ 1.40GHz</u>	1,694
<u>Intel Pentium N3510 @ 1.99GHz</u>	1,690
<u>AMD Turion II N550 Dual-Core</u>	1,689
<u>Intel Core2 Duo T9300 @ 2.50GHz</u>	1,687
<u>Intel Pentium 3556U @ 1.70GHz</u>	1,685
<u>AMD Phenom II N640 Dual-Core</u>	1,680
<u>Intel Core2 Duo P8700 @ 2.53GHz</u>	1,673
<u>Intel Pentium 2117U @ 1.80GHz</u>	1,668
<u>Intel Atom Z3795 @ 1.60GHz</u>	1,658
<u>Intel Core2 Duo T7800 @ 2.60GHz</u>	1,640
<u>Intel Core i3-2357M @ 1.30GHz</u>	1,637
<u>AMD Turion II Ultra Dual-Core Mobile M640</u>	1,636
<u>AMD A6-4400M APU</u>	1,630
<u>AMD E2-3800 APU</u>	1,617
<u>Intel Core2 Duo P9300 @ 2.26GHz</u>	1,615
<u>Intel Celeron 1017U @ 1.60GHz</u>	1,596

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

<u>AMD Phenom II P650 Dual-Core</u>	1,585
<u>AMD Turion II N530 Dual-Core</u>	1,584
<u>AMD A4 Micro-6400T APU</u>	1,579
<u>Intel Core i5 U 560 @ 1.33GHz</u>	1,568
<u>AMD A6-1450 APU</u>	1,551
<u>AMD A6-5345M APU</u>	1,549
<u>Intel Celeron B830 @ 1.80GHz</u>	1,543
<u>Intel Celeron N2920 @ 1.86GHz</u>	1,543
<u>Intel Core2 Duo P8600 @ 2.40GHz</u>	1,541
<u>AMD Turion II P560 Dual-Core</u>	1,533
<u>AMD Phenom II P820 Triple-Core</u>	1,530
<u>Intel Celeron 2957U @ 1.40GHz</u>	1,530
<u>AMD Turion II Ultra Dual-Core Mobile M660</u>	1,526
<u>Intel Celeron 2955U @ 1.40GHz</u>	1,520
<u>AMD Turion II P540 Dual-Core</u>	1,497
<u>AMD Turion II Ultra Dual-Core Mobile M620</u>	1,491
<u>Intel Core2 Duo P7550 @ 2.26GHz</u>	1,479
<u>Intel Core2 Duo T8300 @ 2.40GHz</u>	1,476
<u>Intel Celeron B820 @ 1.70GHz</u>	1,474
<u>Intel Core2 Duo P8400 @ 2.26GHz</u>	1,470
<u>Intel Core i5 U 540 @ 1.20GHz</u>	1,458
<u>Intel Core2 Duo P7570 @ 2.26GHz</u>	1,456
<u>Intel Core2 Duo L9600 @ 2.13GHz</u>	1,450
<u>Intel Celeron 1007U @ 1.50GHz</u>	1,449
<u>Intel Core2 Duo T7700 @ 2.40GHz</u>	1,444
<u>Intel Core i7 U 620 @ 1.07GHz</u>	1,443
<u>Intel Core2 Duo P7450 @ 2.13GHz</u>	1,436
<u>Intel Celeron P4600 @ 2.00GHz</u>	1,429
<u>AMD Turion II Ultra Dual-Core Mobile M600</u>	1,408
<u>Intel Core2 Duo T6600 @ 2.20GHz</u>	1,407
<u>AMD Turion II Neo N54L Dual-Core</u>	1,405
<u>Intel Core2 Duo T6670 @ 2.20GHz</u>	1,394
<u>Intel Celeron B815 @ 1.60GHz</u>	1,379
<u>Intel Celeron 2980U @ 1.60GHz</u>	1,374
<u>Intel Pentium T4500 @ 2.30GHz</u>	1,370
<u>AMD Turion II P520 Dual-Core</u>	1,357
<u>Intel Core i5 U 430 @ 1.20GHz</u>	1,356
<u>Intel Core2 Duo T7600 @ 2.33GHz</u>	1,351
<u>Intel Core i5 520UM @ 1.07GHz</u>	1,349
<u>Intel Pentium P6300 @ 2.27GHz</u>	1,346
<u>Intel Pentium P6200 @ 2.13GHz</u>	1,343
<u>AMD Turion II Dual-Core Mobile M520</u>	1,341
<u>Intel Atom Z3775 @ 1.46GHz</u>	1,338
<u>Intel Celeron B800 @ 1.50GHz</u>	1,332
<u>Celeron Dual-Core T3500 @ 2.10GHz</u>	1,331

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

<u>Intel Pentium P6100 @ 2.00GHz</u>	1,330
<u>Intel Celeron 877 @ 1.40GHz</u>	1,329
<u>Intel Celeron B810 @ 1.60GHz</u>	1,315
<u>Intel Core2 Duo P7350 @ 2.00GHz</u>	1,312
<u>Intel Core2 Duo T6500 @ 2.10GHz</u>	1,311
<u>Intel Core2 Duo L9400 @ 1.86GHz</u>	1,310
<u>AMD Turion II Dual-Core Mobile M500</u>	1,309
<u>Intel Pentium T4400 @ 2.20GHz</u>	1,306
<u>AMD A6-4455M APU</u>	1,303
<u>Intel Celeron 887 @ 1.50GHz</u>	1,299
<u>Intel Core2 Duo P7370 @ 2.00GHz</u>	1,296
<u>AMD Turion II Dual-Core Mobile M540</u>	1,295
<u>Intel Core2 Duo T8100 @ 2.10GHz</u>	1,290
<u>Intel Atom Z3770 @ 1.46GHz</u>	1,285
<u>AMD A4-3310MX APU</u>	1,283
<u>Intel Core i5 U 470 @ 1.33GHz</u>	1,277
<u>Intel Core2 Duo T7500 @ 2.20GHz</u>	1,276
<u>Intel Pentium P6000 @ 1.87GHz</u>	1,267
<u>Celeron Dual-Core T3300 @ 2.00GHz</u>	1,264
<u>AMD A4-3305M APU</u>	1,255
<u>Intel Core2 Duo T6570 @ 2.10GHz</u>	1,253
<u>Intel Celeron N2910 @ 1.60GHz</u>	1,252
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-87</u>	1,251
<u>Intel Core2 Duo T7400 @ 2.16GHz</u>	1,249
<u>Intel Pentium T4300 @ 2.10GHz</u>	1,245
<u>AMD A4-3330MX APU</u>	1,240
<u>Intel Pentium 3560Y @ 1.20GHz</u>	1,235
<u>Intel Core2 Duo T6400 @ 2.00GHz</u>	1,229
<u>AMD A4-3320M APU</u>	1,229
<u>AMD A4-3300M APU</u>	1,221
<u>Intel Pentium 987 @ 1.50GHz</u>	1,220
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-86</u>	1,212
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-84</u>	1,212
<u>AMD Turion X2 Dual-Core Mobile RM-77</u>	1,210
<u>Intel Celeron 867 @ 1.30GHz</u>	1,208
<u>Intel Core2 Duo T7300 @ 2.00GHz</u>	1,192
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-85</u>	1,186
<u>Intel Core i3 U 380 @ 1.33GHz</u>	1,186
<u>Intel Core2 Duo T7200 @ 2.00GHz</u>	1,180
<u>Intel Pentium 967 @ 1.30GHz</u>	1,173
<u>AMD A4-4355M APU</u>	1,170
<u>AMD Turion X2 Dual-Core Mobile RM-75</u>	1,169
<u>Celeron Dual-Core T3100 @ 1.90GHz</u>	1,169
<u>Intel Celeron 857 @ 1.20GHz</u>	1,168
<u>AMD Turion II Neo K685 Dual-Core</u>	1,158

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

<u>Intel Pentium T4200 @ 2.00GHz</u>	1,155
<u>AMD E2-3000M APU</u>	1,152
<u>Intel Pentium 977 @ 1.40GHz</u>	1,148
<u>Intel Celeron P4500 @ 1.87GHz</u>	1,146
<u>AMD Athlon 64 X2 QL-67</u>	1,144
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-82</u>	1,141
<u>Intel Celeron N2840 @ 2.16GHz</u>	1,137
<u>Intel Pentium T3400 @ 2.16GHz</u>	1,129
<u>Intel Core2 Duo T5870 @ 2.00GHz</u>	1,129
<u>Intel Core i3 U 330 @ 1.20GHz</u>	1,128
<u>Intel Atom Z3745 @ 1.33GHz</u>	1,127
<u>Intel Core2 Duo T5800 @ 2.00GHz</u>	1,115
<u>Intel Core2 Duo L9300 @ 1.60GHz</u>	1,113
<u>AMD Turion 64 X2 Mobile TL-68</u>	1,106
<u>Intel Core2 Duo T7250 @ 2.00GHz</u>	1,106
<u>Intel Pentium 957 @ 1.20GHz</u>	1,095
<u>Intel Core2 Duo U9600 @ 1.60GHz</u>	1,093
<u>Celeron Dual-Core T3000 @ 1.80GHz</u>	1,093
<u>AMD E2-3000 APU</u>	1,092
<u>Intel Pentium 2129Y @ 1.10GHz</u>	1,087
<u>Intel Celeron 847E @ 1.10GHz</u>	1,086
<u>Intel Core2 Duo T5750 @ 2.00GHz</u>	1,082
<u>AMD Turion X2 Dual-Core Mobile RM-72</u>	1,080
<u>AMD Turion 64 X2 Mobile TL-62</u>	1,073
<u>Intel Atom Z3740 @ 1.33GHz</u>	1,070
<u>AMD Turion 64 X2 Mobile TL-66</u>	1,064
<u>AMD Turion 64 X2 Mobile TL-64</u>	1,061
<u>AMD Turion X2 Dual-Core Mobile RM-74</u>	1,058
<u>Intel Celeron T1700 @ 1.83GHz</u>	1,058
<u>Intel Atom Z3740D @ 1.33GHz</u>	1,048
<u>Intel Core Duo T2700 @ 2.33GHz</u>	1,047
<u>Intel Core2 Duo T5550 @ 1.83GHz</u>	1,045
<u>AMD Athlon 64 X2 QL-65</u>	1,041
<u>Intel Pentium T3200 @ 2.00GHz</u>	1,040
<u>Intel Core2 Duo T7100 @ 1.80GHz</u>	1,037
<u>Intel Core2 Duo T5600 @ 1.83GHz</u>	1,037
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-80</u>	1,032
<u>Intel Celeron N2830 @ 2.16GHz</u>	1,030
<u>AMD TurionX2 Dual Core Mobile RM-70</u>	1,028
<u>AMD Athlon 64 X2 QL-62</u>	1,008
<u>Intel Core2 Duo T5670 @ 1.80GHz</u>	1,006
<u>Intel Celeron N2820 @ 2.13GHz</u>	1,006
<u>Intel Core2 Duo U9400 @ 1.40GHz</u>	992
<u>AMD TurionX2 Dual Core Mobile RM-72</u>	986
<u>AMD Turion X2 Dual-Core Mobile RM-70</u>	985

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

<u>Intel Atom Z3735G @ 1.33GHz</u>	983
<u>Intel Atom Z3735E @ 1.33GHz</u>	980
<u>Intel Atom Z3736F @ 1.33GHz</u>	976
<u>Intel Pentium U5600 @ 1.33GHz</u>	975
<u>Intel Celeron 847 @ 1.10GHz</u>	969
<u>Intel Core2 Duo L7700 @ 1.80GHz</u>	968
<u>AMD Turion 64 X2 Mobile TL-60</u>	968
<u>AMD Athlon 64 X2 QL-64</u>	967
<u>AMD Turion II Neo N40L Dual-Core</u>	964
<u>AMD Turion II Neo K625 Dual-Core</u>	961
<u>AMD Turion X2 Dual Core Mobile RM-70</u>	958
<u>AMD Turion 64 X2 Mobile TL-58</u>	952
<u>AMD Turion X2 Dual Core Mobile RM-76</u>	951
<u>Intel Atom Z3735D @ 1.33GHz</u>	951
<u>Intel Celeron T1600 @ 1.66GHz</u>	945
<u>Intel Core Duo T2600 @ 2.16GHz</u>	943
<u>Intel Core2 Duo L7500 @ 1.60GHz</u>	943
<u>Intel Celeron N2807 @ 1.58GHz</u>	933
<u>Intel Pentium T2390 @ 1.86GHz</u>	933
<u>Intel Core2 Duo T5300 @ 1.73GHz</u>	933
<u>Intel Core2 Duo T5470 @ 1.60GHz</u>	927
<u>Intel Core2 Duo T5500 @ 1.66GHz</u>	922
<u>AMD Athlon 64 X2 QL-66</u>	922
<u>Intel Celeron P4505 @ 1.87GHz</u>	915
<u>AMD Athlon 64 X2 QL-60</u>	912
<u>Intel Core2 Duo U7300 @ 1.30GHz</u>	912
<u>Intel Core2 Duo L7400 @ 1.50GHz</u>	911
<u>Intel Atom Z3735F @ 1.33GHz</u>	908
<u>AMD GX-217GA SOC</u>	900
<u>Intel Core2 Duo T5450 @ 1.66GHz</u>	899
<u>AMD E1-6010 APU with AMD Radeon R2 Graphics</u>	895
<u>AMD Turion Dual-Core RM-70</u>	891
<u>Intel Celeron N2815 @ 1.86GHz</u>	891
<u>AMD E1-2500 APU</u>	890
<u>Intel Core Duo T2500 @ 2.00GHz</u>	889
<u>Intel Pentium U5400 @ 1.20GHz</u>	880
<u>AMD Turion Dual-Core RM-75</u>	876
<u>AMD Turion X2 Dual Core L510</u>	871
<u>AMD Turion Neo X2 Dual Core L625</u>	869
<u>AMD Turion 64 X2 Mobile TL-56</u>	861
<u>Intel Core2 Duo U9300 @ 1.20GHz</u>	858
<u>AMD E2-2000 APU</u>	845
<u>Intel Pentium T2330 @ 1.60GHz</u>	837
<u>Intel Core Duo T2450 @ 2.00GHz</u>	833
<u>Intel Core2 Duo T5250 @ 1.50GHz</u>	827

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

<u>Intel Core2 Duo T5200 @ 1.60GHz</u>	823
<u>Intel Core2 Duo L7300 @ 1.40GHz</u>	822
<u>Intel Celeron N2810 @ 2.00GHz</u>	820
<u>Intel Celeron B720 @ 1.70GHz</u>	814
<u>Intel Celeron SU2300 @ 1.20GHz</u>	810
<u>Intel Pentium T2370 @ 1.73GHz</u>	809
<u>Intel Core Duo T2400 @ 1.83GHz</u>	798
<u>Intel Core2 Duo T5270 @ 1.40GHz</u>	785
<u>AMD E-450 APU</u>	783
<u>Intel Celeron U3600 @ 1.20GHz</u>	775
<u>Intel Core Duo T2250 @ 1.73GHz</u>	768
<u>Intel Celeron N2806 @ 1.60GHz</u>	762
<u>AMD E-350</u>	761
<u>AMD Turion 64 X2 Mobile TL-52</u>	757
<u>AMD G-T56E</u>	751
<u>Intel Core Duo T2350 @ 1.86GHz</u>	748
<u>AMD Turion 64 X2 Mobile TL-50</u>	747
<u>Intel Core Duo T2300 @ 1.66GHz</u>	739
<u>Intel Core Duo L2500 @ 1.83GHz</u>	728
<u>Intel Pentium T2080 @ 1.73GHz</u>	723
<u>Intel Celeron 925 @ 2.30GHz</u>	722
<u>Intel Pentium T2130 @ 1.86GHz</u>	718
<u>Intel Celeron U3400 @ 1.07GHz</u>	717
<u>Intel Pentium T2310 @ 1.46GHz</u>	715
<u>AMD Turion Dual-Core RM-72</u>	712
<u>Intel Core Duo L2400 @ 1.66GHz</u>	708
<u>Intel Core2 Duo U7700 @ 1.33GHz</u>	702
<u>Intel Atom D2701 @ 2.13GHz</u>	699
<u>AMD E1-1500 APU</u>	697
<u>AMD E1-1200 APU</u>	692
<u>Intel Celeron U3405 @ 1.07GHz</u>	684
<u>Intel Core2 Duo L7200 @ 1.33GHz</u>	684
<u>AMD E-350 APU</u>	682
<u>Intel Atom Z2760 @ 1.80GHz</u>	679
<u>Intel Pentium T2060 @ 1.60GHz</u>	677
<u>AMD A4-1200 APU</u>	673
<u>AMD V140</u>	669
<u>Intel Core2 Duo U7600 @ 1.20GHz</u>	666
<u>AMD Turion 64 Mobile ML-42</u>	661
<u>Intel Atom N2800 @ 1.86GHz</u>	640
<u>AMD V120</u>	639
<u>AMD E-300 APU</u>	623
<u>AMD E1-2100 APU</u>	619
<u>Mobile AMD Athlon 64 4000+</u>	608
<u>Intel Core2 Duo U7500 @ 1.06GHz</u>	606

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

AMD A4-1250 APU	603
Intel Atom N570 @ 1.66GHz	592
AMD Turion 64 Mobile ML-44	591
Intel Celeron 570 @ 2.26GHz	588
Mobile AMD Athlon XP	572
Intel Celeron 827E @ 1.40GHz	566
Intel Core Duo U2400 @ 1.06GHz	551
Intel Celeron M 540 @ 1.86GHz	542
Intel Core Duo U2500 @ 1.20GHz	542
Intel Atom N2600 @ 1.60GHz	539
Intel Celeron 560 @ 2.13GHz	539
AMD Turion 64 Mobile MT-40	536
AMD Turion 64 Mobile ML-40	525
Mobile AMD Sempron 3800+	523
Intel Atom N550 @ 1.50GHz	517
Mobile AMD Athlon XP-M	512
Mobile AMD Athlon 64 3400+	511
Intel Celeron 550 @ 2.00GHz	508
Mobile AMD Athlon XP-M (LV)	508
Mobile AMD Athlon XP-M (LV) 3200+	505
Intel Celeron 540 @ 1.86GHz	504
AMD Turion 64 Mobile MK-38	502
Intel Celeron N2805 @ 1.46GHz	497
Mobile AMD Athlon MP-M 2800+	496
Intel Celeron 530 @ 1.73GHz	490
Mobile AMD Athlon XP-M 3200+	487
AMD Turion 64 Mobile MT-37	484
Mobile Intel Pentium 4 3.46GHz	478
Mobile AMD Athlon XP-M (LV) 2800+	475
Intel Core Solo T1400 @ 1.83GHz	473
Intel Core2 Solo U3500 @ 1.40GHz	468
Mobile AMD Sempron 3300+	462
AMD C-50	461
Mobile AMD Sempron 3400+	456
Intel Celeron 743 @ 1.30GHz	455
AMD Turion 64 Mobile MK-36	451
Mobile AMD Athlon 64 3000+	450
AMD Turion 64 Mobile ML-37	450
Mobile AMD Sempron 3600+	440
Mobile AMD Athlon 64 2800+	440
Mobile AMD Athlon XP-M 3100+	440
Mobile Intel Pentium 4 3.33GHz	439
AMD Turion 64 Mobile ML-34	439
AMD Turion 64 Mobile MT-32	424
Mobile AMD Athlon 64 3200+	422

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

<u>AMD Turion 64 Mobile MT-28</u>	419
<u>Mobile AMD Sempron 3100+</u>	418
<u>Intel Core2 Solo U3300 @ 1.20GHz</u>	415
<u>AMD Turion 64 Mobile MT-34</u>	414
<u>Mobile AMD Sempron 3500+</u>	411
<u>AMD Turion 64 Mobile ML-32</u>	409
<u>Intel Core Solo T1350 @ 1.86GHz</u>	406
<u>Intel Core Solo T1300 @ 1.66GHz</u>	406
<u>Mobile AMD Sempron 2600+</u>	403
<u>Intel Celeron 723 @ 1.20GHz</u>	402
<u>AMD Turion 64 Mobile ML-30</u>	398
<u>Mobile AMD Athlon 64 2700+</u>	398
<u>AMD Turion 64 Mobile MT-30</u>	398
<u>Mobile AMD Athlon XP-M 2800+</u>	398
<u>Intel Celeron M 440 @ 1.86GHz</u>	395
<u>Mobile AMD Athlon XP-M 2600+</u>	391
<u>Mobile AMD Sempron 3000+</u>	391
<u>AMD Turion 64 Mobile ML-28</u>	390
<u>Intel Atom Z550 @ 2.00GHz</u>	381
<u>Mobile AMD Sempron 2800+</u>	381
<u>Mobile AMD Athlon 4 2400+</u>	379
<u>Mobile AMD Athlon MP-M 2000+</u>	378
<u>Mobile AMD Athlon XP-M 2200+</u>	376
<u>Mobile AMD Athlon XP-M (LV) 2200+</u>	373
<u>Mobile AMD Athlon 2500+</u>	370
<u>Mobile AMD Athlon XP-M 2500+</u>	369
<u>Mobile AMD Athlon XP-M 3000+</u>	365
<u>Mobile AMD Athlon 64 3700+</u>	363
<u>AMD E-240</u>	355
<u>Intel Atom N475 @ 1.83GHz</u>	351
<u>Intel Celeron 215 @ 1.33GHz</u>	349
<u>Mobile AMD Sempron 3200+</u>	349
<u>Intel Atom Z540 @ 1.86GHz</u>	348
<u>Mobile AMD Athlon XP-M 2400+</u>	344
<u>Mobile AMD Athlon XP-M 1900+</u>	342
<u>Mobile AMD Athlon XP-M (LV) 2000+</u>	335
<u>Intel Atom N470 @ 1.83GHz</u>	329
<u>Intel Core Solo U1500 @ 1.33GHz</u>	326
<u>Mobile AMD Athlon XP-M 1700+</u>	323
<u>Intel Atom N2100 @ 1.60GHz</u>	321
<u>AMD C-30</u>	315
<u>Mobile AMD Athlon 4</u>	314
<u>Mobile Intel Pentium 4 - M 2.60GHz</u>	313
<u>Mobile AMD Athlon XP-M 1800+</u>	312
<u>Intel Core2 Solo U2200 @ 1.20GHz</u>	311

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

<u>Mobile Intel Celeron 1333MHz</u>	309
<u>Mobile AMD Athlon XP-M 2000+</u>	300
<u>Mobile AMD Athlon XP-M (LV) 1600+</u>	296
<u>Mobile Intel Celeron 1200MHz</u>	294
<u>Intel Atom N280 @ 1.66GHz</u>	292
<u>Intel Atom N455 @ 1.66GHz</u>	290
<u>Mobile Intel Pentium III - M 1133MHz</u>	289
<u>Mobile Intel Pentium III - M 1333MHz</u>	289
<u>Intel Atom N450 @ 1.66GHz</u>	289
<u>Mobile AMD Athlon XP-M (LV) 1500+</u>	288
<u>Intel Atom N270 @ 1.60GHz</u>	282
<u>Mobile Intel Celeron 2.50GHz</u>	281
<u>Intel Atom Z530 @ 1.60GHz</u>	281
<u>Mobile Intel Pentium III - M 1200MHz</u>	279
<u>Mobile Intel Pentium 4 2.30GHz</u>	278
<u>Intel Pentium III Mobile 1200MHz</u>	274
<u>Intel Atom E660 @ 1.30GHz</u>	271
<u>Intel Pentium III Mobile 1066MHz</u>	268
<u>Mobile AMD Athlon 1400+</u>	266
<u>Mobile AMD Sempron 2100+</u>	265
<u>Mobile AMD Athlon XP-M 1500+</u>	261
<u>Intel Core Solo U1400 @ 1.20GHz</u>	260
<u>Mobile AMD Athlon XP-M 1600+</u>	257
<u>Mobile Intel Pentium 4 - M 2.50GHz</u>	256
<u>Mobile Intel Pentium 4 - M 2.40GHz</u>	255
<u>Mobile Intel Celeron 2.20GHz</u>	253
<u>Intel Atom Z670 @ 1.50GHz</u>	252
<u>Intel Pentium III Mobile 1133MHz</u>	251
<u>Mobile Intel Pentium III - M 1000MHz</u>	250
<u>Intel Pentium M 1000MHz</u>	247
<u>Intel Pentium III Mobile 1000MHz</u>	245
<u>Mobile Intel Celeron 2.00GHz</u>	241
<u>Mobile Intel Celeron 2.40GHz</u>	239
<u>Mobile Intel Pentium 4 - M 1.90GHz</u>	232
<u>Mobile Intel Pentium III - M 933MHz</u>	226
<u>Intel Atom Z520 @ 1.33GHz</u>	222
<u>Mobile Intel Pentium 4 - M 1.80GHz</u>	221
<u>Mobile Intel Pentium 4 - M 2.00GHz</u>	220
<u>Intel Pentium III Mobile 933MHz</u>	218
<u>Intel Atom Z515 @ 1.20GHz</u>	218
<u>Mobile Intel Pentium 4 - M 2.20GHz</u>	215
<u>Intel Pentium III Mobile 866MHz</u>	214
<u>Mobile Intel Pentium III - M 866MHz</u>	211
<u>Intel Pentium 4 Mobile 2.00GHz</u>	211
<u>Intel Pentium 4 Mobile 1.90GHz</u>	209

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 18th of November 2014

<u>Intel Pentium 4 Mobile 1.70GHz</u>	208
<u>Intel Pentium III Mobile 800MHz</u>	201
<u>Intel Pentium 4 Mobile 1.60GHz</u>	199
<u>Intel Pentium 4 Mobile 1.50GHz</u>	197
<u>Mobile Intel Pentium 4 - M 1.60GHz</u>	195
<u>Intel Atom Z510 @ 1.10GHz</u>	194
<u>Mobile Intel Celeron 1.50GHz</u>	188
<u>Mobile Intel Celeron 1.60GHz</u>	188
<u>Mobile Intel Celeron 1.80GHz</u>	186
<u>Mobile AMD Athlon XP-M 1400+</u>	184
<u>Mobile Intel Pentium 4 - M 1.70GHz</u>	182
<u>Mobile Intel Celeron 1.70GHz</u>	181
<u>Intel Pentium 4 Mobile 1.80GHz</u>	175
<u>Mobile Intel Celeron 1.20GHz</u>	170
<u>Intel Pentium 4 Mobile 1.40GHz</u>	149
<u>Intel Pentium III Mobile 750MHz</u>	103