

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

Processor	CPU Mark
<u>Intel Core i7-4980HQ @ 2.80GHz</u>	10,121
<u>Intel Core i7-4960HQ @ 2.60GHz</u>	9,941
<u>Intel Core i7-4940MX @ 3.10GHz</u>	9,918
<u>Intel Core i7-4910MQ @ 2.90GHz</u>	9,649
<u>Intel Core i7-4930MX @ 3.00GHz</u>	9,571
<u>Intel Core i7-4860HQ @ 2.40GHz</u>	9,376
<u>Intel Core i7-4770S @ 3.10GHz</u>	9,357
<u>Intel Core i7-3940XM @ 3.00GHz</u>	9,272
<u>Intel Core i7-3920XM @ 2.90GHz</u>	9,226
<u>Intel Core i7-4870HQ @ 2.50GHz</u>	9,215
<u>Intel Core i7-4900MQ @ 2.80GHz</u>	9,191
<u>Intel Core i7-4850HQ @ 2.30GHz</u>	9,156
<u>Intel Core i7-4760HQ @ 2.10GHz</u>	9,101
<u>Intel Core i7-4770HQ @ 2.20GHz</u>	9,013
<u>Intel Core i7-3840QM @ 2.80GHz</u>	8,897
<u>Intel Core i7-4810MQ @ 2.80GHz</u>	8,759
<u>Intel Core i7-4800MQ @ 2.70GHz</u>	8,567
<u>Intel Core i7-3820QM @ 2.70GHz</u>	8,512
<u>Intel Core i7-3740QM @ 2.70GHz</u>	8,459
<u>Intel Core i7-4722HQ @ 2.40GHz</u>	8,414
<u>Intel Core i7-3720QM @ 2.60GHz</u>	8,272
<u>Intel Core i7-4750HQ @ 2.00GHz</u>	8,238
<u>Intel Core i7-4720HQ @ 2.60GHz</u>	8,203
<u>Intel Core i7-4710MQ @ 2.50GHz</u>	7,998
<u>Intel Core i7-4710HQ @ 2.50GHz</u>	7,888
<u>Intel Core i7-4700HQ @ 2.40GHz</u>	7,812
<u>Intel Core i7-4700MQ @ 2.40GHz</u>	7,793
<u>Intel Core i7-4702HQ @ 2.20GHz</u>	7,712
<u>Intel Core i7-4712HQ @ 2.30GHz</u>	7,657
<u>Intel Core i7-3630QM @ 2.40GHz</u>	7,637
<u>Intel Core i7-3610QM @ 2.30GHz</u>	7,476
<u>Intel Core i7-3615QM @ 2.30GHz</u>	7,348
<u>Intel Core i7-2860QM @ 2.50GHz</u>	7,310
<u>Intel Core i7-4712MQ @ 2.30GHz</u>	7,248
<u>Intel Core i7-2960XM @ 2.70GHz</u>	7,232
<u>Intel Core i7-4702MQ @ 2.20GHz</u>	7,212
<u>Intel Core i7-2920XM @ 2.50GHz</u>	7,016
<u>Intel Core i7-3632QM @ 2.20GHz</u>	6,957
<u>Intel Core i7-3612QM @ 2.10GHz</u>	6,839
<u>Intel Core i7-2840QM @ 2.40GHz</u>	6,766
<u>Intel Core i7-2760QM @ 2.40GHz</u>	6,667
<u>Intel Core i7-3635QM @ 2.40GHz</u>	6,613
<u>Intel Core i7-2820QM @ 2.30GHz</u>	6,573

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

<u>Intel Core i7-3612QE @ 2.10GHz</u>	6,481
<u>Intel Core i7-2720QM @ 2.20GHz</u>	6,211
<u>Intel Core i7-3610QE @ 2.30GHz</u>	6,175
<u>Intel Core i7-2670QM @ 2.20GHz</u>	5,985
<u>Intel Core i7-2635QM @ 2.00GHz</u>	5,784
<u>AMD Athlon X4 860K Quad Core</u>	5,653
<u>Intel Core i7-2675QM @ 2.20GHz</u>	5,613
<u>Intel Core i7-2630QM @ 2.00GHz</u>	5,563
<u>Intel Core i7-2710QE @ 2.10GHz</u>	5,398
<u>Intel Core i7-2715QE @ 2.10GHz</u>	5,199
<u>Intel Core i7-4610M @ 3.00GHz</u>	5,140
<u>Intel Core i7-4578U @ 3.00GHz</u>	5,087
<u>Intel Core i5-4340M @ 2.90GHz</u>	4,961
<u>Intel Core i7-5557U @ 3.10GHz</u>	4,959
<u>Intel Core i7-4600M @ 2.90GHz</u>	4,776
<u>Intel Core i5-4330M @ 2.80GHz</u>	4,723
<u>Intel Core i5-4308U @ 2.80GHz</u>	4,652
<u>Intel Core i5-4210H @ 2.90GHz</u>	4,632
<u>Intel Core i7-3540M @ 3.00GHz</u>	4,632
<u>Intel Core i5-5257U @ 2.70GHz</u>	4,579
<u>Intel Core i7-3520M @ 2.90GHz</u>	4,540
<u>Intel Core i3-4350T @ 3.10GHz</u>	4,495
<u>Intel Core i5-4310M @ 2.70GHz</u>	4,463
<u>Intel Core i5-4288U @ 2.60GHz</u>	4,449
<u>Intel Core i5-4300M @ 2.60GHz</u>	4,426
<u>Intel Core i7-5600U @ 2.60GHz</u>	4,369
<u>Intel Core i5-3360M @ 2.80GHz</u>	4,320
<u>Intel Core i7-4558U @ 2.80GHz</u>	4,306
<u>Intel Core i5-4278U @ 2.60GHz</u>	4,305
<u>Intel Core i7-3687U @ 2.10GHz</u>	4,296
<u>Intel Core i5-3380M @ 2.90GHz</u>	4,265
<u>Intel Core i5-4210M @ 2.60GHz</u>	4,210
<u>Intel Core i7-4600U @ 2.10GHz</u>	4,144
<u>Intel Core i5-3340M @ 2.70GHz</u>	4,138
<u>Intel Core i7-4650U @ 1.70GHz</u>	4,135
<u>AMD FX-7600P</u>	4,120
<u>Intel Core i7-3555LE @ 2.50GHz</u>	4,118
<u>Intel Core i5-4258U @ 2.40GHz</u>	4,112
<u>Intel Core i5-4200M @ 2.50GHz</u>	4,070
<u>Intel Core i7-940XM @ 2.13GHz</u>	4,030
<u>AMD RX-427BB</u>	4,022
<u>Intel Core i5-3320M @ 2.60GHz</u>	4,006
<u>Intel Core i3-4110M @ 2.60GHz</u>	3,966
<u>Intel Core i7-4510U @ 2.00GHz</u>	3,955
<u>Intel Core i7-2640M @ 2.80GHz</u>	3,946

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

<u>Intel Core i7-3667U @ 2.00GHz</u>	3,938
<u>Intel Core i7-5500U @ 2.40GHz</u>	3,938
<u>Intel Core i5-3230M @ 2.60GHz</u>	3,924
<u>AMD A10-8700P</u>	3,910
<u>Intel Core i7-4550U @ 1.50GHz</u>	3,893
<u>Intel Core i7-3537U @ 2.00GHz</u>	3,863
<u>Intel Core i7-2620M @ 2.70GHz</u>	3,833
<u>Intel Core i7-920XM @ 2.00GHz</u>	3,829
<u>Intel Core i7-4500U @ 1.80GHz</u>	3,825
<u>AMD A10-7400P</u>	3,817
<u>Intel Core i5-4310U @ 2.00GHz</u>	3,796
<u>Intel Core i5-3210M @ 2.50GHz</u>	3,784
<u>Intel Core i5-4300U @ 1.90GHz</u>	3,750
<u>Intel Core i5-5300U @ 2.30GHz</u>	3,736
<u>Intel Core i5-2540M @ 2.60GHz</u>	3,720
<u>Intel Core i5-5250U @ 1.60GHz</u>	3,704
<u>Intel Core i7-3517U @ 1.90GHz</u>	3,651
<u>Intel Core i5-2510E @ 2.50GHz</u>	3,631
<u>Intel Core i5-4350U @ 1.40GHz</u>	3,604
<u>Intel Core i5-4260U @ 1.40GHz</u>	3,583
<u>Intel Core i5-3437U @ 1.90GHz</u>	3,552
<u>Intel Core i5-2520M @ 2.50GHz</u>	3,546
<u>Intel Core i5-5200U @ 2.20GHz</u>	3,523
<u>Intel Core i5-3427U @ 1.80GHz</u>	3,518
<u>Intel Core i7-3689Y @ 1.50GHz</u>	3,479
<u>Intel Core i5-4250U @ 1.30GHz</u>	3,471
<u>Intel Core i3-4100M @ 2.50GHz</u>	3,462
<u>Intel Core i5-2450M @ 2.50GHz</u>	3,420
<u>AMD A10 PRO-7350B APU</u>	3,415
<u>Intel Core i7 Q 840 @ 1.87GHz</u>	3,392
<u>Intel Core i5-4210U @ 1.70GHz</u>	3,391
<u>AMD A10-5750M APU</u>	3,386
<u>Intel Core i7-3517UE @ 1.70GHz</u>	3,369
<u>Intel Core i7-5650U @ 2.20GHz</u>	3,355
<u>Intel Core i3-3130M @ 2.60GHz</u>	3,342
<u>AMD FX-7500 APU</u>	3,335
<u>Intel Core2 Quad Q9100 @ 2.26GHz</u>	3,328
<u>AMD A8-7200P</u>	3,280
<u>Intel Core i5-4200U @ 1.60GHz</u>	3,279
<u>Intel Core i5-2430M @ 2.40GHz</u>	3,272
<u>Intel Core i5-6200U @ 2.30GHz</u>	3,262
<u>Intel Core i7 Q 820 @ 1.73GHz</u>	3,253
<u>Intel Core i3-4000M @ 2.40GHz</u>	3,251
<u>Intel Core i3-3120M @ 2.50GHz</u>	3,242
<u>Intel Core i5-3337U @ 1.80GHz</u>	3,236

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

<u>Intel Core i7 Q 740 @ 1.73GHz</u>	3,232
<u>Intel Core i5-2435M @ 2.40GHz</u>	3,222
<u>Intel Core i7-2630UM @ 1.60GHz</u>	3,204
<u>Intel Core i3-5015U @ 2.10GHz</u>	3,175
<u>Intel Core i5-2410M @ 2.30GHz</u>	3,162
<u>AMD A10-4600M APU</u>	3,120
<u>AMD A10-5757M APU</u>	3,095
<u>Intel Core i5-3317U @ 1.70GHz</u>	3,090
<u>Intel Core M-5Y70 @ 1.10GHz</u>	3,080
<u>Intel Core M-5Y71 @ 1.20GHz</u>	3,059
<u>Intel Core i7 Q 720 @ 1.60GHz</u>	3,050
<u>Intel Core i3-3110M @ 2.40GHz</u>	3,046
<u>Intel Core i3-5010U @ 2.10GHz</u>	3,034
<u>AMD A10-7300 APU</u>	3,033
<u>Intel Core i7-2637M @ 1.70GHz</u>	3,000
<u>AMD A8-5550M APU</u>	2,992
<u>Intel Core i3-5005U @ 2.00GHz</u>	2,992
<u>Intel Core M-5Y51 @ 1.10GHz</u>	2,923
<u>AMD A8-7100 APU</u>	2,911
<u>AMD A8-5557M APU</u>	2,902
<u>Intel Core i7 M 640 @ 2.80GHz</u>	2,886
<u>AMD A8 PRO-7150B APU</u>	2,873
<u>Intel Core M-5Y10 @ 0.80GHz</u>	2,840
<u>Intel Core i3-2310E @ 2.10GHz</u>	2,839
<u>AMD A10-5745M APU</u>	2,793
<u>Intel Core i7 M 620 @ 2.67GHz</u>	2,781
<u>Intel Core i7-2617M @ 1.50GHz</u>	2,771
<u>AMD GX-424CC SOC with Radeon R5E Graphics</u>	2,762
<u>Intel Core i3-4025U @ 1.90GHz</u>	2,761
<u>Intel Core i3-2370M @ 2.40GHz</u>	2,753
<u>AMD Phenom II X920 Quad-Core</u>	2,752
<u>Intel Core i7-2677M @ 1.80GHz</u>	2,750
<u>Intel Core i5 M 580 @ 2.67GHz</u>	2,726
<u>Intel Core i3-4030U @ 1.90GHz</u>	2,708
<u>AMD A8-7410 APU</u>	2,704
<u>AMD A6-7310 APU</u>	2,701
<u>Intel Core M-5Y10c @ 0.80GHz</u>	2,683
<u>AMD A8-4500M APU</u>	2,670
<u>Intel Core i5-2557M @ 1.70GHz</u>	2,656
<u>Intel Core i5 M 560 @ 2.67GHz</u>	2,652
<u>Intel Core i3-2350M @ 2.30GHz</u>	2,642
<u>AMD A8-3550MX APU</u>	2,629
<u>Intel Core i3-2348M @ 2.30GHz</u>	2,587
<u>Intel Core2 Quad Q9000 @ 2.00GHz</u>	2,566
<u>AMD A8-5545M APU</u>	2,556

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

<u>AMD A10-4655M APU</u>	2,553
<u>Intel Core i3-2330M @ 2.20GHz</u>	2,531
<u>AMD Phenom II N970 Quad-Core</u>	2,523
<u>Intel Core i3-2328M @ 2.20GHz</u>	2,519
<u>AMD A8-6410 APU</u>	2,515
<u>AMD Phenom II N950 Quad-Core</u>	2,492
<u>Intel Core M-5Y31 @ 0.90GHz</u>	2,484
<u>Intel Core i7-2610UE @ 1.50GHz</u>	2,481
<u>Intel Core i3-4030Y @ 1.60GHz</u>	2,471
<u>Intel Core i3-3227U @ 1.90GHz</u>	2,465
<u>Intel Core i5 M 480 @ 2.67GHz</u>	2,457
<u>Intel Core i3-4005U @ 1.70GHz</u>	2,454
<u>Intel Core i3-4010U @ 1.70GHz</u>	2,444
<u>Intel Core i5 540M @ 2.53GHz</u>	2,430
<u>AMD A6-5200 APU</u>	2,428
<u>Intel Core i7 E 610 @ 2.53GHz</u>	2,425
<u>Intel Core i3-2310M @ 2.10GHz</u>	2,420
<u>AMD A8-3510MX APU</u>	2,418
<u>Intel Celeron 2970M @ 2.20GHz</u>	2,416
<u>Intel Core i5 520M @ 2.40GHz</u>	2,412
<u>AMD A4-7210 APU</u>	2,389
<u>Intel Core i3-2332M @ 2.20GHz</u>	2,382
<u>Intel Pentium 2030M @ 2.50GHz</u>	2,369
<u>AMD A8-3530MX APU</u>	2,361
<u>AMD A6-6310 APU</u>	2,356
<u>Intel Core i5 M 460 @ 2.53GHz</u>	2,352
<u>AMD GX-420CA SOC</u>	2,344
<u>Intel Pentium 3550M @ 2.30GHz</u>	2,339
<u>Intel Core i5-2467M @ 1.60GHz</u>	2,332
<u>Intel Pentium 2020M @ 2.40GHz</u>	2,307
<u>Intel Core i3-2312M @ 2.10GHz</u>	2,300
<u>Intel Core i3-3217U @ 1.80GHz</u>	2,286
<u>Intel Core i7 640LM @ 2.13GHz</u>	2,275
<u>AMD Phenom II N930 Quad-Core</u>	2,259
<u>AMD Phenom II X620 Dual-Core</u>	2,258
<u>AMD A6-3430MX APU</u>	2,253
<u>Intel Core i5 520 @ 2.40GHz</u>	2,244
<u>AMD A8-3520M APU</u>	2,241
<u>Intel Core2 Duo T9900 @ 3.06GHz</u>	2,233
<u>Intel Core i3 M 390 @ 2.67GHz</u>	2,232
<u>Intel Core i3-3217UE @ 1.60GHz</u>	2,228
<u>Intel Core i3-4012Y @ 1.50GHz</u>	2,221
<u>Intel Atom C2558 @ 2.40GHz</u>	2,169
<u>Intel Core i5 M 450 @ 2.40GHz</u>	2,146
<u>Intel Core i7 620LM @ 2.00GHz</u>	2,145

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

<u>Intel Core i5-2537M @ 1.40GHz</u>	2,142
<u>Intel Core2 Extreme X9100 @ 3.06GHz</u>	2,142
<u>AMD A4-6210 APU</u>	2,141
<u>AMD A8-4555M APU</u>	2,140
<u>Intel Core i3 M 380 @ 2.53GHz</u>	2,122
<u>AMD A6-3410MX APU</u>	2,117
<u>Intel Core i5 M 430 @ 2.27GHz</u>	2,112
<u>AMD A4-5100 APU</u>	2,106
<u>AMD Phenom II P960 Quad-Core</u>	2,105
<u>Intel Celeron 2950M @ 2.00GHz</u>	2,102
<u>Intel Pentium B980 @ 2.40GHz</u>	2,079
<u>Intel Pentium 3805U @ 1.90GHz</u>	2,071
<u>AMD A6-3420M APU</u>	2,056
<u>Intel Core i3 M 370 @ 2.40GHz</u>	2,033
<u>AMD A8-3500M APU</u>	2,028
<u>AMD GX-415GA SOC</u>	2,000
<u>AMD Phenom II N870 Triple-Core</u>	1,984
<u>Intel Core2 Duo P9700 @ 2.80GHz</u>	1,983
<u>AMD Phenom II N850 Triple-Core</u>	1,977
<u>Intel Core2 Extreme X9000 @ 2.80GHz</u>	1,970
<u>Intel Core2 Duo T9600 @ 2.80GHz</u>	1,966
<u>Intel Core2 Duo T9800 @ 2.93GHz</u>	1,958
<u>Intel Pentium B970 @ 2.30GHz</u>	1,957
<u>AMD A6-3400M APU</u>	1,954
<u>Intel Pentium N3530 @ 2.16GHz</u>	1,938
<u>Intel Core i3 E 330 @ 2.13GHz</u>	1,935
<u>AMD A4-5150M APU</u>	1,920
<u>Intel Core i3 M 350 @ 2.27GHz</u>	1,914
<u>AMD Phenom II P920 Quad-Core</u>	1,902
<u>AMD Phenom II N830 Triple-Core</u>	1,901
<u>AMD A4-5000 APU</u>	1,897
<u>Intel Core i7 U 660 @ 1.33GHz</u>	1,893
<u>Intel Core2 Duo P9600 @ 2.66GHz</u>	1,884
<u>Intel Celeron 1005M @ 1.90GHz</u>	1,884
<u>Intel Pentium 2127U @ 1.90GHz</u>	1,874
<u>AMD E2-6110 APU with AMD Radeon R2 Graphics</u>	1,869
<u>AMD A6-5350M APU</u>	1,866
<u>Intel Pentium B960 @ 2.20GHz</u>	1,864
<u>AMD Phenom II N660 Dual-Core</u>	1,853
<u>Intel Core2 Duo P9500 @ 2.53GHz</u>	1,842
<u>Intel Pentium N3520 @ 2.16GHz</u>	1,839
<u>Intel Core2 Duo T9500 @ 2.60GHz</u>	1,838
<u>AMD A6-5357M APU</u>	1,831
<u>Intel Core i3-2377M @ 1.50GHz</u>	1,828
<u>Intel Celeron N2940 @ 1.83GHz</u>	1,823

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

<u>Intel Core i3 M 330 @ 2.13GHz</u>	1,810
<u>Intel Core2 Extreme X7800 @ 2.60GHz</u>	1,802
<u>Intel Core2 Duo T9550 @ 2.66GHz</u>	1,797
<u>Intel Celeron B840 @ 1.90GHz</u>	1,784
<u>Intel Pentium N3540 @ 2.16GHz</u>	1,774
<u>Intel Pentium 3558U @ 1.70GHz</u>	1,770
<u>Intel Core2 Duo P9600 @ 2.53GHz</u>	1,768
<u>Intel Core2 Duo T9400 @ 2.53GHz</u>	1,768
<u>Intel Core i7 U 680 @ 1.47GHz</u>	1,766
<u>Intel Core i3-2375M @ 1.50GHz</u>	1,752
<u>Intel Pentium B940 @ 2.00GHz</u>	1,749
<u>Intel Celeron 1037U @ 1.80GHz</u>	1,738
<u>AMD Phenom II P840 Triple-Core</u>	1,738
<u>AMD Phenom II P860 Triple-Core</u>	1,734
<u>Intel Core i5 U 560 @ 1.33GHz</u>	1,727
<u>Intel Core2 Extreme X7900 @ 2.80GHz</u>	1,723
<u>Intel Core i7 U 640 @ 1.20GHz</u>	1,722
<u>Intel Pentium 3556U @ 1.70GHz</u>	1,720
<u>AMD Phenom II N620 Dual-Core</u>	1,711
<u>Intel Pentium B950 @ 2.10GHz</u>	1,707
<u>Intel Core2 Duo P8800 @ 2.66GHz</u>	1,706
<u>AMD A4-4300M APU</u>	1,697
<u>Intel Core i3-2367M @ 1.40GHz</u>	1,696
<u>Intel Celeron N2930 @ 1.83GHz</u>	1,691
<u>Intel Core2 Duo T9300 @ 2.50GHz</u>	1,690
<u>Intel Celeron 1000M @ 1.80GHz</u>	1,688
<u>Intel Celeron 3205U @ 1.50GHz</u>	1,683
<u>Intel Atom Z3795 @ 1.60GHz</u>	1,678
<u>AMD Phenom II P940 Quad-Core</u>	1,674
<u>Intel Core2 Duo SP9400 @ 2.40GHz</u>	1,672
<u>AMD Turion II Ultra Dual-Core Mobile M640</u>	1,669
<u>Intel Core i3-2365M @ 1.40GHz</u>	1,664
<u>Intel Core2 Duo P8700 @ 2.53GHz</u>	1,662
<u>Intel Pentium 2117U @ 1.80GHz</u>	1,654
<u>AMD A6 PRO-7050B APU</u>	1,652
<u>AMD Phenom II N640 Dual-Core</u>	1,651
<u>Intel Pentium N3510 @ 1.99GHz</u>	1,646
<u>AMD E2-3800 APU</u>	1,625
<u>AMD A6-4400M APU</u>	1,624
<u>Intel Core i3-2357M @ 1.30GHz</u>	1,620
<u>Intel Core2 Duo T7800 @ 2.60GHz</u>	1,615
<u>AMD Phenom II P650 Dual-Core</u>	1,601
<u>Intel Celeron 1017U @ 1.60GHz</u>	1,598
<u>AMD Turion II N530 Dual-Core</u>	1,589
<u>Intel Core2 Duo P9300 @ 2.26GHz</u>	1,586

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

<u>AMD A6-7000</u>	1,569
<u>AMD A4 Micro-6400T APU</u>	1,569
<u>AMD Phenom II P820 Triple-Core</u>	1,560
<u>Intel Core2 Duo P8600 @ 2.40GHz</u>	1,558
<u>Intel Celeron B830 @ 1.80GHz</u>	1,552
<u>Intel Celeron N2920 @ 1.86GHz</u>	1,543
<u>AMD Turion II Ultra Dual-Core Mobile M660</u>	1,526
<u>AMD Turion II P560 Dual-Core</u>	1,521
<u>AMD Turion II N550 Dual-Core</u>	1,521
<u>AMD A6-1450 APU</u>	1,517
<u>Intel Celeron 2957U @ 1.40GHz</u>	1,507
<u>Intel Core2 Duo P7550 @ 2.26GHz</u>	1,500
<u>Intel Celeron 2955U @ 1.40GHz</u>	1,480
<u>Intel Core2 Duo T8300 @ 2.40GHz</u>	1,479
<u>Intel Core2 Duo P8400 @ 2.26GHz</u>	1,475
<u>AMD Turion II P540 Dual-Core</u>	1,469
<u>Intel Celeron B820 @ 1.70GHz</u>	1,466
<u>AMD GX-412HC</u>	1,462
<u>AMD Turion II Ultra Dual-Core Mobile M620</u>	1,449
<u>Intel Core2 Duo P7450 @ 2.13GHz</u>	1,447
<u>Intel Core2 Duo P7570 @ 2.26GHz</u>	1,442
<u>Intel Core2 Duo T7700 @ 2.40GHz</u>	1,438
<u>Intel Core i5 U 540 @ 1.20GHz</u>	1,436
<u>Intel Celeron 1007U @ 1.50GHz</u>	1,423
<u>Intel Celeron P4600 @ 2.00GHz</u>	1,420
<u>Intel Core2 Duo L9600 @ 2.13GHz</u>	1,414
<u>AMD Turion II Ultra Dual-Core Mobile M600</u>	1,412
<u>AMD Turion II Neo N54L Dual-Core</u>	1,405
<u>Intel Core2 Duo T6670 @ 2.20GHz</u>	1,405
<u>Intel Core2 Duo T6600 @ 2.20GHz</u>	1,394
<u>Intel Celeron 2980U @ 1.60GHz</u>	1,374
<u>Intel Pentium T4500 @ 2.30GHz</u>	1,367
<u>Intel Core i5 520UM @ 1.07GHz</u>	1,365
<u>Intel Pentium P6300 @ 2.27GHz</u>	1,360
<u>Intel Core i5 U 430 @ 1.20GHz</u>	1,356
<u>Intel Celeron N3150 @ 1.60GHz</u>	1,354
<u>AMD A4-3310MX APU</u>	1,353
<u>Intel Pentium P6200 @ 2.13GHz</u>	1,352
<u>Intel Celeron B815 @ 1.60GHz</u>	1,347
<u>AMD Turion II P520 Dual-Core</u>	1,343
<u>Intel Celeron B810 @ 1.60GHz</u>	1,342
<u>AMD Turion II Dual-Core Mobile M520</u>	1,334
<u>Intel Pentium P6100 @ 2.00GHz</u>	1,334
<u>Intel Core2 Duo T7600 @ 2.33GHz</u>	1,332
<u>AMD A6-5345M APU</u>	1,331

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

<u>Intel Atom Z3775 @ 1.46GHz</u>	1,328
<u>Intel Celeron B800 @ 1.50GHz</u>	1,327
<u>AMD Turion II Dual-Core Mobile M500</u>	1,324
<u>Intel Celeron 877 @ 1.40GHz</u>	1,319
<u>Celeron Dual-Core T3500 @ 2.10GHz</u>	1,318
<u>Intel Core2 Duo SL9400 @ 1.86GHz</u>	1,314
<u>Intel Core2 Duo P7350 @ 2.00GHz</u>	1,310
<u>Intel Core2 Duo T6500 @ 2.10GHz</u>	1,307
<u>Intel Pentium T4400 @ 2.20GHz</u>	1,302
<u>Intel Core2 Duo P7370 @ 2.00GHz</u>	1,300
<u>AMD Turion II Dual-Core Mobile M540</u>	1,295
<u>Intel Core i5 U 470 @ 1.33GHz</u>	1,294
<u>Intel Celeron 887 @ 1.50GHz</u>	1,293
<u>AMD A6-4455M APU</u>	1,289
<u>Intel Core2 Duo T8100 @ 2.10GHz</u>	1,283
<u>Intel Core2 Duo T7500 @ 2.20GHz</u>	1,279
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-87</u>	1,276
<u>Intel Atom Z3770 @ 1.46GHz</u>	1,272
<u>Intel Core2 Duo T7400 @ 2.16GHz</u>	1,260
<u>Intel Core2 Duo T6570 @ 2.10GHz</u>	1,258
<u>Intel Pentium P6000 @ 1.87GHz</u>	1,256
<u>AMD A4-3305M APU</u>	1,256
<u>Celeron Dual-Core T3300 @ 2.00GHz</u>	1,252
<u>Intel Celeron N2910 @ 1.60GHz</u>	1,251
<u>AMD A4-3320M APU</u>	1,247
<u>Intel Pentium 3560Y @ 1.20GHz</u>	1,246
<u>Intel Core2 Duo T6400 @ 2.00GHz</u>	1,240
<u>Intel Pentium T4300 @ 2.10GHz</u>	1,239
<u>AMD A4-3300M APU</u>	1,216
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-85</u>	1,214
<u>AMD A4-3330MX APU</u>	1,212
<u>AMD Turion X2 Dual-Core Mobile RM-77</u>	1,210
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-86</u>	1,206
<u>Intel Pentium 987 @ 1.50GHz</u>	1,203
<u>Intel Celeron 867 @ 1.30GHz</u>	1,202
<u>Intel Core2 Duo T7300 @ 2.00GHz</u>	1,201
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-84</u>	1,199
<u>Intel Core i3 U 380 @ 1.33GHz</u>	1,195
<u>AMD A4-4355M APU</u>	1,192
<u>Celeron Dual-Core T3100 @ 1.90GHz</u>	1,172
<u>Intel Core2 Duo T7200 @ 2.00GHz</u>	1,172
<u>Intel Core i7 U 620 @ 1.07GHz</u>	1,168
<u>Intel Pentium 967 @ 1.30GHz</u>	1,168
<u>AMD Turion 64 X2 Mobile TL-68</u>	1,160
<u>AMD Turion II Neo K685 Dual-Core</u>	1,158

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

<u>Intel Pentium T4200 @ 2.00GHz</u>	1,157
<u>Intel Celeron P4500 @ 1.87GHz</u>	1,157
<u>Intel Celeron 857 @ 1.20GHz</u>	1,156
<u>Intel Pentium 977 @ 1.40GHz</u>	1,148
<u>AMD Athlon 64 X2 QL-67</u>	1,144
<u>AMD Turion X2 Dual-Core Mobile RM-75</u>	1,142
<u>Intel Core2 Duo L9300 @ 1.60GHz</u>	1,132
<u>Intel Core2 Duo T5870 @ 2.00GHz</u>	1,130
<u>Intel Pentium T3400 @ 2.16GHz</u>	1,127
<u>Intel Atom Z3745 @ 1.33GHz</u>	1,119
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-82</u>	1,116
<u>Intel Core2 Duo T7250 @ 2.00GHz</u>	1,115
<u>AMD E2-3000M APU</u>	1,107
<u>AMD Turion 64 X2 Mobile TL-62</u>	1,104
<u>Intel Core2 Duo T5750 @ 2.00GHz</u>	1,097
<u>Intel Core i3 U 330 @ 1.20GHz</u>	1,096
<u>Intel Pentium 957 @ 1.20GHz</u>	1,095
<u>Intel Core2 Duo T5800 @ 2.00GHz</u>	1,094
<u>AMD Turion X2 Dual-Core Mobile RM-72</u>	1,094
<u>AMD Turion 64 X2 Mobile TL-66</u>	1,094
<u>AMD Turion 64 X2 Mobile TL-64</u>	1,090
<u>Celeron Dual-Core T3000 @ 1.80GHz</u>	1,089
<u>Intel Core2 Duo U9600 @ 1.60GHz</u>	1,088
<u>Intel Pentium 2129Y @ 1.10GHz</u>	1,087
<u>AMD E2-3000 APU</u>	1,071
<u>Intel Atom Z3740 @ 1.33GHz</u>	1,070
<u>AMD Turion X2 Dual-Core Mobile RM-74</u>	1,067
<u>AMD TurionX2 Dual Core Mobile RM-72</u>	1,066
<u>Intel Celeron T1700 @ 1.83GHz</u>	1,058
<u>Intel Atom Z3745D @ 1.33GHz</u>	1,051
<u>AMD Turion X2 Dual Core Mobile RM-76</u>	1,047
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-80</u>	1,047
<u>Intel Core Duo T2700 @ 2.33GHz</u>	1,047
<u>Intel Atom Z3740D @ 1.33GHz</u>	1,043
<u>Intel Pentium T3200 @ 2.00GHz</u>	1,040
<u>Intel Core2 Duo T5550 @ 1.83GHz</u>	1,036
<u>Intel Core2 Duo T7100 @ 1.80GHz</u>	1,033
<u>AMD Athlon 64 X2 QL-65</u>	1,027
<u>Intel Core2 Duo T5600 @ 1.83GHz</u>	1,027
<u>Intel Core2 Duo T5670 @ 1.80GHz</u>	1,023
<u>Intel Celeron 847E @ 1.10GHz</u>	1,017
<u>Intel Celeron N2840 @ 2.16GHz</u>	1,006
<u>AMD Athlon 64 X2 QL-62</u>	1,001
<u>Intel Celeron N2830 @ 2.16GHz</u>	996
<u>Intel Celeron N2820 @ 2.13GHz</u>	995

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

Intel Celeron P4505 @ 1.87GHz	994
AMD Turion X2 Dual-Core Mobile RM-70	986
AMD Turion 64 X2 Mobile TL-60	983
AMD Turion II Neo K625 Dual-Core	978
AMD TurionX2 Dual Core Mobile RM-70	972
AMD Athlon 64 X2 QL-64	968
Intel Core2 Duo L7700 @ 1.80GHz	968
Intel Pentium U5600 @ 1.33GHz	966
Intel Core2 Duo L7500 @ 1.60GHz	959
AMD Turion 64 X2 Mobile TL-58	958
AMD Turion X2 Dual Core Mobile RM-70	958
Intel Core2 Duo SU9400 @ 1.40GHz	957
Intel Celeron 847 @ 1.10GHz	951
Intel Core Duo T2600 @ 2.16GHz	942
Intel Celeron T1600 @ 1.66GHz	939
Intel Core2 Duo T5300 @ 1.73GHz	936
AMD GX-217GA SOC	935
Intel Core2 Duo T5470 @ 1.60GHz	934
Intel Pentium T2390 @ 1.86GHz	934
Intel Core2 Duo T5500 @ 1.66GHz	924
Intel Atom Z3736F @ 1.33GHz	924
AMD Athlon 64 X2 QL-60	920
Intel Celeron N2807 @ 1.58GHz	919
Intel Atom Z3735D @ 1.33GHz	918
AMD Athlon 64 X2 QL-66	917
AMD Turion II Neo N40L Dual-Core	916
Intel Atom Z3735G @ 1.33GHz	908
Intel Atom Z3735E @ 1.33GHz	907
Intel Core2 Duo T5450 @ 1.66GHz	906
AMD Turion Dual-Core RM-70	905
Intel Core2 Duo U7300 @ 1.30GHz	904
AMD Athlon II Neo K345 Dual-Core	897
AMD Turion Dual-Core RM-75	889
Intel Atom Z3735F @ 1.33GHz	884
AMD E1-2500 APU	883
Intel Core Duo T2500 @ 2.00GHz	879
Intel Pentium SU4100 @ 1.30GHz	878
Intel Celeron N2815 @ 1.86GHz	876
AMD Turion 64 X2 Mobile TL-56	873
AMD Turion Neo X2 Dual Core L625	872
AMD Turion X2 Dual Core L510	871
Intel Pentium U5400 @ 1.20GHz	870
Intel Core2 Duo L7400 @ 1.50GHz	867
AMD E1-6010 APU with AMD Radeon R2 Graphics	852
Intel Pentium T2330 @ 1.60GHz	844

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

<u>AMD E2-2000 APU</u>	843
<u>Intel Core2 Duo L7300 @ 1.40GHz</u>	841
<u>Intel Core2 Duo T5200 @ 1.60GHz</u>	838
<u>Intel Core Duo T2450 @ 2.00GHz</u>	836
<u>Intel Pentium T2370 @ 1.73GHz</u>	836
<u>AMD E1-6015 APU with Radeon R2 Graphics</u>	833
<u>Intel Core2 Duo T5250 @ 1.50GHz</u>	829
<u>Intel Celeron N2810 @ 2.00GHz</u>	825
<u>Intel Celeron B720 @ 1.70GHz</u>	814
<u>AMD Athlon II Neo N36L Dual-Core</u>	809
<u>Intel Core2 Duo T5270 @ 1.40GHz</u>	807
<u>AMD G-T56N</u>	802
<u>Intel Celeron SU2300 @ 1.20GHz</u>	799
<u>Intel Core Duo T2400 @ 1.83GHz</u>	795
<u>Intel Core2 Duo U9300 @ 1.20GHz</u>	786
<u>AMD Athlon II Neo K325 Dual-Core</u>	785
<u>Intel Celeron U3600 @ 1.20GHz</u>	780
<u>AMD Turion Dual-Core RM-72</u>	779
<u>AMD E-450 APU</u>	779
<u>Intel Core Duo T2350 @ 1.86GHz</u>	771
<u>Intel Core Duo T2250 @ 1.73GHz</u>	770
<u>Intel Celeron N2806 @ 1.60GHz</u>	762
<u>AMD E-350</u>	758
<u>AMD Turion 64 X2 Mobile TL-52</u>	753
<u>AMD G-T56E</u>	751
<u>Intel Core Duo T2300 @ 1.66GHz</u>	742
<u>AMD Turion 64 X2 Mobile TL-50</u>	736
<u>Intel Pentium T2310 @ 1.46GHz</u>	732
<u>Intel Core Duo L2500 @ 1.83GHz</u>	728
<u>Intel Pentium T2130 @ 1.86GHz</u>	726
<u>Intel Celeron U3400 @ 1.07GHz</u>	726
<u>AMD G-T48E</u>	716
<u>Intel Pentium T2080 @ 1.73GHz</u>	711
<u>Intel Core2 Duo U7700 @ 1.33GHz</u>	710
<u>Intel Core Duo L2400 @ 1.66GHz</u>	710
<u>Intel Celeron 925 @ 2.30GHz</u>	701
<u>Intel Atom D2701 @ 2.13GHz</u>	699
<u>AMD E1-1500 APU</u>	696
<u>AMD E1-1200 APU</u>	685
<u>Intel Celeron U3405 @ 1.07GHz</u>	684
<u>Intel Core2 Duo L7200 @ 1.33GHz</u>	684
<u>AMD E-350 APU</u>	682
<u>Intel Pentium T2060 @ 1.60GHz</u>	679
<u>Intel Core2 Duo U7600 @ 1.20GHz</u>	669
<u>AMD Turion 64 Mobile ML-42</u>	661

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

<u>AMD V140</u>	646
<u>VIA Nano L3600@2000MHz</u>	645
<u>AMD A4-1200 APU</u>	642
<u>AMD V120</u>	639
<u>Intel Atom N2800 @ 1.86GHz</u>	637
<u>AMD E1-2100 APU</u>	624
<u>AMD E-300 APU</u>	618
<u>Mobile AMD Athlon 64 4000+</u>	614
<u>Intel Core2 Duo U7500 @ 1.06GHz</u>	608
<u>AMD A4-1250 APU</u>	606
<u>AMD Turion 64 Mobile ML-44</u>	591
<u>Intel Celeron 570 @ 2.26GHz</u>	588
<u>Intel Atom N570 @ 1.66GHz</u>	586
<u>VIA Nano L3050@1800MHz</u>	581
<u>Mobile AMD Athlon XP</u>	572
<u>Intel Celeron 827E @ 1.40GHz</u>	566
<u>AMD Z-60 APU</u>	555
<u>Intel Core Duo U2400 @ 1.06GHz</u>	554
<u>AMD Athlon II Neo K145</u>	551
<u>Intel Atom Z2760 @ 1.80GHz</u>	543
<u>Intel Atom N2600 @ 1.60GHz</u>	543
<u>Intel Celeron M 540 @ 1.86GHz</u>	542
<u>VIA Nano L2100@1800MHz</u>	542
<u>Intel Celeron 560 @ 2.13GHz</u>	538
<u>AMD Turion 64 Mobile MT-40</u>	536
<u>AMD Turion 64 Mobile ML-40</u>	524
<u>Intel Pentium M 2.10GHz</u>	522
<u>Intel Pentium M 2.13GHz</u>	521
<u>Mobile AMD Sempron 3800+</u>	517
<u>VIA Nano L3025@1600MHz</u>	517
<u>AMD G-T40N</u>	516
<u>Intel Atom N550 @ 1.50GHz</u>	516
<u>Mobile AMD Athlon XP-M</u>	512
<u>Intel Core Duo U2500 @ 1.20GHz</u>	512
<u>Mobile AMD Athlon 64 3400+</u>	511
<u>Mobile AMD Athlon XP-M (LV)</u>	508
<u>Intel Celeron 540 @ 1.86GHz</u>	505
<u>Mobile AMD Athlon XP-M (LV) 3200+</u>	505
<u>AMD Turion 64 Mobile MK-38</u>	504
<u>Intel Pentium M 2.26GHz</u>	503
<u>VIA Nano U3100 (1.6GHz Capable)</u>	501
<u>Mobile AMD Athlon MP-M 2800+</u>	496
<u>Intel Celeron 550 @ 2.00GHz</u>	489
<u>Mobile AMD Athlon XP-M 3200+</u>	487
<u>AMD Turion 64 Mobile MT-37</u>	484

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

<u>AMD G-T40E</u>	482
<u>Mobile Intel Pentium 4 3.46GHz</u>	478
<u>Mobile AMD Athlon XP-M (LV) 2800+</u>	475
<u>Intel Pentium M 2.00GHz</u>	474
<u>Intel Core Solo T1400 @ 1.83GHz</u>	472
<u>AMD Sempron SI-40</u>	469
<u>Intel Celeron 530 @ 1.73GHz</u>	468
<u>AMD C-50</u>	466
<u>Intel Core2 Solo U3500 @ 1.40GHz</u>	464
<u>Intel Celeron M 530 @ 1.73GHz</u>	461
<u>Mobile AMD Sempron 3300+</u>	461
<u>AMD Athlon II Neo K125</u>	459
<u>AMD Turion 64 Mobile MK-36</u>	455
<u>Intel Celeron N2805 @ 1.46GHz</u>	455
<u>Intel Pentium N3700 @ 1.60GHz</u>	455
<u>AMD Turion 64 Mobile ML-37</u>	453
<u>Mobile AMD Athlon 64 3000+</u>	450
<u>Intel Celeron M 450 @ 2.00GHz</u>	449
<u>AMD Sempron SI-42</u>	447
<u>Mobile AMD Sempron 3400+</u>	443
<u>Intel Pentium M 1.86GHz</u>	442
<u>Mobile AMD Athlon 64 2800+</u>	440
<u>Mobile AMD Athlon XP-M 3100+</u>	440
<u>Mobile Intel Pentium 4 3.33GHz</u>	439
<u>AMD Turion 64 Mobile ML-34</u>	435
<u>Mobile AMD Sempron 3600+</u>	434
<u>Intel Celeron M 520 @ 1.60GHz</u>	431
<u>AMD Turion 64 Mobile MT-32</u>	424
<u>Mobile AMD Athlon 64 3200+</u>	422
<u>AMD Turion 64 Mobile MT-28</u>	419
<u>Intel Pentium SU2700 @ 1.30GHz</u>	419
<u>Intel Pentium M 1.73GHz</u>	419
<u>Intel Celeron M 723 @ 1.20GHz</u>	418
<u>Intel Celeron 743 @ 1.30GHz</u>	417
<u>Intel Core2 Solo U3300 @ 1.20GHz</u>	415
<u>Intel Pentium M 1.70GHz</u>	415
<u>AMD Turion 64 Mobile MT-34</u>	414
<u>Mobile AMD Sempron 3100+</u>	414
<u>AMD Turion 64 Mobile ML-32</u>	410
<u>VIA Nano U3300@1200MHz</u>	409
<u>Intel Celeron 723 @ 1.20GHz</u>	408
<u>Intel Core Solo T1350 @ 1.86GHz</u>	408
<u>Mobile AMD Sempron 3500+</u>	407
<u>Mobile AMD Sempron 2600+</u>	403
<u>AMD Turion 64 Mobile MT-30</u>	401

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

<u>Mobile AMD Athlon 64 2700+</u>	398
<u>Mobile AMD Athlon XP-M 2800+</u>	398
<u>Intel Celeron M 440 @ 1.86GHz</u>	398
<u>Intel Celeron M 1.70GHz</u>	397
<u>Intel Core Solo T1300 @ 1.66GHz</u>	397
<u>AMD Turion 64 Mobile ML-30</u>	397
<u>Intel Pentium M 1.80GHz</u>	395
<u>Mobile AMD Sempron 3000+</u>	394
<u>AMD Turion 64 Mobile ML-28</u>	390
<u>Intel Celeron M 430 @ 1.73GHz</u>	387
<u>Intel Pentium M 1700MHz</u>	386
<u>Mobile AMD Athlon XP-M 2600+</u>	384
<u>Intel Atom Z550 @ 2.00GHz</u>	381
<u>VIA Nano L2007@1600MHz</u>	381
<u>Mobile AMD Athlon 4 2400+</u>	379
<u>Mobile AMD Athlon MP-M 2000+</u>	378
<u>VIA Nano U2250 (1.6GHz Capable)</u>	377
<u>Mobile AMD Athlon XP-M 2200+</u>	376
<u>Intel Celeron M 1.60GHz</u>	376
<u>Mobile AMD Sempron 2800+</u>	374
<u>Mobile AMD Athlon XP-M (LV) 2200+</u>	373
<u>Intel Pentium M 1.60GHz</u>	371
<u>Mobile AMD Athlon 2500+</u>	370
<u>Intel Pentium M 1.40GHz</u>	369
<u>Mobile AMD Athlon XP-M 2500+</u>	369
<u>Intel Celeron 807UE @ 1.00GHz</u>	369
<u>Mobile AMD Athlon XP-M 3000+</u>	365
<u>Mobile AMD Athlon 64 3700+</u>	363
<u>Intel Pentium M 1600MHz</u>	363
<u>Intel Pentium M 1500MHz</u>	357
<u>Intel Pentium M 1.50GHz</u>	356
<u>VIA Nano U2500@1200MHz</u>	356
<u>Mobile AMD Sempron 3200+</u>	354
<u>Intel Celeron 215 @ 1.33GHz</u>	349
<u>Intel Atom Z540 @ 1.86GHz</u>	348
<u>Intel Celeron M 420 @ 1.60GHz</u>	348
<u>Intel Celeron M 1.50GHz</u>	346
<u>Mobile AMD Athlon XP-M 2400+</u>	346
<u>Intel Pentium M 1.30GHz</u>	343
<u>Mobile AMD Athlon XP-M 1900+</u>	342
<u>Intel Celeron M 410 @ 1.46GHz</u>	336
<u>Mobile AMD Athlon XP-M (LV) 2000+</u>	335
<u>AMD E-240</u>	329
<u>AMD C-30</u>	328
<u>Intel Celeron M 360 1.40GHz</u>	328

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

Intel Core Solo U1500 @ 1.33GHz	327
Intel Atom N475 @ 1.83GHz	325
Intel Pentium M 1400MHz	325
Mobile AMD Athlon XP-M 1700+	323
Intel Celeron M 1500MHz	322
Intel Atom N2100 @ 1.60GHz	321
Intel Celeron M 1.30GHz	319
Mobile AMD Athlon 4	314
Mobile Intel Pentium 4 - M 2.60GHz	313
Mobile AMD Athlon XP-M 1800+	312
Intel Core2 Solo U2200 @ 1.20GHz	311
Mobile Intel Celeron 1333MHz	309
VIA Nano U3500@1000MHz	306
Intel Atom N470 @ 1.83GHz	305
Intel Pentium M 1300MHz	303
Intel Core2 Solo U2100 @ 1.06GHz	303
AMD G-T52R	303
Intel Celeron M 1300MHz	301
Mobile AMD Athlon XP-M 2000+	300
Mobile AMD Athlon XP-M (LV) 1600+	296
Mobile Intel Celeron 1200MHz	294
Intel Atom N455 @ 1.66GHz	290
Intel Atom N450 @ 1.66GHz	290
Mobile Intel Pentium III - M 1133MHz	289
Mobile Intel Pentium III - M 1333MHz	289
Mobile AMD Athlon XP-M (LV) 1500+	288
Intel Pentium M 1200MHz	288
Intel Atom N280 @ 1.66GHz	285
Intel Core Solo U1400 @ 1.20GHz	282
Mobile Intel Celeron 2.50GHz	281
Intel Atom Z530 @ 1.60GHz	281
Intel Atom N270 @ 1.60GHz	279
Mobile Intel Pentium 4 2.30GHz	278
Intel Core Solo U1300 @ 1.06GHz	276
Intel Celeron M 443 @ 1.20GHz	274
Intel Pentium III Mobile 1200MHz	274
Intel Atom E660 @ 1.30GHz	271
Intel Pentium III Mobile 1066MHz	268
Mobile AMD Athlon 1400+	266
Mobile AMD Sempron 2100+	265
Mobile Intel Pentium III - M 1200MHz	263
Mobile AMD Athlon XP-M 1500+	261
Intel Pentium M 1100MHz	259
Mobile AMD Athlon XP-M 1600+	257
Mobile Intel Pentium 4 - M 2.50GHz	256

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015

<u>Mobile Intel Celeron 2.20GHz</u>	253
<u>AMD G-T44R</u>	252
<u>Intel Pentium III Mobile 1133MHz</u>	251
<u>Mobile Intel Pentium III - M 1000MHz</u>	250
<u>Intel Atom Z670 @ 1.50GHz</u>	249
<u>Intel Pentium M 1000MHz</u>	247
<u>Intel Celeron M 1.00GHz</u>	247
<u>Intel Pentium III Mobile 1000MHz</u>	245
<u>Mobile Intel Celeron 2.00GHz</u>	241
<u>Mobile Intel Celeron 2.40GHz</u>	239
<u>Mobile Intel Pentium 4 - M 1.90GHz</u>	232
<u>Mobile Intel Pentium III - M 933MHz</u>	226
<u>Intel Atom Z520 @ 1.33GHz</u>	222
<u>Mobile Intel Pentium 4 - M 2.40GHz</u>	222
<u>Mobile Intel Pentium 4 - M 1.80GHz</u>	221
<u>Mobile Intel Pentium 4 - M 2.00GHz</u>	220
<u>Intel Pentium M 900MHz</u>	220
<u>Intel Pentium III Mobile 933MHz</u>	218
<u>Intel Atom Z515 @ 1.20GHz</u>	218
<u>Mobile Intel Pentium 4 - M 2.20GHz</u>	215
<u>Intel Pentium III Mobile 866MHz</u>	214
<u>Intel Celeron M 900MHz</u>	213
<u>Mobile Intel Pentium III - M 866MHz</u>	211
<u>Intel Pentium 4 Mobile 1.90GHz</u>	209
<u>Intel Pentium 4 Mobile 1.70GHz</u>	208
<u>Intel Pentium 4 Mobile 2.00GHz</u>	202
<u>Intel Pentium III Mobile 800MHz</u>	201
<u>Intel Pentium 4 Mobile 1.50GHz</u>	197
<u>Mobile Intel Pentium 4 - M 1.60GHz</u>	195
<u>Intel Atom Z510 @ 1.10GHz</u>	194
<u>Mobile Intel Celeron 1.50GHz</u>	188
<u>Mobile Intel Celeron 1.60GHz</u>	188
<u>VIA C7-M 1600MHz</u>	188
<u>Mobile Intel Celeron 1.80GHz</u>	186
<u>Mobile AMD Athlon XP-M 1400+</u>	184
<u>Intel Celeron M ULV 800MHz</u>	184
<u>Mobile Intel Celeron 1.70GHz</u>	181
<u>Intel Pentium 4 Mobile 1.60GHz</u>	178
<u>Mobile Intel Pentium 4 - M 1.70GHz</u>	177
<u>Intel Pentium 4 Mobile 1.80GHz</u>	175
<u>Mobile Intel Celeron 1.20GHz</u>	170
<u>VIA C7-M 1000MHz</u>	164
<u>Intel Celeron M 600MHz</u>	151
<u>Intel Pentium 4 Mobile 1.40GHz</u>	149
<u>Intel Pentium III Mobile 750MHz</u>	103

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 30th of July 2015