

PassMark - CPU Mark
High End CPUs - Updated 10th of June 2014

Processor	CPU Mark
<u>Intel Xeon E5-2697 v2 @ 2.70GHz</u>	17,554
<u>Intel Xeon E5-2690 v2 @ 3.00GHz</u>	17,304
<u>Intel Xeon E5-2680 v2 @ 2.80GHz</u>	16,799
<u>Intel Xeon E5-2687W v2 @ 3.40GHz</u>	16,664
<u>Intel Xeon E5-2667 v2 @ 3.30GHz</u>	16,403
<u>Intel Xeon E5-2670 v2 @ 2.50GHz</u>	14,638
<u>Intel Xeon E5-2687W @ 3.10GHz</u>	14,557
<u>Intel Xeon E5-2690 @ 2.90GHz</u>	14,280
<u>Intel Core i7-4960X @ 3.60GHz</u>	14,170
<u>Intel Xeon E5-2689 @ 2.60GHz</u>	13,897
<u>Intel Xeon E5-2660 v2 @ 2.20GHz</u>	13,828
<u>Intel Xeon E5-2658 v2 @ 2.40GHz</u>	13,678
<u>Intel Xeon E5-1660 v2 @ 3.70GHz</u>	13,450
<u>Intel Xeon E5-2680 @ 2.70GHz</u>	13,230
<u>Intel Core i7-4930K @ 3.40GHz</u>	13,227
<u>Intel Xeon E5-2650 v2 @ 2.60GHz</u>	13,185
<u>Intel Xeon E5-2670 @ 2.60GHz</u>	12,867
<u>Intel Core i7-3970X @ 3.50GHz</u>	12,796
<u>Intel Core i7-3960X @ 3.30GHz</u>	12,745
<u>Intel Xeon E5-1650 v2 @ 3.50GHz</u>	12,538
<u>Intel Xeon E5-1660 @ 3.30GHz</u>	12,474
<u>Intel Xeon E5-2665 @ 2.40GHz</u>	12,366
<u>Intel Core i7-3930K @ 3.20GHz</u>	12,149
<u>Intel Xeon E5-2660 @ 2.20GHz</u>	11,961
<u>Intel Xeon E5-4650 @ 2.70GHz</u>	11,960
<u>Intel Xeon E5-1650 @ 3.20GHz</u>	11,684
<u>Intel Xeon E5-2470 @ 2.30GHz</u>	11,149
<u>Intel Xeon E5-2630 v2 @ 2.60GHz</u>	10,493
<u>Intel Xeon E5-2667 @ 2.90GHz</u>	10,482
<u>Intel Xeon E5-2650 @ 2.00GHz</u>	10,448
<u>Intel Xeon E3-1280 v3 @ 3.60GHz</u>	10,420
<u>Intel Core i7-4770R @ 3.20GHz</u>	10,366
<u>AMD FX-9590 Eight-Core</u>	10,316
<u>Intel Core i7-4770K @ 3.50GHz</u>	10,309
<u>Intel Core i7-4790 @ 3.60GHz</u>	10,300
<u>Intel Xeon E3-1270 v3 @ 3.50GHz</u>	10,171
<u>Intel Core i7-4960HQ @ 2.60GHz</u>	10,048
<u>Intel Core i7-4771 @ 3.50GHz</u>	10,041
<u>Intel Core i7-4770 @ 3.40GHz</u>	9,941
<u>Intel Xeon E3-1290 V2 @ 3.70GHz</u>	9,930
<u>Intel Xeon E3-1231 v3 @ 3.40GHz</u>	9,920
<u>Intel Core i7-4820K @ 3.70GHz</u>	9,886
<u>Intel Core i7-4790S @ 3.20GHz</u>	9,874
<u>Intel Core i7-4910MQ @ 2.90GHz</u>	9,851
<u>Intel Xeon E3-1280 V2 @ 3.60GHz</u>	9,795
<u>Intel Xeon W3690 @ 3.47GHz</u>	9,775
<u>Intel Xeon E5-2640 @ 2.50GHz</u>	9,761
<u>Intel Xeon E5-2643 v2 @ 3.50GHz</u>	9,751

PassMark - CPU Mark
High End CPUs - Updated 10th of June 2014

<u>Intel Xeon E3-1240 v3 @ 3.40GHz</u>	9,745
<u>Intel Core i7-4940MX @ 3.10GHz</u>	9,736
<u>AMD FX-9370 Eight-Core</u>	9,710
<u>Intel Xeon E5-2658 @ 2.10GHz</u>	9,667
<u>Intel Core i7-3770K @ 3.50GHz</u>	9,649
<u>Intel Xeon E3-1270 V2 @ 3.50GHz</u>	9,635
<u>Intel Xeon E5-2440 @ 2.40GHz</u>	9,628
<u>Intel Xeon E3-1245 v3 @ 3.40GHz</u>	9,584
<u>Intel Core i7-4770S @ 3.10GHz</u>	9,578
<u>Intel Xeon E3-1275 v3 @ 3.50GHz</u>	9,571
<u>Intel Xeon E5-1620 v2 @ 3.70GHz</u>	9,552
<u>Intel Xeon E3-1275 V2 @ 3.50GHz</u>	9,508
<u>Intel Core i7-4930MX @ 3.00GHz</u>	9,490
<u>Intel Xeon E3-1230 v3 @ 3.30GHz</u>	9,483
<u>Intel Core i7 X 990 @ 3.47GHz</u>	9,439
<u>Intel Core i7-3770 @ 3.40GHz</u>	9,398
<u>Intel Xeon E3-1240 V2 @ 3.40GHz</u>	9,339
<u>Intel Xeon E5-2637 v2 @ 3.50GHz</u>	9,318
<u>Intel Xeon X5680 @ 3.33GHz</u>	9,275
<u>Intel Core i7-4850HQ @ 2.30GHz</u>	9,274
<u>Intel Xeon X5690 @ 3.47GHz</u>	9,258
<u>Intel Core i7-3940XM @ 3.00GHz</u>	9,222
<u>Intel Core i7-3920XM @ 2.90GHz</u>	9,220
<u>Intel Xeon W3680 @ 3.33GHz</u>	9,177
<u>Intel Xeon E5-1620 @ 3.60GHz</u>	9,139
<u>AMD Opteron 6282 SE</u>	9,116
<u>Intel Core i7-4900MQ @ 2.80GHz</u>	9,081
<u>Intel Core i7-3840QM @ 2.80GHz</u>	9,043
<u>AMD FX-8350 Eight-Core</u>	9,041
<u>Intel Xeon E3-1245 V2 @ 3.40GHz</u>	9,025
<u>Intel Core i7-3820 @ 3.60GHz</u>	9,024
<u>Intel Core i7-4710HQ @ 2.50GHz</u>	9,007
<u>Intel Xeon E5-2420 v2 @ 2.20GHz</u>	8,987
<u>Intel Core i7-3770S @ 3.10GHz</u>	8,959
<u>Intel Core i7-4790T @ 2.70GHz</u>	8,947
<u>Intel Core i7 X 980 @ 3.33GHz</u>	8,941
<u>AMD Opteron 6276</u>	8,932
<u>Intel Xeon E5-2630 @ 2.30GHz</u>	8,923
<u>Intel Core i7-2700K @ 3.50GHz</u>	8,922
<u>Intel Core i7-4770T @ 2.50GHz</u>	8,908
<u>Intel Core i5-3170K @ 3.20GHz</u>	8,882
<u>Intel Xeon E3-1265L v3 @ 2.50GHz</u>	8,859
<u>Intel Xeon E3-1230 V2 @ 3.30GHz</u>	8,855
<u>Intel Core i7 980 @ 3.33GHz</u>	8,808
<u>Intel Xeon E3-1290 @ 3.60GHz</u>	8,704
<u>Intel Xeon X5675 @ 3.07GHz</u>	8,695
<u>Intel Xeon W3670 @ 3.20GHz</u>	8,648
<u>Intel Core i7-4810MQ @ 2.80GHz</u>	8,616
<u>Intel Core i7-2600K @ 3.40GHz</u>	8,598
<u>Intel Core i7-3820QM @ 2.70GHz</u>	8,586

PassMark - CPU Mark
High End CPUs - Updated 10th of June 2014

<u>Intel Core i7-4800MQ @ 2.70GHz</u>	8,585
<u>Intel Xeon E5-2620 v2 @ 2.10GHz</u>	8,572
<u>Intel Xeon E3-1280 @ 3.50GHz</u>	8,516
<u>Intel Core i7 970 @ 3.20GHz</u>	8,503
<u>Intel Xeon E5-2643 @ 3.30GHz</u>	8,500
<u>Intel Core i7-3740QM @ 2.70GHz</u>	8,453
<u>AMD Opteron 6376</u>	8,442
<u>Intel 0000 @ 2.80GHz</u>	8,387
<u>Intel Core i7-3720QM @ 2.60GHz</u>	8,339
<u>Intel Xeon X5670 @ 2.93GHz</u>	8,321
<u>Intel Core i7-2600 @ 3.40GHz</u>	8,300
<u>Intel Xeon E3-1270 @ 3.40GHz</u>	8,294
<u>Intel Core i7-3770T @ 2.50GHz</u>	8,282
<u>Intel Xeon X5660 @ 2.80GHz</u>	8,164
<u>Intel Xeon E3-1265L V2 @ 2.50GHz</u>	8,141
<u>AMD Opteron 6328</u>	8,132
<u>Intel Xeon E3-1240 @ 3.30GHz</u>	8,114
<u>AMD FX-8320 Eight-Core</u>	8,095
<u>Intel Core i7-4750HQ @ 2.00GHz</u>	8,089
<u>Intel Core i7-4700HQ @ 2.40GHz</u>	8,026
<u>Intel Xeon E3-1245 @ 3.30GHz</u>	8,020
<u>Intel Xeon E3-1230 @ 3.20GHz</u>	8,014
<u>Intel Core i7-4710MQ @ 2.50GHz</u>	7,979
<u>Intel Xeon E5-2620 @ 2.00GHz</u>	7,969
<u>Intel Core i7-4700MQ @ 2.40GHz</u>	7,928
<u>Intel Xeon E3-1275 @ 3.40GHz</u>	7,919
<u>Intel Core i7-4712MQ @ 2.30GHz</u>	7,913
<u>Intel Core i5-4690 @ 3.50GHz</u>	7,832
<u>Intel Core i5-4670K @ 3.40GHz</u>	7,758
<u>Intel Core i7-4702HQ @ 2.20GHz</u>	7,713
<u>Intel Core i7-3630QM @ 2.40GHz</u>	7,711
<u>AMD FX-8150 Eight-Core</u>	7,700
<u>Intel Xeon X5650 @ 2.67GHz</u>	7,646
<u>Intel Core i5-4690S @ 3.20GHz</u>	7,640
<u>AMD Opteron 6366 HE</u>	7,503
<u>Intel Core i7-3610QM @ 2.30GHz</u>	7,496
<u>Intel Core i5-4670 @ 3.40GHz</u>	7,489
<u>Intel Core i7-2960XM @ 2.70GHz</u>	7,411
<u>Intel Core i7-4700EQ @ 2.40GHz</u>	7,408
<u>Intel Core i5-4590S @ 3.00GHz</u>	7,403
<u>Intel Xeon E5-2420 @ 1.90GHz</u>	7,371
<u>Intel Xeon E3-1230L v3 @ 1.80GHz</u>	7,344
<u>Intel Xeon X5687 @ 3.60GHz</u>	7,333
<u>Intel Core i5-4590 @ 3.30GHz</u>	7,325
<u>Intel Xeon E5-1410 @ 2.80GHz</u>	7,312
<u>Intel Core i7-4702MQ @ 2.20GHz</u>	7,311
<u>Intel Core i7-3615QM @ 2.30GHz</u>	7,304
<u>Intel Xeon E3-1235 @ 3.20GHz</u>	7,302
<u>Intel Xeon E5-2430 @ 2.20GHz</u>	7,288
<u>Intel Core i7-4785T @ 2.20GHz</u>	7,268

PassMark - CPU Mark
High End CPUs - Updated 10th of June 2014

<u>Intel Core i7-4765T @ 2.00GHz</u>	7,253
<u>Intel Core i7-2860QM @ 2.50GHz</u>	7,175
<u>Intel Core i5-3570K @ 3.40GHz</u>	7,174
<u>Intel Xeon E5649 @ 2.53GHz</u>	7,157
<u>Intel Core i7-2600S @ 2.80GHz</u>	7,116
<u>AMD Opteron 6234</u>	7,093
<u>Intel Core i5-4570 @ 3.20GHz</u>	7,073
<u>AMD FX-6350 Six-Core</u>	7,030
<u>Intel Xeon X5677 @ 3.47GHz</u>	7,029
<u>Intel Core i7-2920XM @ 2.50GHz</u>	7,029
<u>Intel Xeon E3-1220 v3 @ 3.10GHz</u>	7,022
<u>Intel Core i7-3632QM @ 2.20GHz</u>	7,019
<u>Intel Core i5-3570 @ 3.40GHz</u>	7,005
<u>Intel Core i7-2760QM @ 2.40GHz</u>	6,916
<u>Intel Core i5-2550K @ 3.40GHz</u>	6,877
<u>Intel Core i5-4570S @ 2.90GHz</u>	6,866
<u>Intel Core i7-3612QM @ 2.10GHz</u>	6,861
<u>AMD FX-8140 Eight-Core</u>	6,845
<u>Intel Xeon E3-1225 V2 @ 3.20GHz</u>	6,843
<u>Intel Core i5-3550 @ 3.30GHz</u>	6,812
<u>Intel Core i5-4460 @ 3.20GHz</u>	6,794
<u>Intel Xeon E3-1225 v3 @ 3.20GHz</u>	6,773
<u>Intel Core i7-2840QM @ 2.40GHz</u>	6,766
<u>Intel Core i5-3570S @ 3.10GHz</u>	6,758
<u>Intel Xeon E5645 @ 2.40GHz</u>	6,730
<u>Intel Xeon W3580 @ 3.33GHz</u>	6,701
<u>Intel Core i5-4570R @ 2.70GHz</u>	6,669
<u>Intel Core i7-3612QE @ 2.10GHz</u>	6,665
<u>Intel Core i7-2820QM @ 2.30GHz</u>	6,652
<u>Intel Core i5-3550S @ 3.00GHz</u>	6,640
<u>Intel Xeon L5640 @ 2.27GHz</u>	6,640
<u>AMD FX-8120 Eight-Core</u>	6,596
<u>AMD Opteron 3380</u>	6,565
<u>Intel Core i5-3470 @ 3.20GHz</u>	6,565
<u>Intel Core i7-3635QM @ 2.40GHz</u>	6,545
<u>Intel Core i5-4460S @ 2.90GHz</u>	6,541
<u>Intel Xeon E3-1220 V2 @ 3.10GHz</u>	6,525
<u>Intel Xeon W3570 @ 3.20GHz</u>	6,509
<u>Intel Core i5-2500K @ 3.30GHz</u>	6,499
<u>Intel Xeon E3-1260L @ 2.40GHz</u>	6,499
<u>Intel Core i5-4440 @ 3.10GHz</u>	6,484
<u>Intel Core i5-3450 @ 3.10GHz</u>	6,439
<u>AMD Opteron 4280</u>	6,430
<u>Intel Xeon W5590 @ 3.33GHz</u>	6,375
<u>AMD FX-6300 Six-Core</u>	6,367
<u>Intel Core i5-4670T @ 2.30GHz</u>	6,363
<u>Intel Core i5-4430 @ 3.00GHz</u>	6,323
<u>Intel Core i7 975 @ 3.33GHz</u>	6,284
<u>Intel Core i7-2720QM @ 2.20GHz</u>	6,226
<u>Intel Xeon E3-1220 @ 3.10GHz</u>	6,224

PassMark - CPU Mark
High End CPUs - Updated 10th of June 2014

<u>Intel Core i5-2500 @ 3.30GHz</u>	6,221
<u>Intel Core i7-3610QE @ 2.30GHz</u>	6,198
<u>Intel Core i5-3470S @ 2.90GHz</u>	6,161
<u>Intel Core i5-3340 @ 3.10GHz</u>	6,161
<u>AMD FX-6200 Six-Core</u>	6,147
<u>Intel Core i5-3350P @ 3.10GHz</u>	6,127
<u>Intel Core i5-4440S @ 2.80GHz</u>	6,098
<u>AMD Opteron 6174</u>	6,097
<u>AMD FX-8100 Eight-Core</u>	6,089
<u>Intel Xeon L5638 @ 2.00GHz</u>	6,057
<u>Intel Core i7-2635QM @ 2.00GHz</u>	6,052
<u>Intel Core i7-2670QM @ 2.20GHz</u>	6,025
<u>Intel Core i5-4430S @ 2.70GHz</u>	6,017
<u>Intel Core i5-3450S @ 2.80GHz</u>	6,013
<u>Intel Core i5-3475S @ 2.90GHz</u>	5,991
<u>Intel Xeon E3-1225 @ 3.10GHz</u>	5,956
<u>Intel Core i7 960 @ 3.20GHz</u>	5,954
<u>Intel Xeon X5647 @ 2.93GHz</u>	5,919
<u>AMD Phenom II X6 1100T</u>	5,913
<u>Intel Core i5-2450P @ 3.20GHz</u>	5,913
<u>Intel Core i5-3330 @ 3.00GHz</u>	5,910
<u>Intel Core i7 965 @ 3.20GHz</u>	5,904
<u>Intel Core i5-4670S @ 3.10GHz</u>	5,838
<u>Intel Core i5-3570T @ 2.30GHz</u>	5,836
<u>Intel Core i5-2400 @ 3.10GHz</u>	5,808
<u>Intel Xeon E5-1607 v2 @ 3.00GHz</u>	5,807
<u>Intel Xeon E5640 @ 2.67GHz</u>	5,784
<u>AMD FX-6120 Six-Core</u>	5,777
<u>AMD Opteron 6212</u>	5,776
<u>Intel Core i5-2380P @ 3.10GHz</u>	5,768
<u>Intel Core i5-3335S @ 2.70GHz</u>	5,761
<u>QEMU Virtual version 1.7.90</u>	5,759
<u>Intel Xeon E5-1607 @ 3.00GHz</u>	5,742
<u>AMD A10-7850K APU with Radeon R7 Graphics</u>	5,729
<u>Intel Core i5-3340S @ 2.80GHz</u>	5,719
<u>Intel Core i7 880 @ 3.07GHz</u>	5,708
<u>AMD Phenom II X6 1090T</u>	5,693
<u>AMD A10-7850K Radeon R7, 12 Compute Cores 4C+8G</u>	5,675
<u>Intel Core i3-4360 @ 3.70GHz</u>	5,674
<u>Intel Core i5-2320 @ 3.00GHz</u>	5,666
<u>Intel Core i7 950 @ 3.07GHz</u>	5,647
<u>Intel Core i5-3330S @ 2.70GHz</u>	5,641
<u>Intel Xeon X3470 @ 2.93GHz</u>	5,600
<u>Intel Xeon X5570 @ 2.93GHz</u>	5,589
<u>Intel Core i7-2630QM @ 2.00GHz</u>	5,577
<u>Intel Xeon X5560 @ 2.80GHz</u>	5,542
<u>Intel Core i7-3615QE @ 2.30GHz</u>	5,495
<u>Intel Xeon W3540 @ 2.93GHz</u>	5,487
<u>Intel Core i7-2675QM @ 2.20GHz</u>	5,483
<u>Intel Core i7 870 @ 2.93GHz</u>	5,482

PassMark - CPU Mark
High End CPUs - Updated 10th of June 2014

<u>Intel Xeon E5-1603 @ 2.80GHz</u>	5,475
<u>Intel Core i7 940 @ 2.93GHz</u>	5,459
<u>Intel Xeon X5550 @ 2.67GHz</u>	5,447
<u>Intel Core i5-2310 @ 2.90GHz</u>	5,444
<u>AMD A10-7700K APU with Radeon R7 Graphics</u>	5,439
<u>Intel Core i7 K 875 @ 2.93GHz</u>	5,430
<u>AMD FX-6100 Six-Core</u>	5,425
<u>AMD Phenom II X6 1075T</u>	5,409
<u>Intel Core 870 @ 2.93GHz</u>	5,353
<u>AMD Opteron 6164 HE</u>	5,351
<u>AMD A10-6800B APU</u>	5,298
<u>AMD A10-7700K Radeon R7, 10 Compute Cores 4C+6G</u>	5,287
<u>Intel Core i3-4340 @ 3.60GHz</u>	5,276
<u>Intel Core i5-2300 @ 2.80GHz</u>	5,262
<u>AMD FX-4350 Quad-Core</u>	5,243
<u>Intel Core i3-4150 @ 3.50GHz</u>	5,220
<u>Intel Core i7 930 @ 2.80GHz</u>	5,213
<u>AMD Opteron 6128</u>	5,210
<u>Intel Core i7-2715QE @ 2.10GHz</u>	5,199
<u>Intel @ 0000 @ 2.67GHz</u>	5,189
<u>AMD Phenom II X6 1065T</u>	5,173
<u>Intel Xeon X3450 @ 2.67GHz</u>	5,172
<u>Intel Xeon X5672 @ 3.20GHz</u>	5,148
<u>Intel Core i5-2500S @ 2.70GHz</u>	5,136
<u>Intel Core i3-4330 @ 3.50GHz</u>	5,108
<u>AMD Opteron 6272</u>	5,104
<u>Intel Core i7 860 @ 2.80GHz</u>	5,104
<u>Intel Xeon E5630 @ 2.53GHz</u>	5,103
<u>Intel Xeon X5470 @ 3.33GHz</u>	5,102
<u>AMD Phenom II X6 1055T</u>	5,060
<u>Intel Xeon X3460 @ 2.80GHz</u>	5,059
<u>Intel Core i7 S 870 @ 2.67GHz</u>	5,052
<u>Intel Xeon W3520 @ 2.67GHz</u>	5,051
<u>Intel Xeon E5-4603 @ 2.00GHz</u>	5,014
<u>Intel Core i7-4600M @ 2.90GHz</u>	5,007
<u>Intel Core i7 920 @ 2.67GHz</u>	5,003
<u>AMD A10-6800K APU</u>	4,980
<u>Intel Xeon E5620 @ 2.40GHz</u>	4,966
<u>Intel Core i5-2405S @ 2.50GHz</u>	4,930
<u>Intel Core i5-24050S @ 2.50GHz</u>	4,928
<u>AMD Phenom II X6 1045T</u>	4,922
<u>AMD FX-670K Quad-Core</u>	4,921
<u>Intel Core2 Extreme X9750 @ 3.16GHz</u>	4,915
<u>Intel Core i5-4570T @ 2.90GHz</u>	4,902
<u>Intel Core i5-2400S @ 2.50GHz</u>	4,898
<u>Intel Core i3-4570T @ 2.90GHz</u>	4,867
<u>Intel Xeon L5639 @ 2.13GHz</u>	4,858
<u>Intel Core i7 S 860 @ 2.53GHz</u>	4,856
<u>Intel Core i3-4130 @ 3.40GHz</u>	4,830
<u>AMD Athlon II X4 559</u>	4,829

PassMark - CPU Mark
High End CPUs - Updated 10th of June 2014

<u>Intel Xeon E5530 @ 2.40GHz</u>	4,825
<u>Intel Core i5-4310M @ 2.70GHz</u>	4,818
<u>Intel Core2 Extreme X9770 @ 3.20GHz</u>	4,810
<u>AMD A10-5800B APU</u>	4,798
<u>Intel Xeon W3565 @ 3.20GHz</u>	4,796
<u>AMD FX-4170 Quad-Core</u>	4,785
<u>Intel Xeon X5482 @ 3.20GHz</u>	4,777
<u>Intel Xeon E5540 @ 2.53GHz</u>	4,773
<u>AMD Phenom II X6 1035T</u>	4,769
<u>Intel Core i7-2710QE @ 2.10GHz</u>	4,751
<u>AMD A10-6700 APU</u>	4,748
<u>Intel Core i7-3540M @ 3.00GHz</u>	4,742
<u>Intel Core i5-4330M @ 2.80GHz</u>	4,742
<u>Intel Xeon X3380 @ 3.16GHz</u>	4,727
<u>AMD FX-4300 Quad-Core</u>	4,715
<u>AMD A8-6600K APU</u>	4,695
<u>Intel Core i5-2500T @ 2.30GHz</u>	4,682
<u>Intel Xeon W5580 @ 3.20GHz</u>	4,680
<u>AMD A10-5800K APU</u>	4,664
<u>AMD A10-6790K APU</u>	4,654
<u>Intel Xeon W3550 @ 3.07GHz</u>	4,651
<u>AMD Phenom II X4 980</u>	4,651
<u>AMD FX-4150 Quad-Core</u>	4,643
<u>AMD Phenom II X4 975</u>	4,631
<u>AMD Athlon X4 760K Quad Core</u>	4,625
<u>Intel Xeon E5-2609 @ 2.40GHz</u>	4,611
<u>Intel Xeon X3370 @ 3.00GHz</u>	4,608
<u>Intel Core i5-4288U @ 2.60GHz</u>	4,600
<u>AMD A8-6500B APU</u>	4,577
<u>Intel Core i5-4210M @ 2.60GHz</u>	4,569
<u>AMD Phenom II X4 B65</u>	4,558
<u>Intel Core i7-3520M @ 2.90GHz</u>	4,551
<u>Intel Core i5-3470T @ 2.90GHz</u>	4,547
<u>Intel Core i3-4330T @ 3.00GHz</u>	4,547
<u>Intel Xeon E5520 @ 2.27GHz</u>	4,545
<u>Intel Core2 Extreme X9775 @ 3.20GHz</u>	4,536
<u>AMD Opteron 2431</u>	4,516
<u>AMD Phenom II X4 970</u>	4,495
<u>AMD A8-6500 APU</u>	4,488
<u>Intel Core i5-4300M @ 2.60GHz</u>	4,454
<u>Intel Xeon X5460 @ 3.16GHz</u>	4,447
<u>Intel Core i3-3225 @ 3.30GHz</u>	4,391
<u>Intel Core i3-3245 @ 3.40GHz</u>	4,378
<u>Intel Core2 Extreme X9650 @ 3.00GHz</u>	4,377
<u>Intel Xeon X3440 @ 2.53GHz</u>	4,377
<u>Intel Core X 920 @ 2.00GHz</u>	4,361
<u>Intel Xeon L5530 @ 2.40GHz</u>	4,351
<u>AMD A8-5600K APU</u>	4,350
<u>Intel Xeon L5520 @ 2.27GHz</u>	4,338
<u>Intel Core i7-3687U @ 2.10GHz</u>	4,335

PassMark - CPU Mark
High End CPUs - Updated 10th of June 2014

<u>Intel Core i3-3240 @ 3.40GHz</u>	4,328
<u>Intel Core i7-4600U @ 2.10GHz</u>	4,326
<u>Intel Core i3-2140 @ 3.50GHz</u>	4,325
<u>AMD Athlon X4 750K Quad Core</u>	4,314
<u>Intel Core i5-4200H @ 2.80GHz</u>	4,308
<u>AMD Phenom II X4 40</u>	4,304
<u>Intel Core i5-3360M @ 2.80GHz</u>	4,297
<u>Intel Xeon W3530 @ 2.80GHz</u>	4,292
<u>Intel Xeon X5450 @ 3.00GHz</u>	4,284
<u>Intel Xeon X5698 @ 4.40GHz</u>	4,272
<u>AMD Phenom II X4 965</u>	4,269
<u>Intel Xeon E5472 @ 3.00GHz</u>	4,267
<u>Intel Core i5-4400E @ 2.70GHz</u>	4,257
<u>Intel Core i3-3250 @ 3.50GHz</u>	4,255
<u>Intel Core2 Quad Q9650 @ 3.00GHz</u>	4,254
<u>Intel Core i7-4650U @ 1.70GHz</u>	4,239
<u>Intel Xeon E5450 @ 3.00GHz</u>	4,238
<u>AMD A10-5700 APU</u>	4,237
<u>Intel Xeon X3363 @ 2.83GHz</u>	4,235
<u>Intel Core i3-3220 @ 3.30GHz</u>	4,226
<u>Intel Core i5-3340M @ 2.70GHz</u>	4,220
<u>Intel Xeon E5462 @ 2.80GHz</u>	4,214
<u>Intel Core i7 X 940 @ 2.13GHz</u>	4,179
<u>Intel Core i3-4130T @ 2.90GHz</u>	4,177
<u>Intel Core i7-4558U @ 2.80GHz</u>	4,172
<u>Intel Core i5-4200M @ 2.50GHz</u>	4,169
<u>AMD FX-4130 Quad-Core</u>	4,155
<u>AMD Phenom II X4 B99</u>	4,154
<u>Intel Core i5-4258U @ 2.40GHz</u>	4,151
<u>Intel Xeon L5630 @ 2.13GHz</u>	4,144
<u>AMD Phenom II X4 B60</u>	4,139
<u>Intel Core i5-3380M @ 2.90GHz</u>	4,138
<u>AMD Eng Sample Mobile 2185_A1</u>	4,134
<u>Intel Xeon X3360 @ 2.83GHz</u>	4,131
<u>Intel Xeon L5430 @ 2.66GHz</u>	4,099
<u>Intel Core i7-3555LE @ 2.50GHz</u>	4,080
<u>Intel Core2 Quad Q9550 @ 2.83GHz</u>	4,072
<u>AMD FX-4200 Quad-Core</u>	4,051
<u>AMD FX-4100 Quad-Core</u>	4,047
<u>Intel Core i3-2125 @ 3.30GHz</u>	4,047
<u>Intel Core i5-4310U @ 2.00GHz</u>	4,043
<u>AMD A8-5500 APU</u>	4,041
<u>Intel Core i5-3320M @ 2.60GHz</u>	4,039
<u>Intel Xeon X5492 @ 3.40GHz</u>	4,030
<u>Intel Xeon E5440 @ 2.83GHz</u>	4,030
<u>Intel Core i3-2130 @ 3.40GHz</u>	4,023
<u>AMD Phenom II X4 20</u>	4,012
<u>AMD Phenom II X4 955</u>	4,012
<u>AMD Opteron 3350 HE</u>	4,009
<u>Intel Core i7-3667U @ 2.00GHz</u>	3,999

PassMark - CPU Mark
High End CPUs - Updated 10th of June 2014

<u>Intel Core i7-2640M @ 2.80GHz</u>	3,998
<u>Intel Core i5-3230M @ 2.60GHz</u>	3,977
<u>Intel Core i5-2390T @ 2.70GHz</u>	3,966
<u>Intel Xeon L3426 @ 1.87GHz</u>	3,960
<u>AMD Athlon X4 740 Quad Core</u>	3,951
<u>Intel Core2 Quad Q9705 @ 3.16GHz</u>	3,947
<u>AMD Phenom Ultra X4 24500</u>	3,945
<u>Intel Xeon E5-2407 @ 2.20GHz</u>	3,943
<u>Intel Xeon E5430 @ 2.66GHz</u>	3,942
<u>Intel Core i7-4550U @ 1.50GHz</u>	3,932
<u>Intel Core i5 760 @ 2.80GHz</u>	3,930
<u>AMD Phenom II X4 B97</u>	3,922
<u>Intel Xeon X3350 @ 2.66GHz</u>	3,911
<u>AMD Athlon II X4 553</u>	3,906
<u>Intel Core i7-3537U @ 2.00GHz</u>	3,902
<u>Intel Core i7-4510U @ 2.00GHz</u>	3,902
<u>AMD Phenom II X4 973</u>	3,884
<u>AMD Phenom II X4 960T</u>	3,878
<u>Intel Core i7-2620M @ 2.70GHz</u>	3,877
<u>Intel Core i3-2120 @ 3.30GHz</u>	3,872
<u>Intel Core i3-3210 @ 3.20GHz</u>	3,871
<u>Intel Core i7-4500U @ 1.80GHz</u>	3,865
<u>Intel Core2 Quad Q9450 @ 2.66GHz</u>	3,819
<u>Intel Core i5-3210M @ 2.50GHz</u>	3,807
<u>AMD Athlon II X4 555</u>	3,804
<u>AMD Phenom II X4 B50</u>	3,803
<u>Intel Core i3-2105 @ 3.10GHz</u>	3,801
<u>Intel Atom C2750 @ 2.40GHz</u>	3,797
<u>AMD Phenom II X4 B95</u>	3,793
<u>Intel Xeon X5472 @ 3.00GHz</u>	3,780
<u>AMD A8-5500B APU</u>	3,770
<u>AMD Phenom II X4 945</u>	3,752
<u>AMD Phenom II X4 977</u>	3,750
<u>Intel Core i5 750 @ 2.67GHz</u>	3,744
<u>Intel Core2 Extreme Q6850 @ 3.00GHz</u>	3,728
<u>Intel Core i3-3220T @ 2.80GHz</u>	3,725
<u>Intel Xeon L5506 @ 2.13GHz</u>	3,715
<u>Intel Core i3-3240T @ 2.90GHz</u>	3,714
<u>Intel Core i5-4300U @ 1.90GHz</u>	3,713
<u>Intel Xeon E3-1220L V2 @ 2.30GHz</u>	3,701
<u>Intel Core i7-3517U @ 1.90GHz</u>	3,701
<u>Intel Core i5-2540M @ 2.60GHz</u>	3,699
<u>AMD Phenom II X4 B35</u>	3,690
<u>Intel Core i5-4260U @ 1.40GHz</u>	3,688
<u>Intel Core i7 920XM @ 2.00GHz</u>	3,685
<u>AMD A8-3870K APU</u>	3,676
<u>Intel Core2 Quad Q9500 @ 2.83GHz</u>	3,669
<u>AMD Phenom II X4 940</u>	3,665
<u>AMD A10-5750M APU</u>	3,661
<u>Intel Core i5-4210U @ 1.70GHz</u>	3,656

PassMark - CPU Mark
High End CPUs - Updated 10th of June 2014

<u>AMD Athlon II X4 651 Quad-Core</u>	3,655
<u>Intel Core i7-4610Y @ 1.70GHz</u>	3,655
<u>AMD Athlon II X4 650</u>	3,646
<u>Intel Xeon X3330 @ 2.66GHz</u>	3,643
<u>Intel Xeon L5420 @ 2.50GHz</u>	3,636
<u>Intel Core2 Quad Q9505 @ 2.83GHz</u>	3,633
<u>Intel Core i5-2510E @ 2.50GHz</u>	3,630
<u>AMD Phenom II X4 840T</u>	3,625
<u>AMD Phenom II X4 850</u>	3,620
<u>Intel Xeon X3230 @ 2.66GHz</u>	3,619
<u>AMD Phenom FX-7750 Quad-Core</u>	3,616
<u>Intel Core i3-2100 @ 3.10GHz</u>	3,616
<u>Intel Core2 Extreme Q6800 @ 2.93GHz</u>	3,608
<u>Intel Core2 Extreme Q9300 @ 2.53GHz</u>	3,605
<u>Intel Core i5-4350U @ 1.40GHz</u>	3,604
<u>Intel Xeon E5607 @ 2.27GHz</u>	3,602
<u>Intel Core i5-3427U @ 1.80GHz</u>	3,602
<u>AMD Phenom II X4 10</u>	3,599
<u>AMD Athlon X4 645</u>	3,595
<u>AMD Phenom II X4 830</u>	3,580
<u>AMD Phenom II X4 B25</u>	3,569
<u>Intel Core i5-3437U @ 1.90GHz</u>	3,567
<u>AMD Phenom II X4 B45</u>	3,564
<u>Intel Xeon E3-1220L @ 2.20GHz</u>	3,563
<u>Intel Core i5 680 @ 3.60GHz</u>	3,555
<u>AMD Opteron 2386 SE</u>	3,538
<u>AMD Opteron 2384</u>	3,538
<u>Intel Core i5-2520M @ 2.50GHz</u>	3,536
<u>Intel Pentium G3430 @ 3.30GHz</u>	3,534
<u>AMD A8-3850 APU</u>	3,534
<u>Intel Xeon X5365 @ 3.00GHz</u>	3,532
<u>AMD Athlon II X4 645</u>	3,522
<u>AMD A8-6500T APU</u>	3,517
<u>AMD Phenom II X4 925</u>	3,509
<u>AMD Phenom II X4 920</u>	3,505
<u>AMD Phenom II X4 B40</u>	3,502
<u>Intel Xeon L5410 @ 2.33GHz</u>	3,501
<u>AMD Phenom II X4 B55</u>	3,500
<u>Intel Core i3-3130M @ 2.60GHz</u>	3,499
<u>Intel Pentium G3240 @ 3.10GHz</u>	3,498
<u>Intel Xeon E5-2603 @ 1.80GHz</u>	3,492

PassMark - CPU Mark
High Mid Range CPUs - Updated 10th of June 2014

Processor	CPU Mark
<u>AMD Phenom II 42 TWKR Black Edition</u>	3,489
<u>AMD Athlon II X4 641 Quad-Core</u>	3,489
<u>Intel Xeon E5-2403 @ 1.80GHz</u>	3,489
<u>AMD Phenom II X4 820</u>	3,482
<u>Intel Core i7-3689Y @ 1.50GHz</u>	3,479
<u>Intel Core i7 Q 840 @ 1.87GHz</u>	3,472
<u>AMD Phenom II X4 B93</u>	3,470
<u>AMD Athlon X4 640</u>	3,461
<u>Intel Pentium G3420 @ 3.20GHz</u>	3,455
<u>AMD A10-4657M APU</u>	3,449
<u>Intel Core i7-3517UE @ 1.70GHz</u>	3,449
<u>Intel Core i5-2450M @ 2.50GHz</u>	3,445
<u>Intel Xeon E5420 @ 2.50GHz</u>	3,440
<u>Intel Core2 Quad Q9400 @ 2.66GHz</u>	3,421
<u>Intel 000 @ 1.73GHz</u>	3,419
<u>Intel Xeon X3320 @ 2.50GHz</u>	3,414
<u>Intel Core i5-4250U @ 1.30GHz</u>	3,401
<u>Intel Core i3-4000M @ 2.40GHz</u>	3,368
<u>AMD Phenom II X4 910e</u>	3,356
<u>Intel Xeon E5606 @ 2.13GHz</u>	3,353
<u>AMD Athlon II X4 640</u>	3,350
<u>Intel Core2 Quad Q6700 @ 2.66GHz</u>	3,341
<u>Intel Core i5 K 655 @ 3.20GHz</u>	3,341
<u>Intel Xeon X5355 @ 2.66GHz</u>	3,337
<u>Intel Core 750 @ 2.67GHz</u>	3,329
<u>AMD Phenom II X4 910</u>	3,324
<u>Intel Xeon X3430 @ 2.40GHz</u>	3,313
<u>Intel Core i5-2515E @ 2.50GHz</u>	3,313
<u>Intel Xeon E5410 @ 2.33GHz</u>	3,309
<u>Intel Core2 Quad Q9100 @ 2.26GHz</u>	3,306
<u>Intel Core i3-3120M @ 2.50GHz</u>	3,299
<u>AMD A6-3670 APU</u>	3,298
<u>Intel Core i5-4200U @ 1.60GHz</u>	3,293
<u>AMD Athlon II X4 635</u>	3,285
<u>AMD Phenom II X3 B77</u>	3,276
<u>Intel Core i5-2430M @ 2.40GHz</u>	3,270
<u>Intel Pentium G2140 @ 3.30GHz</u>	3,262
<u>AMD Opteron 3260 HE</u>	3,259
<u>Intel Core i5-2435M @ 2.40GHz</u>	3,252
<u>Intel Core i5-3337U @ 1.80GHz</u>	3,247
<u>Intel Core2 Quad Q8400 @ 2.66GHz</u>	3,242
<u>Intel Core i5 660 @ 3.33GHz</u>	3,238
<u>Intel Core i5-2415M @ 2.30GHz</u>	3,238
<u>Intel Xeon E5507 @ 2.27GHz</u>	3,235
<u>AMD Phenom II X4 810</u>	3,229
<u>AMD Phenom 9850B Quad-Core</u>	3,229
<u>Intel Core i5 670 @ 3.47GHz</u>	3,228
<u>Intel Core i7 Q 740 @ 1.73GHz</u>	3,224

PassMark - CPU Mark
High Mid Range CPUs - Updated 10th of June 2014

<u>AMD A8-3820 APU</u>	3,218
<u>AMD A6-3650 APU</u>	3,209
<u>Intel Celeron G1850 @ 2.90GHz</u>	3,206
<u>Intel Core i7-2630UM @ 1.60GHz</u>	3,204
<u>Intel Core2 Quad Q9300 @ 2.50GHz</u>	3,194
<u>Intel Pentium G3220 @ 3.00GHz</u>	3,191
<u>Intel Core i7 Q 820 @ 1.73GHz</u>	3,185
<u>Intel Core i3-2120T @ 2.60GHz</u>	3,185
<u>AMD Opteron 2378</u>	3,179
<u>AMD Athlon II X4 631 Quad-Core</u>	3,178
<u>Intel Core i5-2410M @ 2.30GHz</u>	3,178
<u>AMD Athlon II X4 630</u>	3,178
<u>Intel Core i5 661 @ 3.33GHz</u>	3,168
<u>AMD Phenom II X3 B75</u>	3,165
<u>AMD A8-3800 APU</u>	3,158
<u>Intel Xeon X3220 @ 2.40GHz</u>	3,151
<u>Intel Core i5 650 @ 3.20GHz</u>	3,149
<u>Intel Pentium G2130 @ 3.20GHz</u>	3,149
<u>AMD A10-4600M APU</u>	3,133
<u>AMD A10-5757M APU</u>	3,128
<u>AMD Athlon X4 630</u>	3,121
<u>Intel Xeon E5506 @ 2.13GHz</u>	3,113
<u>Intel Core i5-3317U @ 1.70GHz</u>	3,106
<u>Intel Core i7-2637M @ 1.70GHz</u>	3,087
<u>AMD Phenom II X4 805</u>	3,076
<u>Intel Xeon X3353 @ 2.66GHz</u>	3,072
<u>AMD Opteron 2427</u>	3,069
<u>Intel Core i3-3110M @ 2.40GHz</u>	3,068
<u>Intel Core i7 Q 720 @ 1.60GHz</u>	3,067
<u>AMD Opteron 1381</u>	3,064
<u>AMD Athlon X3 450</u>	3,064
<u>Intel Pentium G2120 @ 3.10GHz</u>	3,063
<u>Intel Core i5-3439Y @ 1.50GHz</u>	3,057
<u>Intel Core i5-4302Y @ 1.60GHz</u>	3,042
<u>AMD Phenom II X4 905e</u>	3,038
<u>Intel Core2 Quad Q8300 @ 2.50GHz</u>	3,038
<u>AMD Phenom II X3 740</u>	3,031
<u>AMD Phenom 9950 Quad-Core</u>	3,030
<u>Intel Core i3-4330TE @ 2.40GHz</u>	3,023
<u>AMD Phenom II X4 05e</u>	3,021
<u>AMD Athlon X4 620</u>	3,021
<u>AMD A8-5550M APU</u>	3,019
<u>AMD Phenom 2 X4 12000</u>	3,005
<u>Intel Core i3-2330E @ 2.20GHz</u>	3,004
<u>AMD Phenom 7950 Quad-Core</u>	2,991
<u>Intel Core2 Quad Q6600 @ 2.40GHz</u>	2,978
<u>AMD Athlon II X4 620</u>	2,978
<u>Intel Xeon X6550 @ 2.00GHz</u>	2,977
<u>AMD Athlon II X3 460</u>	2,961
<u>Intel Pentium G3220T @ 2.60GHz</u>	2,954

PassMark - CPU Mark
High Mid Range CPUs - Updated 10th of June 2014

<u>Intel Pentium G2030 @ 3.00GHz</u>	2,954
<u>AMD Phenom FX-5200 Quad-Core</u>	2,953
<u>AMD Phenom 9850 Quad-Core</u>	2,951
<u>AMD Opteron 2374 HE</u>	2,951
<u>Intel Xeon E5345 @ 2.33GHz</u>	2,942
<u>AMD Opteron 4122</u>	2,942
<u>AMD Opteron 6134</u>	2,938
<u>Intel Core i3 560 @ 3.33GHz</u>	2,923
<u>AMD Athlon II X4 615e</u>	2,914
<u>AMD A8-5557M APU</u>	2,908
<u>Intel Pentium G870 @ 3.10GHz</u>	2,907
<u>AMD Athlon II X4 620e</u>	2,906
<u>Intel Xeon E5405 @ 2.00GHz</u>	2,901
<u>AMD R-464L APU</u>	2,893
<u>AMD Athlon X4 635</u>	2,891
<u>AMD A6-3620 APU</u>	2,891
<u>Intel Core i7-2655LE @ 2.20GHz</u>	2,882
<u>AMD Athlon II X4 655</u>	2,880
<u>Intel Core i7 M 640 @ 2.80GHz</u>	2,873
<u>AMD Opteron 2356</u>	2,869
<u>Intel Celeron G1630 @ 2.80GHz</u>	2,869
<u>Intel Core i3 550 @ 3.20GHz</u>	2,869
<u>AMD Athlon II X3 455</u>	2,851
<u>AMD Phenom II X4 B15e</u>	2,846
<u>Intel Celeron G1830 @ 2.80GHz</u>	2,841
<u>Intel Core i7-2677M @ 1.80GHz</u>	2,840
<u>Intel Core i3-2310E @ 2.10GHz</u>	2,838
<u>Celeron Dual-Core Q8300 @ 2.50GHz</u>	2,837
<u>Intel Pentium G860 @ 3.00GHz</u>	2,833
<u>AMD Phenom 9750 Quad-Core</u>	2,829
<u>Intel Core2 Quad Q8200 @ 2.33GHz</u>	2,827
<u>AMD Opteron 2350</u>	2,820
<u>AMD A6-3600 APU</u>	2,817
<u>AMD Athlon II X4 610e</u>	2,813
<u>AMD Phenom II X4 840</u>	2,812
<u>Intel Core i3-2370M @ 2.40GHz</u>	2,808
<u>AMD Phenom 9750B Quad-Core</u>	2,804
<u>AMD Phenom II X920 Quad-Core</u>	2,803
<u>Intel Core i7 E 610 @ 2.53GHz</u>	2,800
<u>Intel Xeon X5272 @ 3.40GHz</u>	2,796
<u>AMD A8-3550MX APU</u>	2,794
<u>Intel Xeon E5504 @ 2.00GHz</u>	2,793
<u>Intel Core i7-2617M @ 1.50GHz</u>	2,792
<u>Intel Xeon X3210 @ 2.13GHz</u>	2,790
<u>AMD A10-5745M APU</u>	2,781
<u>AMD Phenom II X4 B05e</u>	2,781
<u>Intel Core i3-2100T @ 2.50GHz</u>	2,778
<u>Intel E3000 @ 3.40GHz</u>	2,767
<u>Intel Pentium G2020 @ 2.90GHz</u>	2,762
<u>AMD Athlon II X4 600e</u>	2,751

PassMark - CPU Mark
High Mid Range CPUs - Updated 10th of June 2014

<u>Intel Pentium 1403 @ 2.60GHz</u>	2,747
<u>AMD Athlon II X4 605e</u>	2,746
<u>Intel Core i7 M 620 @ 2.67GHz</u>	2,740
<u>Intel Core i5-2557M @ 1.70GHz</u>	2,728
<u>AMD Phenom II X3 B73</u>	2,728
<u>Intel Celeron G1820 @ 2.70GHz</u>	2,727
<u>AMD Phenom II X3 720</u>	2,720
<u>AMD Phenom X4 Quad-Core GP-9830</u>	2,715
<u>AMD Phenom X4 Quad-Core GP-9930</u>	2,690
<u>AMD A8-4500M APU</u>	2,688
<u>Intel Core i3 540 @ 3.07GHz</u>	2,687
<u>Intel Pentium G850 @ 2.90GHz</u>	2,685
<u>Intel Core i5 M 580 @ 2.67GHz</u>	2,684
<u>Intel Celeron G1620 @ 2.70GHz</u>	2,684
<u>Intel Core i5 M 560 @ 2.67GHz</u>	2,655
<u>AMD Opteron 1352</u>	2,653
<u>Intel Core i3-2350M @ 2.30GHz</u>	2,653
<u>AMD Phenom 9450e Quad-Core</u>	2,650
<u>AMD Phenom II X3 715</u>	2,649
<u>AMD Opteron 1356</u>	2,647
<u>AMD Phenom II X4 900e</u>	2,646
<u>AMD Phenom 9650 Quad-Core</u>	2,644
<u>Intel Core i3-2348M @ 2.30GHz</u>	2,644
<u>AMD Opteron 2380</u>	2,640
<u>AMD Athlon X3 455</u>	2,636
<u>AMD Athlon 5350 APU with Radeon R3</u>	2,628
<u>AMD A6-6400B APU</u>	2,625
<u>AMD Phenom FX-5000 Quad-Core</u>	2,621
<u>AMD Athlon II X3 450</u>	2,609
<u>Intel Pentium G2010 @ 2.80GHz</u>	2,603
<u>Intel Pentium G645 @ 2.90GHz</u>	2,598
<u>Intel Core i3 530 @ 2.93GHz</u>	2,597
<u>AMD Athlon II X4 6400e</u>	2,594
<u>AMD Athlon II X3 440</u>	2,586
<u>AMD A10-4655M APU</u>	2,580
<u>AMD Phenom 9600B Quad-Core</u>	2,571
<u>Intel Pentium G840 @ 2.80GHz</u>	2,566
<u>AMD Opteron 1354</u>	2,563
<u>AMD Athlon II X3 445</u>	2,561
<u>Intel Celeron G1610 @ 2.60GHz</u>	2,553
<u>AMD A8-5545M APU</u>	2,553
<u>Intel Xeon E5335 @ 2.00GHz</u>	2,552
<u>Intel Core2 Quad Q9000 @ 2.00GHz</u>	2,546
<u>AMD Phenom II N950 Quad-Core</u>	2,546
<u>Intel Pentium G2020T @ 2.50GHz</u>	2,542
<u>AMD Phenom 9550 Quad-Core</u>	2,541
<u>AMD Phenom II N970 Quad-Core</u>	2,533
<u>AMD A4-6300B APU</u>	2,526
<u>Intel Core i3-2330M @ 2.20GHz</u>	2,524
<u>Intel Pentium G640 @ 2.80GHz</u>	2,520

PassMark - CPU Mark
High Mid Range CPUs - Updated 10th of June 2014

<u>Intel Core i5-4300Y @ 1.60GHz</u>	2,518
<u>AMD A10-6700T APU</u>	2,513
<u>Intel Core i3-4010U @ 1.70GHz</u>	2,513
<u>Intel Core i3-3227U @ 1.90GHz</u>	2,512
<u>AMD A4-6320 APU</u>	2,512
<u>AMD Athlon X4 605e</u>	2,505
<u>Intel Xeon L5320 @ 1.86GHz</u>	2,505
<u>Intel Xeon E5240 @ 3.00GHz</u>	2,492
<u>Intel Core i3-2328M @ 2.20GHz</u>	2,491
<u>Intel Core i5 E 520 @ 2.40GHz</u>	2,486
<u>Intel Celeron G555 @ 2.70GHz</u>	2,486
<u>Intel Xeon X5260 @ 3.33GHz</u>	2,485
<u>AMD Phenom II X3 710</u>	2,483
<u>Intel Pentium G2030T @ 2.60GHz</u>	2,480
<u>Intel Celeron G1820T @ 2.40GHz</u>	2,473
<u>AMD Athlon II X3 435</u>	2,472
<u>AMD Athlon X3 435</u>	2,461
<u>Intel Xeon E3120 @ 3.16GHz</u>	2,459
<u>Intel Xeon E5603 @ 1.60GHz</u>	2,456
<u>Intel Core i7-2610UE @ 1.50GHz</u>	2,454
<u>Intel Core i5 M 480 @ 2.67GHz</u>	2,448
<u>AMD A6-5200 APU</u>	2,435
<u>AMD A8-3510MX APU</u>	2,432
<u>Intel Core2 Duo E8600 @ 3.33GHz</u>	2,429
<u>AMD Athlon X2 370K Dual Core</u>	2,421
<u>Intel Xeon L5240 @ 3.00GHz</u>	2,420
<u>Intel Core i5 540M @ 2.53GHz</u>	2,412
<u>Intel Pentium G630 @ 2.70GHz</u>	2,411
<u>Intel Xeon L3110 @ 3.00GHz</u>	2,411
<u>Intel Core i3-2310M @ 2.10GHz</u>	2,407
<u>AMD Athlon II X3 425</u>	2,391
<u>Intel Core i3-2332M @ 2.20GHz</u>	2,382
<u>Intel Core i5 M 460 @ 2.53GHz</u>	2,377
<u>AMD Phenom II X4 8700e</u>	2,377
<u>Intel Celeron G1610T @ 2.30GHz</u>	2,367
<u>Intel Core i5 520M @ 2.40GHz</u>	2,364
<u>Intel Core i5-4202Y @ 1.60GHz</u>	2,354
<u>Intel Core2 Duo E8290 @ 2.83GHz</u>	2,353
<u>AMD A6-6400K APU</u>	2,346
<u>Intel Core i7 L 640 @ 2.13GHz</u>	2,346
<u>Intel Core i5-2467M @ 1.60GHz</u>	2,346
<u>Intel Pentium G645T @ 2.50GHz</u>	2,334
<u>AMD Athlon II X3 415e</u>	2,329
<u>AMD Phenom X4 Quad-Core GP-9600</u>	2,328
<u>AMD Phenom II X3 705e</u>	2,328
<u>Intel Celeron 2970M @ 2.20GHz</u>	2,326
<u>AMD Phenom 9600 Quad-Core</u>	2,322
<u>AMD Phenom 9350e Quad-Core</u>	2,322
<u>AMD Phenom II N930 Quad-Core</u>	2,321
<u>AMD A8-3530MX APU</u>	2,317

PassMark - CPU Mark
High Mid Range CPUs - Updated 10th of June 2014

<u>AMD Athlon X3 445</u>	2,314
<u>Intel Pentium G6951 @ 2.80GHz</u>	2,311
<u>Intel Celeron G550 @ 2.60GHz</u>	2,311
<u>Intel Core2 Duo T9900 @ 3.06GHz</u>	2,307
<u>Intel Core i3 M 390 @ 2.67GHz</u>	2,304
<u>AMD Athlon X2 280</u>	2,303
<u>Intel Core i3-3217U @ 1.80GHz</u>	2,300
<u>Intel Core2 Duo E8500 @ 3.16GHz</u>	2,300
<u>Intel Pentium 2020M @ 2.40GHz</u>	2,297
<u>AMD Phenom II X3 700e</u>	2,286
<u>AMD A8-3520M APU</u>	2,286
<u>AMD Opteron 2376</u>	2,283
<u>Intel Core i3-4020Y @ 1.50GHz</u>	2,278
<u>Intel Pentium G3320TE @ 2.30GHz</u>	2,276
<u>Intel Xeon E5310 @ 1.60GHz</u>	2,270
<u>Intel Pentium G620 @ 2.60GHz</u>	2,269
<u>Intel Celeron G540 @ 2.50GHz</u>	2,264
<u>AMD Phenom II X620 Dual-Core</u>	2,258
<u>AMD Athlon X3 440</u>	2,256
<u>AMD Opteron 8354</u>	2,255
<u>AMD Athlon X3 425</u>	2,255
<u>Intel Xeon E3110 @ 3.00GHz</u>	2,247
<u>AMD Opteron 2393 SE</u>	2,246
<u>Intel Core i5 520 @ 2.40GHz</u>	2,244
<u>Intel Core i5-4200Y @ 1.40GHz</u>	2,240
<u>AMD Athlon II X3 425e</u>	2,239
<u>Intel Core2 Duo E8335 @ 2.93GHz</u>	2,238
<u>AMD Phenom 8850 Triple-Core</u>	2,237
<u>Intel Core i3-3217UE @ 1.60GHz</u>	2,228
<u>AMD Phenom 9500 Quad-Core</u>	2,224
<u>Intel Core i5-2537M @ 1.40GHz</u>	2,223
<u>AMD Phenom 8850B Triple-Core</u>	2,218
<u>Intel Core2 Duo E8700 @ 3.50GHz</u>	2,212
<u>Intel Core i5-4210Y @ 1.50GHz</u>	2,207
<u>AMD Phenom X2 Dual-Core GE-5560</u>	2,206
<u>Intel Core i3-4005U @ 1.70GHz</u>	2,204
<u>AMD Athlon X2 270</u>	2,202
<u>AMD A6-3430MX APU</u>	2,200
<u>Intel Pentium 2030M @ 2.50GHz</u>	2,195
<u>AMD Athlon II X2 B28</u>	2,193
<u>AMD A4-6300 APU</u>	2,186
<u>AMD Athlon II X2 280</u>	2,186
<u>Intel Core i3 E 330 @ 2.13GHz</u>	2,182
<u>Intel Core i7 L 620 @ 2.00GHz</u>	2,182
<u>Intel Pentium G630T @ 2.30GHz</u>	2,177
<u>AMD A8-4555M APU</u>	2,176
<u>Intel Celeron G530 @ 2.40GHz</u>	2,174
<u>AMD Phenom II X2 565</u>	2,174
<u>AMD Phenom II X2 560</u>	2,172
<u>Intel Core2 Extreme X9100 @ 3.06GHz</u>	2,172

PassMark - CPU Mark
High Mid Range CPUs - Updated 10th of June 2014

<u>AMD Phenom 8750 Triple-Core</u>	2,169
<u>Intel Core2 Duo E8400 @ 3.00GHz</u>	2,166
<u>Intel Core2 Duo E8435 @ 3.06GHz</u>	2,157
<u>Intel Pentium E6800 @ 3.33GHz</u>	2,145
<u>AMD A6-5400K APU</u>	2,143
<u>AMD Phenom 9150e Quad-Core</u>	2,138
<u>AMD Phenom II X640 Dual-Core</u>	2,128
<u>AMD Phenom II X2 511</u>	2,123
<u>AMD A6-3410MX APU</u>	2,122
<u>AMD Phenom II X2 521</u>	2,122
<u>Intel Core i3 M 380 @ 2.53GHz</u>	2,120
<u>AMD Phenom II P960 Quad-Core</u>	2,118
<u>Intel Pentium G6960 @ 2.93GHz</u>	2,118
<u>Intel Celeron G540T @ 2.10GHz</u>	2,114
<u>Intel Core i5 M 430 @ 2.27GHz</u>	2,112
<u>Intel Core i5 M 450 @ 2.40GHz</u>	2,111
<u>Intel Core2 Duo T9800 @ 2.93GHz</u>	2,109
<u>AMD GX-420CA SOC</u>	2,107
<u>Intel Xeon E3-1220L v3 @ 1.10GHz</u>	2,104
<u>AMD A6-3420M APU</u>	2,083
<u>Intel Core i5-3339Y @ 1.50GHz</u>	2,074
<u>AMD A8-3500M APU</u>	2,069
<u>AMD Athlon 5150 APU with Radeon R3</u>	2,068
<u>AMD Athlon II X3 420e</u>	2,062
<u>AMD Phenom II X2 555</u>	2,058
<u>Intel Pentium J2900 @ 2.41GHz</u>	2,053
<u>Intel Pentium G640T @ 2.40GHz</u>	2,048
<u>Intel Celeron G1620T @ 2.40GHz</u>	2,048
<u>Intel Pentium B980 @ 2.40GHz</u>	2,043
<u>AMD Phenom 8750B Triple-Core</u>	2,041
<u>AMD A4-5300 APU</u>	2,041
<u>Intel Pentium G620T @ 2.20GHz</u>	2,040
<u>AMD Phenom II X2 B57</u>	2,040
<u>Intel Core i3 M 370 @ 2.40GHz</u>	2,039
<u>Intel Xeon 5160 @ 3.00GHz</u>	2,036
<u>Intel Core2 Duo E8300 @ 2.83GHz</u>	2,035
<u>AMD Phenom II X2 550</u>	2,034
<u>Intel Core i3-2312M @ 2.10GHz</u>	2,033
<u>Intel Pentium J2850 @ 2.41GHz</u>	2,032
<u>AMD A6-5350M APU</u>	2,031
<u>AMD Phenom 8650 Triple-Core</u>	2,027
<u>AMD Athlon II X3 400e</u>	2,026
<u>AMD Phenom II X2 B59</u>	2,019
<u>Intel Core2 Duo P9700 @ 2.80GHz</u>	2,009
<u>AMD A6-3500 APU</u>	2,009
<u>Intel Core2 Extreme X9000 @ 2.80GHz</u>	2,007
<u>Intel Xeon E5320 @ 1.86GHz</u>	2,001
<u>AMD Phenom 8450e Triple-Core</u>	2,000
<u>AMD GX-415GA SOC</u>	2,000
<u>AMD Athlon II X3 405e</u>	1,984

PassMark - CPU Mark
High Mid Range CPUs - Updated 10th of June 2014

<u>AMD Athlon II X2 270</u>	1,984
<u>Intel Pentium B970 @ 2.30GHz</u>	1,983
<u>Intel Core2 Duo E6850 @ 3.00GHz</u>	1,977
<u>AMD Phenom II N870 Triple-Core</u>	1,971
<u>Intel Pentium 3550M @ 2.30GHz</u>	1,971
<u>AMD A6-3400M APU</u>	1,969
<u>Intel Core i7 610 @ 2.53GHz</u>	1,969
<u>Intel Core2 Duo E7600 @ 3.06GHz</u>	1,969
<u>Intel Pentium E6700 @ 3.20GHz</u>	1,968
<u>Intel Core2 Duo T9600 @ 2.80GHz</u>	1,962
<u>Intel Celeron J1900 @ 1.99GHz</u>	1,959
<u>Intel Xeon W3505 @ 2.53GHz</u>	1,945
<u>Intel Pentium N3520 @ 2.16GHz</u>	1,939
<u>AMD Phenom II X2 545</u>	1,935
<u>AMD Athlon X2 340 Dual Core</u>	1,935
<u>AMD A6-5357M APU</u>	1,933
<u>Intel Core2 Duo P9600 @ 2.66GHz</u>	1,932
<u>AMD Phenom 8600B Triple-Core</u>	1,926
<u>AMD Phenom II P940 Quad-Core</u>	1,925
<u>AMD Phenom II P920 Quad-Core</u>	1,923
<u>AMD A4-5150M APU</u>	1,921
<u>AMD Opteron 2224 SE</u>	1,919
<u>AMD Phenom X4 Quad-Core GP-9500</u>	1,918
<u>Intel Pentium E5800 @ 3.20GHz</u>	1,918
<u>AMD Phenom II N850 Triple-Core</u>	1,916
<u>Intel Core2 Extreme X6800 @ 2.93GHz</u>	1,914
<u>AMD A4-5000 APU</u>	1,911
<u>AMD Athlon X2 260</u>	1,910
<u>Intel Core i3-2375M @ 1.50GHz</u>	1,908
<u>Intel Core i3 M 350 @ 2.27GHz</u>	1,907
<u>AMD A6-5400B APU</u>	1,906
<u>Intel Pentium E6600 @ 3.06GHz</u>	1,905
<u>Intel Celeron 1005M @ 1.90GHz</u>	1,897
<u>AMD Phenom II X2 B55</u>	1,895
<u>Intel Core i7 U 660 @ 1.33GHz</u>	1,893
<u>Intel Pentium B960 @ 2.20GHz</u>	1,892
<u>AMD Phenom II N830 Triple-Core</u>	1,887
<u>AMD Athlon II X2 260</u>	1,881
<u>Intel Core2 Duo E7500 @ 2.93GHz</u>	1,878
<u>Intel Pentium 2127U @ 1.90GHz</u>	1,877
<u>Intel Core2 Duo E8200 @ 2.66GHz</u>	1,874
<u>AMD Athlon II X2 B24</u>	1,874
<u>AMD Phenom 8550 Triple-Core</u>	1,871
<u>AMD Phenom 8450 Triple-Core</u>	1,866
<u>Intel Pentium G6950 @ 2.80GHz</u>	1,861
<u>AMD Athlon II X2 250e</u>	1,855
<u>AMD Phenom II N660 Dual-Core</u>	1,843
<u>AMD Athlon II X2 255</u>	1,836
<u>AMD Phenom 9100e Quad-Core</u>	1,834
<u>Intel Core i3-2377M @ 1.50GHz</u>	1,832

PassMark - CPU Mark
High Mid Range CPUs - Updated 10th of June 2014

<u>Intel Core2 Duo T9500 @ 2.60GHz</u>	1,830
<u>AMD Athlon II X2 B26</u>	1,829
<u>Intel Pentium @ 1.50GHz</u>	1,824
<u>Intel Xeon L5238 @ 2.66GHz</u>	1,823
<u>AMD A6-5345M APU</u>	1,813
<u>Intel Core i3 M 330 @ 2.13GHz</u>	1,809
<u>AMD Athlon 64 X2 Dual Core 6400+</u>	1,806
<u>AMD Athlon X2 235e</u>	1,806
<u>Intel Celeron B840 @ 1.90GHz</u>	1,805
<u>Intel Core2 Duo T9550 @ 2.66GHz</u>	1,804
<u>AMD Athlon II X2 265</u>	1,797
<u>AMD Athlon 64 FX-72</u>	1,794
<u>Intel Core i7 U 680 @ 1.47GHz</u>	1,793
<u>Intel Core2 Duo P9500 @ 2.53GHz</u>	1,791
<u>Intel Core2 Duo E8235 @ 2.80GHz</u>	1,790
<u>Intel Core2 Duo E8335 @ 2.66GHz</u>	1,787
<u>Intel Xeon 3070 @ 2.66GHz</u>	1,781
<u>Intel Core i7 U 640 @ 1.20GHz</u>	1,778
<u>Intel Celeron 1037U @ 1.80GHz</u>	1,778
<u>Intel Core i3-4010Y @ 1.30GHz</u>	1,774
<u>Intel Core2 Extreme X7800 @ 2.60GHz</u>	1,771
<u>Intel Xeon W3503 @ 2.40GHz</u>	1,765
<u>Intel Pentium E6500 @ 2.93GHz</u>	1,763
<u>Intel Pentium E5700 @ 3.00GHz</u>	1,763
<u>Intel Pentium B940 @ 2.00GHz</u>	1,762
<u>AMD A4-5300B APU</u>	1,761
<u>Intel Core2 Duo E7400 @ 2.80GHz</u>	1,759
<u>AMD Phenom II P860 Triple-Core</u>	1,758
<u>AMD Phenom II N640 Dual-Core</u>	1,755
<u>AMD Athlon II X2 250</u>	1,755
<u>AMD Phenom II P840 Triple-Core</u>	1,755
<u>AMD Phenom X2 Dual-Core GE-7060</u>	1,752
<u>Intel Xeon E5503 @ 2.00GHz</u>	1,744
<u>Intel Core2 Duo T9400 @ 2.53GHz</u>	1,742
<u>Intel Core2 Duo P8800 @ 2.66GHz</u>	1,738
<u>Intel Core2 Extreme X7900 @ 2.80GHz</u>	1,738
<u>Intel Core i3-2367M @ 1.40GHz</u>	1,737
<u>Intel Xeon 5150 @ 2.66GHz</u>	1,737
<u>AMD A4-3420 APU</u>	1,735
<u>Intel Celeron 1000M @ 1.80GHz</u>	1,730
<u>Intel Celeron G1101 @ 2.27GHz</u>	1,727
<u>AMD Athlon II X2 240e</u>	1,723
<u>AMD Phenom X2 Dual-Core GE-6060</u>	1,722
<u>Intel Core2 Duo E6750 @ 2.66GHz</u>	1,722
<u>AMD Sempron 3850 APU with Radeon R3</u>	1,721
<u>AMD Phenom II N620 Dual-Core</u>	1,720
<u>Intel Core2 Duo E6700 @ 2.66GHz</u>	1,717
<u>Intel Core2 Duo E7300 @ 2.66GHz</u>	1,716
<u>AMD Phenom 8400 Triple-Core</u>	1,716
<u>AMD A4-4300M APU</u>	1,714

PassMark - CPU Mark
High Mid Range CPUs - Updated 10th of June 2014

<u>Intel Core i3-2365M @ 1.40GHz</u>	1,713
<u>Intel Core2 Duo T9300 @ 2.50GHz</u>	1,713
<u>Intel Core2 Duo P9600 @ 2.53GHz</u>	1,709
<u>AMD Athlon II X2 245</u>	1,709
<u>Intel Pentium B950 @ 2.10GHz</u>	1,708
<u>AMD Athlon X2 250</u>	1,699
<u>Intel Pentium E6300 @ 2.80GHz</u>	1,699
<u>Intel Core i3-4012Y @ 1.50GHz</u>	1,697
<u>AMD Phenom X2 Dual-Core GE-4060</u>	1,697
<u>Intel Core2 Duo E8135 @ 2.66GHz</u>	1,694
<u>AMD Opteron 1222</u>	1,693
<u>AMD Turion II N550 Dual-Core</u>	1,688
<u>Intel Core2 Duo X7360 @ 2.53GHz</u>	1,687
<u>Intel Xeon 3075 @ 2.66GHz</u>	1,687
<u>Intel Core2 Duo P9400 @ 2.40GHz</u>	1,686
<u>Intel Xeon 5148 @ 2.33GHz</u>	1,685
<u>AMD Opteron 2220</u>	1,677
<u>AMD Phenom 8600 Triple-Core</u>	1,674
<u>Intel Pentium N3510 @ 1.99GHz</u>	1,672
<u>AMD Athlon 7850 Dual-Core</u>	1,672
<u>AMD Athlon X2 240e</u>	1,670
<u>AMD Athlon II X2 220</u>	1,670
<u>Intel Core2 Duo P8700 @ 2.53GHz</u>	1,667
<u>AMD Athlon II X2 235e</u>	1,666
<u>Intel Pentium 2117U @ 1.80GHz</u>	1,663
<u>Intel Core2 Duo E7200 @ 2.53GHz</u>	1,653
<u>AMD E2-3800 APU</u>	1,652
<u>Intel Xeon 5140 @ 2.33GHz</u>	1,652
<u>AMD Athlon II X2 4400e</u>	1,645
<u>Intel Core2 Duo T7800 @ 2.60GHz</u>	1,642
<u>AMD A6-4400M APU</u>	1,638
<u>AMD Athlon 64 X2 Dual Core 5800+</u>	1,636
<u>AMD Turion II Ultra Dual-Core Mobile M640</u>	1,636
<u>AMD Athlon II X2 240</u>	1,634
<u>AMD Athlon II N370 Dual-Core</u>	1,629
<u>Intel Celeron N2930 @ 1.83GHz</u>	1,629
<u>Intel Xeon 3060 @ 2.40GHz</u>	1,628
<u>AMD Athlon X2 255</u>	1,627
<u>Intel Pentium E5400 @ 2.70GHz</u>	1,627
<u>Intel Core i3-2357M @ 1.30GHz</u>	1,618
<u>Athlon 64 Dual Core 5400+</u>	1,614

PassMark - CPU Mark
Laptop & Portable CPU Performance - Updated 10th of June 2014

Processor	CPU Mark
<u>Intel Core i7-4960HQ @ 2.60GHz</u>	10,048
<u>Intel Core i7-4910MQ @ 2.90GHz</u>	9,851
<u>Intel Core i7-4940MX @ 3.10GHz</u>	9,736
<u>Intel Core i7-4770S @ 3.10GHz</u>	9,578
<u>Intel Core i7-4930MX @ 3.00GHz</u>	9,490
<u>Intel Core i7-4850HQ @ 2.30GHz</u>	9,274
<u>Intel Core i7-3940XM @ 3.00GHz</u>	9,222
<u>Intel Core i7-3920XM @ 2.90GHz</u>	9,220
<u>Intel Core i7-4900MQ @ 2.80GHz</u>	9,081
<u>Intel Core i7-3840QM @ 2.80GHz</u>	9,043
<u>Intel Core i7-4810MQ @ 2.80GHz</u>	8,616
<u>Intel Core i7-3820QM @ 2.70GHz</u>	8,586
<u>Intel Core i7-4800MQ @ 2.70GHz</u>	8,585
<u>Intel Core i7-3740QM @ 2.70GHz</u>	8,453
<u>Intel Core i7-3720QM @ 2.60GHz</u>	8,339
<u>Intel Core i7-4750HQ @ 2.00GHz</u>	8,089
<u>Intel Core i7-4700HQ @ 2.40GHz</u>	8,026
<u>Intel Core i7-4710MQ @ 2.50GHz</u>	7,979
<u>Intel Core i7-4700MQ @ 2.40GHz</u>	7,928
<u>Intel Core i7-4712MQ @ 2.30GHz</u>	7,913
<u>Intel Core i7-4702HQ @ 2.20GHz</u>	7,713
<u>Intel Core i7-3630QM @ 2.40GHz</u>	7,711
<u>Intel Core i7-3610QM @ 2.30GHz</u>	7,496
<u>Intel Core i7-2960XM @ 2.70GHz</u>	7,411
<u>Intel Core i7-4702MQ @ 2.20GHz</u>	7,311
<u>Intel Core i7-3615QM @ 2.30GHz</u>	7,304
<u>Intel Core i7-4765T @ 2.00GHz</u>	7,253
<u>Intel Core i7-2860QM @ 2.50GHz</u>	7,175
<u>Intel Core i7-2920XM @ 2.50GHz</u>	7,029
<u>Intel Core i7-3632QM @ 2.20GHz</u>	7,019
<u>Intel Core i7-2760QM @ 2.40GHz</u>	6,916
<u>Intel Core i7-3612QM @ 2.10GHz</u>	6,861
<u>Intel Core i7-2840QM @ 2.40GHz</u>	6,766
<u>Intel Core i7-3612QE @ 2.10GHz</u>	6,665
<u>Intel Core i7-2820QM @ 2.30GHz</u>	6,652
<u>Intel Core i7-3635QM @ 2.40GHz</u>	6,545
<u>Intel Core i7-2720QM @ 2.20GHz</u>	6,226
<u>Intel Core i7-3610QE @ 2.30GHz</u>	6,198
<u>Intel Core i7-2635QM @ 2.00GHz</u>	6,052
<u>Intel Core i7-2670QM @ 2.20GHz</u>	6,025
<u>Intel Core i7-2630QM @ 2.00GHz</u>	5,577
<u>Intel Core i7-3615QE @ 2.30GHz</u>	5,495
<u>Intel Core i7-2675QM @ 2.20GHz</u>	5,483
<u>Intel Core i7-2715QE @ 2.10GHz</u>	5,199
<u>Intel Core i7-4600M @ 2.90GHz</u>	5,007
<u>Intel Core i5-4310M @ 2.70GHz</u>	4,818
<u>Intel Core i7-2710QE @ 2.10GHz</u>	4,751
<u>Intel Core i7-3540M @ 3.00GHz</u>	4,742

PassMark - CPU Mark

Laptop & Portable CPU Performance - Updated 10th of June 2014

<u>Intel Core i5-4330M @ 2.80GHz</u>	4,742
<u>Intel Core i5-4288U @ 2.60GHz</u>	4,600
<u>Intel Core i5-4210M @ 2.60GHz</u>	4,569
<u>Intel Core i7-3520M @ 2.90GHz</u>	4,551
<u>Intel Core i5-4300M @ 2.60GHz</u>	4,454
<u>Intel Core i7-3687U @ 2.10GHz</u>	4,335
<u>Intel Core i7-4600U @ 2.10GHz</u>	4,326
<u>Intel Core i5-3360M @ 2.80GHz</u>	4,297
<u>Intel Core i7-4650U @ 1.70GHz</u>	4,239
<u>Intel Core i5-3340M @ 2.70GHz</u>	4,220
<u>Intel Core i7-4558U @ 2.80GHz</u>	4,172
<u>Intel Core i5-4200M @ 2.50GHz</u>	4,169
<u>Intel Core i5-4258U @ 2.40GHz</u>	4,151
<u>Intel Core i5-3380M @ 2.90GHz</u>	4,138
<u>AMD Eng Sample Mobile 2185_A1</u>	4,134
<u>Intel Core i7-3555LE @ 2.50GHz</u>	4,080
<u>Intel Core i5-4310U @ 2.00GHz</u>	4,043
<u>Intel Core i5-3320M @ 2.60GHz</u>	4,039
<u>Intel Core i7-3667U @ 2.00GHz</u>	3,999
<u>Intel Core i7-2640M @ 2.80GHz</u>	3,998
<u>Intel Core i5-3230M @ 2.60GHz</u>	3,977
<u>Intel Core i7-4550U @ 1.50GHz</u>	3,932
<u>Intel Core i7-4510U @ 2.00GHz</u>	3,902
<u>Intel Core i7-3537U @ 2.00GHz</u>	3,902
<u>Intel Core i7-2620M @ 2.70GHz</u>	3,877
<u>Intel Core i7-4500U @ 1.80GHz</u>	3,865
<u>Intel Core i5-3210M @ 2.50GHz</u>	3,807
<u>Intel Core i5-4300U @ 1.90GHz</u>	3,713
<u>Intel Core i7-3517U @ 1.90GHz</u>	3,701
<u>Intel Core i5-2540M @ 2.60GHz</u>	3,699
<u>Intel Core i5-4260U @ 1.40GHz</u>	3,688
<u>Intel Core i7 920XM @ 2.00GHz</u>	3,685
<u>Intel Core i5-2510E @ 2.50GHz</u>	3,630
<u>Intel Core i5-4350U @ 1.40GHz</u>	3,604
<u>Intel Core i5-3427U @ 1.80GHz</u>	3,602
<u>Intel Core i5-3437U @ 1.90GHz</u>	3,567
<u>Intel Core i5-2520M @ 2.50GHz</u>	3,536
<u>Intel Core i3-3130M @ 2.60GHz</u>	3,499
<u>Intel Core i7-3689Y @ 1.50GHz</u>	3,479
<u>Intel Core i7 Q 840 @ 1.87GHz</u>	3,472
<u>Intel Core i7-3517UE @ 1.70GHz</u>	3,449
<u>Intel Core i5-2450M @ 2.50GHz</u>	3,445
<u>Intel Core i5-4250U @ 1.30GHz</u>	3,401
<u>Intel Core i3-4000M @ 2.40GHz</u>	3,368
<u>Intel Core2 Quad Q9100 @ 2.26GHz</u>	3,306
<u>Intel Core i3-3120M @ 2.50GHz</u>	3,299
<u>Intel Core i5-4200U @ 1.60GHz</u>	3,293
<u>Intel Core i5-2430M @ 2.40GHz</u>	3,270
<u>Intel Core i5-2435M @ 2.40GHz</u>	3,252
<u>Intel Core i5-3337U @ 1.80GHz</u>	3,247

PassMark - CPU Mark

Laptop & Portable CPU Performance - Updated 10th of June 2014

<u>Intel Core i7 Q 740 @ 1.73GHz</u>	3,224
<u>Intel Core i7-2630UM @ 1.60GHz</u>	3,204
<u>Intel Core i7 Q 820 @ 1.73GHz</u>	3,185
<u>Intel Core i5-2410M @ 2.30GHz</u>	3,178
<u>AMD A10-4600M APU</u>	3,133
<u>Intel Core i5-3317U @ 1.70GHz</u>	3,106
<u>Intel Core i7-2637M @ 1.70GHz</u>	3,087
<u>Intel Core i3-3110M @ 2.40GHz</u>	3,068
<u>Intel Core i7 Q 720 @ 1.60GHz</u>	3,067
<u>Intel Core i7 M 640 @ 2.80GHz</u>	2,873
<u>Intel Core i7-2677M @ 1.80GHz</u>	2,840
<u>Intel Core i3-2370M @ 2.40GHz</u>	2,808
<u>AMD Phenom II X920 Quad-Core</u>	2,803
<u>Intel Core i7 E 610 @ 2.53GHz</u>	2,800
<u>AMD A8-3550MX APU</u>	2,794
<u>Intel Core i7-2617M @ 1.50GHz</u>	2,792
<u>Intel Core i7 M 620 @ 2.67GHz</u>	2,740
<u>Intel Core i5-2557M @ 1.70GHz</u>	2,728
<u>AMD A8-4500M APU</u>	2,688
<u>Intel Core i5 M 580 @ 2.67GHz</u>	2,684
<u>Intel Core i5 M 560 @ 2.67GHz</u>	2,655
<u>Intel Core i3-2350M @ 2.30GHz</u>	2,653
<u>Intel Core i3-2348M @ 2.30GHz</u>	2,644
<u>AMD A10-4655M APU</u>	2,580
<u>AMD Phenom II N950 Quad-Core</u>	2,546
<u>Intel Core2 Quad Q9000 @ 2.00GHz</u>	2,546
<u>AMD Phenom II N970 Quad-Core</u>	2,533
<u>Intel Core i3-2330M @ 2.20GHz</u>	2,524
<u>Intel Core i3-4010U @ 1.70GHz</u>	2,513
<u>Intel Core i3-3227U @ 1.90GHz</u>	2,512
<u>Intel Core i3-2328M @ 2.20GHz</u>	2,491
<u>Intel Core i7-2610UE @ 1.50GHz</u>	2,454
<u>Intel Core i5 M 480 @ 2.67GHz</u>	2,448
<u>AMD A8-3510MX APU</u>	2,432
<u>Intel Core i5 540M @ 2.53GHz</u>	2,412
<u>Intel Core i3-2310M @ 2.10GHz</u>	2,407
<u>Intel Core i3-2332M @ 2.20GHz</u>	2,382
<u>Intel Core i5 M 460 @ 2.53GHz</u>	2,377
<u>Intel Core i5 520M @ 2.40GHz</u>	2,364
<u>Intel Core i5-2467M @ 1.60GHz</u>	2,346
<u>AMD Phenom II N930 Quad-Core</u>	2,321
<u>AMD A8-3530MX APU</u>	2,317
<u>Intel Core2 Duo T9900 @ 3.06GHz</u>	2,307
<u>Intel Core i3 M 390 @ 2.67GHz</u>	2,304
<u>Intel Core i3-3217U @ 1.80GHz</u>	2,300
<u>AMD A8-3520M APU</u>	2,286
<u>AMD Phenom II X620 Dual-Core</u>	2,258
<u>Intel Core i3-3217UE @ 1.60GHz</u>	2,228
<u>Intel Core i5-2537M @ 1.40GHz</u>	2,223
<u>Intel Core i3-4005U @ 1.70GHz</u>	2,204

PassMark - CPU Mark

Laptop & Portable CPU Performance - Updated 10th of June 2014

<u>AMD A6-3430MX APU</u>	2,200
<u>Intel Core i3 E 330 @ 2.13GHz</u>	2,182
<u>AMD A8-4555M APU</u>	2,176
<u>Intel Core2 Extreme X9100 @ 3.06GHz</u>	2,172
<u>AMD A6-3410MX APU</u>	2,122
<u>Intel Core i3 M 380 @ 2.53GHz</u>	2,120
<u>AMD Phenom II P960 Quad-Core</u>	2,118
<u>Intel Core i5 M 430 @ 2.27GHz</u>	2,112
<u>Intel Core i5 M 450 @ 2.40GHz</u>	2,111
<u>Intel Core2 Duo T9800 @ 2.93GHz</u>	2,109
<u>AMD A6-3420M APU</u>	2,083
<u>AMD A8-3500M APU</u>	2,069
<u>Intel Core i3 M 370 @ 2.40GHz</u>	2,039
<u>Intel Core i3-2312M @ 2.10GHz</u>	2,033
<u>Intel Core2 Duo P9700 @ 2.80GHz</u>	2,009
<u>Intel Core2 Extreme X9000 @ 2.80GHz</u>	2,007
<u>AMD Phenom II N870 Triple-Core</u>	1,971
<u>AMD A6-3400M APU</u>	1,969
<u>Intel Core2 Duo T9600 @ 2.80GHz</u>	1,962
<u>Intel Core2 Duo P9600 @ 2.66GHz</u>	1,932
<u>AMD Phenom II P940 Quad-Core</u>	1,925
<u>AMD Phenom II P920 Quad-Core</u>	1,923
<u>AMD Phenom II N850 Triple-Core</u>	1,916
<u>Intel Core i3-2375M @ 1.50GHz</u>	1,908
<u>Intel Core i3 M 350 @ 2.27GHz</u>	1,907
<u>Intel Core i7 U 660 @ 1.33GHz</u>	1,893
<u>AMD Phenom II N830 Triple-Core</u>	1,887
<u>AMD Phenom II N660 Dual-Core</u>	1,843
<u>Intel Core i3-2377M @ 1.50GHz</u>	1,832
<u>Intel Core2 Duo T9500 @ 2.60GHz</u>	1,830
<u>Intel Core i3 M 330 @ 2.13GHz</u>	1,809
<u>Intel Celeron B840 @ 1.90GHz</u>	1,805
<u>Intel Core2 Duo T9550 @ 2.66GHz</u>	1,804
<u>Intel Core i7 U 680 @ 1.47GHz</u>	1,793
<u>Intel Core2 Duo P9500 @ 2.53GHz</u>	1,791
<u>Intel Core i7 U 640 @ 1.20GHz</u>	1,778
<u>Intel Core2 Extreme X7800 @ 2.60GHz</u>	1,771
<u>AMD Phenom II P860 Triple-Core</u>	1,758
<u>AMD Phenom II N640 Dual-Core</u>	1,755
<u>AMD Phenom II P840 Triple-Core</u>	1,755
<u>Intel Core2 Duo T9400 @ 2.53GHz</u>	1,742
<u>Intel Core2 Extreme X7900 @ 2.80GHz</u>	1,738
<u>Intel Core2 Duo P8800 @ 2.66GHz</u>	1,738
<u>Intel Core i3-2367M @ 1.40GHz</u>	1,737
<u>AMD Phenom II N620 Dual-Core</u>	1,720
<u>AMD A4-4300M APU</u>	1,714
<u>Intel Core2 Duo T9300 @ 2.50GHz</u>	1,713
<u>Intel Core i3-2365M @ 1.40GHz</u>	1,713
<u>Intel Core2 Duo P9600 @ 2.53GHz</u>	1,709
<u>AMD Turion II N550 Dual-Core</u>	1,688

PassMark - CPU Mark

Laptop & Portable CPU Performance - Updated 10th of June 2014

<u>Intel Core2 Duo P9400 @ 2.40GHz</u>	1,686
<u>Intel Core2 Duo P8700 @ 2.53GHz</u>	1,667
<u>Intel Pentium 2117U @ 1.80GHz</u>	1,663
<u>Intel Core2 Duo T7800 @ 2.60GHz</u>	1,642
<u>AMD A6-4400M APU</u>	1,638
<u>AMD Turion II Ultra Dual-Core Mobile M640</u>	1,636
<u>Intel Core i3-2357M @ 1.30GHz</u>	1,618
<u>Intel Core2 Duo P9300 @ 2.26GHz</u>	1,611
<u>AMD Turion II N530 Dual-Core</u>	1,593
<u>AMD Phenom II P650 Dual-Core</u>	1,580
<u>Intel Core i5 U 560 @ 1.33GHz</u>	1,568
<u>Intel Core2 Duo P8600 @ 2.40GHz</u>	1,537
<u>AMD Turion II Ultra Dual-Core Mobile M620</u>	1,530
<u>AMD Phenom II P820 Triple-Core</u>	1,511
<u>Intel Celeron B830 @ 1.80GHz</u>	1,509
<u>AMD Turion II P540 Dual-Core</u>	1,495
<u>Intel Core2 Duo L9600 @ 2.13GHz</u>	1,481
<u>AMD Turion II Ultra Dual-Core Mobile M660</u>	1,473
<u>Intel Core2 Duo P8400 @ 2.26GHz</u>	1,472
<u>Intel Core2 Duo T8300 @ 2.40GHz</u>	1,470
<u>Intel Core2 Duo P7550 @ 2.26GHz</u>	1,468
<u>Intel Celeron P4600 @ 2.00GHz</u>	1,467
<u>Intel Celeron B820 @ 1.70GHz</u>	1,461
<u>Intel Core2 Duo P7570 @ 2.26GHz</u>	1,456
<u>AMD TurionX2 Ultra DualCore Mobile ZM-85</u>	1,454
<u>Intel Celeron 1007U @ 1.50GHz</u>	1,452
<u>Intel Core i7 U 620 @ 1.07GHz</u>	1,443
<u>Intel Core2 Duo P7450 @ 2.13GHz</u>	1,441
<u>Intel Core2 Duo T7700 @ 2.40GHz</u>	1,437
<u>AMD Turion II Neo N54L Dual-Core</u>	1,412
<u>Intel Core2 Duo T6600 @ 2.20GHz</u>	1,412
<u>AMD Turion II Ultra Dual-Core Mobile M600</u>	1,400
<u>AMD Turion II Dual-Core Mobile M540</u>	1,389
<u>Intel Core i5 U 540 @ 1.20GHz</u>	1,388
<u>Intel Pentium T4500 @ 2.30GHz</u>	1,371
<u>Intel Core2 Duo T6670 @ 2.20GHz</u>	1,371
<u>Intel Celeron B815 @ 1.60GHz</u>	1,357
<u>AMD Turion II P520 Dual-Core</u>	1,350
<u>AMD A4-3330MX APU</u>	1,343
<u>Intel Celeron 887 @ 1.50GHz</u>	1,338
<u>Intel Core2 Duo T7600 @ 2.33GHz</u>	1,337
<u>Celeron Dual-Core T3500 @ 2.10GHz</u>	1,336
<u>AMD Turion II Dual-Core Mobile M520</u>	1,335
<u>Intel Core i5 U 430 @ 1.20GHz</u>	1,334
<u>Intel Celeron 877 @ 1.40GHz</u>	1,326
<u>Intel Celeron B800 @ 1.50GHz</u>	1,319
<u>Intel Core2 Duo P7350 @ 2.00GHz</u>	1,318
<u>Intel Core2 Duo L9400 @ 1.86GHz</u>	1,316
<u>AMD Turion II Dual-Core Mobile M500</u>	1,312
<u>AMD A4-3310MX APU</u>	1,312

PassMark - CPU Mark

Laptop & Portable CPU Performance - Updated 10th of June 2014

<u>Intel Core i5 520UM @ 1.07GHz</u>	1,307
<u>Intel Pentium T4400 @ 2.20GHz</u>	1,306
<u>Intel Core2 Duo T6500 @ 2.10GHz</u>	1,306
<u>AMD A6-4455M APU</u>	1,299
<u>Intel Atom Z3770 @ 1.46GHz</u>	1,294
<u>AMD Turion X2 Dual Core Mobile RM-74</u>	1,283
<u>Intel Core i5 U 470 @ 1.33GHz</u>	1,283
<u>Intel Core2 Duo T8100 @ 2.10GHz</u>	1,280
<u>Intel Core2 Duo P7370 @ 2.00GHz</u>	1,278
<u>Intel Core2 Duo T7500 @ 2.20GHz</u>	1,276
<u>Celeron Dual-Core T3300 @ 2.00GHz</u>	1,272
<u>AMD A4-3305M APU</u>	1,266
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-87</u>	1,261
<u>Intel Celeron B810 @ 1.60GHz</u>	1,260
<u>Intel Core2 Duo T6570 @ 2.10GHz</u>	1,254
<u>Intel Core2 Duo T7400 @ 2.16GHz</u>	1,254
<u>Intel Pentium T4300 @ 2.10GHz</u>	1,238
<u>Intel Celeron P4500 @ 1.87GHz</u>	1,238
<u>AMD A4-3300M APU</u>	1,237
<u>Intel Core2 Duo T6400 @ 2.00GHz</u>	1,225
<u>Intel Celeron 867 @ 1.30GHz</u>	1,224
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-86</u>	1,212
<u>AMD Turion X2 Dual-Core Mobile RM-77</u>	1,210
<u>Intel Core2 Duo T7300 @ 2.00GHz</u>	1,203
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-84</u>	1,198
<u>AMD A4-3320M APU</u>	1,193
<u>Intel Core i3 U 380 @ 1.33GHz</u>	1,189
<u>Intel Celeron 857 @ 1.20GHz</u>	1,188
<u>Intel Core2 Duo T7200 @ 2.00GHz</u>	1,178
<u>AMD Turion X2 Dual-Core Mobile RM-75</u>	1,177
<u>AMD E2-3000M APU</u>	1,169
<u>AMD A4-4355M APU</u>	1,166
<u>Celeron Dual-Core T3100 @ 1.90GHz</u>	1,164
<u>AMD Turion II Neo K685 Dual-Core</u>	1,158
<u>Intel Pentium T4200 @ 2.00GHz</u>	1,149
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-85</u>	1,138
<u>Intel Core2 Duo U9600 @ 1.60GHz</u>	1,131
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-82</u>	1,129
<u>Intel Core i3 U 330 @ 1.20GHz</u>	1,128
<u>Intel Core2 Duo T5870 @ 2.00GHz</u>	1,121
<u>Intel Core2 Duo T5800 @ 2.00GHz</u>	1,120
<u>AMD Turion 64 X2 Mobile TL-66</u>	1,111
<u>AMD Turion 64 X2 Mobile TL-68</u>	1,107
<u>Intel Core2 Duo T7250 @ 2.00GHz</u>	1,103
<u>Celeron Dual-Core T3000 @ 1.80GHz</u>	1,102
<u>Intel Atom Z3740D @ 1.33GHz</u>	1,101
<u>AMD Turion 64 X2 TL-60</u>	1,090
<u>Intel Core2 Duo T5750 @ 2.00GHz</u>	1,088
<u>Intel Core2 Duo L9300 @ 1.60GHz</u>	1,075
<u>AMD Turion 64 X2 TL-62</u>	1,070

PassMark - CPU Mark

Laptop & Portable CPU Performance - Updated 10th of June 2014

<u>AMD TurionX2 Dual Core Mobile RM-74</u>	1,070
<u>Intel Atom Z3740 @ 1.33GHz</u>	1,069
<u>AMD Turion 64 X2 Mobile TL-62</u>	1,062
<u>AMD Turion X2 Dual-Core Mobile RM-72</u>	1,062
<u>Intel Celeron T1700 @ 1.83GHz</u>	1,058
<u>AMD Turion 64 X2 Mobile TL-64</u>	1,055
<u>Intel Core2 Duo T5550 @ 1.83GHz</u>	1,047
<u>AMD Turion X2 Dual-Core Mobile RM-74</u>	1,047
<u>Intel Core Duo T2700 @ 2.33GHz</u>	1,046
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-80</u>	1,043
<u>Intel Core2 Duo T5600 @ 1.83GHz</u>	1,033
<u>Intel Core2 Duo T7100 @ 1.80GHz</u>	1,031
<u>AMD TurionX2 Dual Core Mobile RM-70</u>	1,023
<u>Intel Core2 Duo T5670 @ 1.80GHz</u>	1,019
<u>AMD Turion Dual-Core RM-74</u>	1,016
<u>AMD Turion X2 Dual-Core Mobile RM-70</u>	996
<u>Intel Core2 Duo U9400 @ 1.40GHz</u>	989
<u>AMD TurionX2 Dual Core Mobile RM-72</u>	986
<u>Intel Celeron 847 @ 1.10GHz</u>	979
<u>AMD Turion 64 X2 Mobile TL-58</u>	959
<u>Intel Celeron T1600 @ 1.66GHz</u>	959
<u>AMD Turion X2 Dual Core Mobile RM-70</u>	957
<u>AMD Turion 64 X2 Mobile TL-60</u>	953
<u>AMD Turion II Neo N40L Dual-Core</u>	952
<u>AMD TurionX2 Dual Core Mobile RM-76</u>	951
<u>Intel Core2 Duo L7700 @ 1.80GHz</u>	947
<u>Intel Core Duo T2600 @ 2.16GHz</u>	946
<u>Intel Core2 Duo T5300 @ 1.73GHz</u>	938
<u>Intel Core2 Duo T5470 @ 1.60GHz</u>	924
<u>Intel Core2 Duo L7500 @ 1.60GHz</u>	923
<u>Intel Core2 Duo T5500 @ 1.66GHz</u>	918
<u>Intel Celeron P4505 @ 1.87GHz</u>	915
<u>Intel Core2 Duo L7400 @ 1.50GHz</u>	911
<u>Intel Core2 Duo U7300 @ 1.30GHz</u>	908
<u>AMD Turion II Neo K625 Dual-Core</u>	907
<u>AMD Turion 64 X2 TL-58</u>	897
<u>Intel Core Duo T2500 @ 2.00GHz</u>	892
<u>Intel Core2 Duo T5450 @ 1.66GHz</u>	890
<u>AMD Turion Dual-Core RM-70</u>	889
<u>AMD Turion Dual-Core RM-75</u>	875
<u>Intel Core2 Duo U9300 @ 1.20GHz</u>	869
<u>AMD Turion Neo X2 Dual Core L625</u>	869
<u>AMD Turion 64 X2 Mobile TL-56</u>	866
<u>Intel Core2 Duo T5250 @ 1.50GHz</u>	835
<u>Intel Core2 Duo L7300 @ 1.40GHz</u>	822
<u>Intel Core2 Duo T5200 @ 1.60GHz</u>	821
<u>Intel Celeron B720 @ 1.70GHz</u>	814
<u>Intel Celeron U3600 @ 1.20GHz</u>	809
<u>Intel Core Duo T2400 @ 1.83GHz</u>	805
<u>Intel Atom Z3770D @ 1.49GHz</u>	805

PassMark - CPU Mark

Laptop & Portable CPU Performance - Updated 10th of June 2014

<u>Intel Core Duo T2450 @ 2.00GHz</u>	803
<u>Intel Celeron SU2300 @ 1.20GHz</u>	802
<u>AMD E-450 APU</u>	783
<u>Intel Core Duo T2250 @ 1.73GHz</u>	769
<u>Intel Core2 Duo T5270 @ 1.40GHz</u>	766
<u>AMD E-350</u>	758
<u>AMD Turion 64 X2 Mobile TL-52</u>	755
<u>AMD Turion 64 X2 Mobile TL-50</u>	754
<u>Intel Pentium T2130 @ 1.86GHz</u>	748
<u>Intel Core Duo T2350 @ 1.86GHz</u>	744
<u>Intel Core Duo T2300 @ 1.66GHz</u>	743
<u>Intel Core Duo L2500 @ 1.83GHz</u>	728
<u>AMD E-350 APU</u>	727
<u>Intel Pentium T2080 @ 1.73GHz</u>	724
<u>Intel Celeron 925 @ 2.30GHz</u>	722
<u>Intel Celeron U3400 @ 1.07GHz</u>	711
<u>Intel Core2 Duo U7700 @ 1.33GHz</u>	707
<u>AMD Turion Dual-Core RM-72</u>	701
<u>Intel Core Duo L2400 @ 1.66GHz</u>	699
<u>Intel Core2 Duo L7200 @ 1.33GHz</u>	684
<u>Intel Celeron U3405 @ 1.07GHz</u>	684
<u>Intel Atom Z2760 @ 1.80GHz</u>	679
<u>Intel Pentium T2060 @ 1.60GHz</u>	669
<u>AMD Turion 64 Mobile ML-42</u>	661
<u>Intel Core2 Duo U7600 @ 1.20GHz</u>	660
<u>AMD V140</u>	660
<u>Intel Atom N2800 @ 1.86GHz</u>	643
<u>AMD V120</u>	635
<u>AMD E-300 APU</u>	625
<u>Intel Celeron 570 @ 2.26GHz</u>	612
<u>Intel Core2 Duo U7500 @ 1.06GHz</u>	608
<u>Intel Atom N570 @ 1.66GHz</u>	599
<u>Mobile AMD Athlon 64 4000+</u>	598
<u>AMD Turion 64 Mobile ML-44</u>	589
<u>Intel Celeron 560 @ 2.13GHz</u>	555
<u>Intel Core Duo U2400 @ 1.06GHz</u>	550
<u>Intel Core Duo U2500 @ 1.20GHz</u>	540
<u>Intel Atom N2600 @ 1.60GHz</u>	538
<u>AMD Turion 64 Mobile MT-40</u>	536
<u>AMD Turion 64 Mobile ML-40</u>	533
<u>Mobile AMD Sempron 3800+</u>	523
<u>AMD Turion 64 Mobile MK-38</u>	522
<u>Intel Atom N550 @ 1.50GHz</u>	520
<u>Mobile AMD Athlon XP-M</u>	512
<u>Mobile AMD Athlon 64 3400+</u>	511
<u>Mobile AMD Athlon XP-M (LV)</u>	508
<u>Mobile AMD Athlon XP-M (LV) 3200+</u>	505
<u>Intel Celeron 550 @ 2.00GHz</u>	505
<u>Intel Celeron 540 @ 1.86GHz</u>	502
<u>Mobile AMD Athlon XP</u>	501

PassMark - CPU Mark

Laptop & Portable CPU Performance - Updated 10th of June 2014

<u>Mobile AMD Athlon MP-M 2800+</u>	496
<u>Mobile AMD Athlon XP-M 3200+</u>	487
<u>AMD Turion 64 Mobile MT-37</u>	484
<u>Intel Celeron 530 @ 1.73GHz</u>	480
<u>Mobile Intel Pentium 4 3.46GHz</u>	478
<u>Mobile AMD Athlon XP-M (LV) 2800+</u>	475
<u>Intel Core Solo T1400 @ 1.83GHz</u>	472
<u>Intel Core2 Solo U3500 @ 1.40GHz</u>	463
<u>Mobile AMD Sempron 3300+</u>	461
<u>AMD C-50</u>	458
<u>Intel Celeron 743 @ 1.30GHz</u>	455
<u>Mobile AMD Athlon 64 3000+</u>	450
<u>AMD Turion 64 Mobile MK-36</u>	449
<u>AMD Turion 64 Mobile ML-37</u>	447
<u>AMD Turion 64 Mobile MT-32</u>	445
<u>Mobile AMD Athlon XP-M 3100+</u>	440
<u>Mobile AMD Athlon 64 2800+</u>	440
<u>Mobile Intel Pentium 4 3.33GHz</u>	439
<u>AMD Turion 64 Mobile ML-34</u>	435
<u>Mobile AMD Sempron 3600+</u>	429
<u>AMD Turion 64 Mobile ML-32</u>	427
<u>Mobile AMD Sempron 3400+</u>	421
<u>Intel Celeron 723 @ 1.20GHz</u>	421
<u>Mobile AMD Athlon 64 3200+</u>	421
<u>AMD Turion 64 Mobile MT-28</u>	419
<u>Mobile AMD Sempron 3100+</u>	418
<u>Intel Core2 Solo U3300 @ 1.20GHz</u>	415
<u>AMD Turion 64 Mobile MT-34</u>	414
<u>Mobile AMD Sempron 3500+</u>	413
<u>Intel Core Solo T1350 @ 1.86GHz</u>	405
<u>Mobile AMD Sempron 2600+</u>	403
<u>AMD Turion 64 Mobile ML-30</u>	401
<u>Intel Core Solo T1300 @ 1.66GHz</u>	401
<u>Mobile AMD Athlon 64 2700+</u>	398
<u>AMD Turion 64 Mobile MT-30</u>	398
<u>Mobile AMD Sempron 3000+</u>	398
<u>Mobile AMD Athlon XP-M 2800+</u>	398
<u>Mobile AMD Athlon XP-M 2600+</u>	391
<u>AMD Turion 64 Mobile ML-28</u>	390
<u>Intel Celeron M 440 @ 1.86GHz</u>	386
<u>Intel Atom Z550 @ 2.00GHz</u>	381
<u>Mobile AMD Sempron 2800+</u>	381
<u>Mobile AMD Athlon MP-M 2000+</u>	378
<u>Mobile AMD Athlon XP-M 2200+</u>	376
<u>Mobile AMD Athlon XP-M (LV) 2200+</u>	373
<u>Mobile AMD Athlon 2500+</u>	370
<u>Mobile AMD Athlon XP-M 2500+</u>	368
<u>Mobile AMD Athlon XP-M 3000+</u>	365
<u>Mobile AMD Athlon 64 3700+</u>	363
<u>Mobile AMD Athlon 4 2400+</u>	358

PassMark - CPU Mark

Laptop & Portable CPU Performance - Updated 10th of June 2014

<u>AMD E-240</u>	358
<u>Intel Atom N475 @ 1.83GHz</u>	351
<u>Intel Celeron 215 @ 1.33GHz</u>	349
<u>Mobile AMD Sempron 3200+</u>	349
<u>Intel Atom Z540 @ 1.86GHz</u>	348
<u>Mobile AMD Athlon XP-M 2400+</u>	343
<u>Mobile AMD Athlon XP-M 1900+</u>	342
<u>Mobile AMD Athlon XP-M (LV) 2000+</u>	335
<u>Intel Atom N470 @ 1.83GHz</u>	331
<u>Mobile AMD Athlon 1800+</u>	327
<u>Intel Core Solo U1500 @ 1.33GHz</u>	326
<u>Mobile AMD Athlon XP-M 1700+</u>	323
<u>AMD C-30</u>	315
<u>Mobile AMD Athlon 4</u>	314
<u>Mobile Intel Pentium 4 - M 2.60GHz</u>	313
<u>Mobile AMD Athlon XP-M 1800+</u>	312
<u>Intel Core2 Solo U2200 @ 1.20GHz</u>	311
<u>Mobile Intel Celeron 1333MHz</u>	309
<u>Mobile AMD Athlon XP-M 2000+</u>	307
<u>Mobile AMD Athlon XP-M (LV) 1600+</u>	296
<u>Mobile AMD Athlon MP-M 2400+</u>	295
<u>Mobile Intel Celeron 1200MHz</u>	294
<u>Intel Atom N280 @ 1.66GHz</u>	291
<u>Mobile Intel Pentium III - M 1333MHz</u>	289
<u>Intel Atom N455 @ 1.66GHz</u>	289
<u>Mobile Intel Pentium III - M 1133MHz</u>	289
<u>Mobile AMD Athlon XP-M (LV) 1500+</u>	288
<u>Intel Atom N450 @ 1.66GHz</u>	286
<u>Intel Atom N270 @ 1.60GHz</u>	282
<u>Intel Atom Z530 @ 1.60GHz</u>	281
<u>Mobile Intel Celeron 2.50GHz</u>	281
<u>Mobile Intel Pentium III - M 1200MHz</u>	279
<u>Mobile Intel Pentium 4 2.30GHz</u>	278
<u>Intel Pentium III Mobile 1200MHz</u>	274
<u>Intel Pentium III Mobile 1066MHz</u>	268
<u>Intel Pentium III Mobile 1133MHz</u>	268
<u>Mobile AMD Athlon 1400+</u>	266
<u>Mobile AMD Athlon MP-M 1800+</u>	265
<u>Mobile AMD Sempron 2100+</u>	265
<u>Mobile Intel Pentium 4 - M 2.40GHz</u>	265
<u>Mobile AMD Athlon XP-M 1500+</u>	261
<u>Intel Core Solo U1400 @ 1.20GHz</u>	260
<u>Mobile AMD Athlon XP-M 1600+</u>	257
<u>Mobile Intel Pentium 4 - M 2.50GHz</u>	256
<u>Mobile Intel Celeron 2.20GHz</u>	253
<u>Intel Atom Z670 @ 1.50GHz</u>	252
<u>Mobile Intel Pentium III - M 1000MHz</u>	250
<u>Intel Pentium III Mobile 1000MHz</u>	245
<u>Mobile Intel Celeron 2.00GHz</u>	241
<u>Mobile Intel Celeron 2.40GHz</u>	239

PassMark - CPU Mark

Laptop & Portable CPU Performance - Updated 10th of June 2014

<u>Mobile Intel Pentium 4 - M 1.90GHz</u>	232
<u>Mobile Intel Pentium III - M 933MHz</u>	226
<u>Mobile Intel Pentium 4 - M 1.80GHz</u>	221
<u>Intel Atom Z520 @ 1.33GHz</u>	221
<u>Mobile Intel Pentium 4 - M 2.00GHz</u>	220
<u>Intel Atom Z515 @ 1.20GHz</u>	218
<u>Intel Pentium III Mobile 933MHz</u>	218
<u>Mobile Intel Pentium 4 - M 2.20GHz</u>	215
<u>Intel Pentium III Mobile 866MHz</u>	214
<u>Mobile Intel Pentium III - M 866MHz</u>	211
<u>Intel Pentium 4 Mobile 2.00GHz</u>	211
<u>Intel Pentium 4 Mobile 1.90GHz</u>	209
<u>Intel Pentium 4 Mobile 1.70GHz</u>	208
<u>Intel Pentium III Mobile 800MHz</u>	201
<u>Intel Pentium 4 Mobile 1.60GHz</u>	199
<u>Intel Pentium 4 Mobile 1.50GHz</u>	197
<u>Mobile Intel Pentium 4 - M 1.60GHz</u>	195
<u>Intel Atom Z510 @ 1.10GHz</u>	194
<u>Mobile Intel Pentium 4 - M 1.70GHz</u>	193
<u>Mobile Intel Celeron 1.50GHz</u>	188
<u>Mobile Intel Celeron 1.60GHz</u>	188
<u>Mobile Intel Celeron 1.80GHz</u>	186
<u>Mobile AMD Athlon XP-M 1400+</u>	184
<u>Mobile Intel Celeron 1.70GHz</u>	181
<u>Intel Pentium 4 Mobile 1.80GHz</u>	175
<u>Mobile Intel Celeron 1.20GHz</u>	170
<u>Intel Pentium 4 Mobile 1.40GHz</u>	149
<u>Intel Pentium III Mobile 750MHz</u>	103